	12890	Domestic L RECORD	Form WV	VC-5	Disc	ision of Water	r Resources App. No			
		F WATER WELL:	Fraction		~7~~~	on Number	Township No.	Range Numbe	r	
Count		Ottawa	1/4 SW 1/4 NE	1/4 NW 1/4		6	T 11 S	R 3 □E		
Street	/Rural A	ddress of Well Location;	if unknown, distance &	direction	Global	Positioning	System (GPS) info	rmation:		
from nearest town or intersection: If at owner's address, check here 🛛						Latitude: 39.129393 (in decimal degrees)				
					Longi	Longitude: -97.700254 (in decimal degrees) Elevation: Unknown				
					Elevat	tion:	UNKNOWN			
2 WATER WELL OWNER: Crosson Farms						Datum: WGS 84, NAD 83, NAD 27				
RR#, Street Address, Box #: 1554 US Hwy 81						GPS unit (Make/Model: WAAS)				
City, State, ZIP Code : Minneapolis, KS 67467						☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☒ 3-5 m, ☐ 5-15 m, ☐ >15 m				
2 LOCATE WELL								3-13 m, <u> </u> >15	m	
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 160 ft.										
SECTION BOX: Depth(s) Groundwater Encountered (1) ft. (2) ft. (3)										
SECTION BOX:  Depth(s) Groundwater Encountered (1) ft. (2) ft. (3) ft. WELL'S STATIC WATER LEVEL 82 ft. below land surface measured on mo/day/yr 05/06/14										
	Pump test data: Well water was not checked ft. after hours pumping gpm									
1 1	NIW   NIE   EST. YIELD gpm. Well water was tt. after nours pumping gpm									
w L	W Bore Hole Diameter 8 3/4 in. to 160 ft., and in. to ft.									
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well  Domestic Feedlot Oil field water supply Dewatering Other (Specify below)										
SWSE Domestic Feedlot Domestic-lawn & garden Monitoring well										
	Was a chemical/bacteriological sample submitted to Department? Yes No									
S If yes, mo/day/yr sample was submitted										
Water well disinfected? X Yes No										
5 TYPE OF CASING USED: Steel PVC Other										
CASING JOINTS: M. Clund C. Clamped C. Walded C. Threaded C. Other (Specify)										
Casing diameter 5 in. to 118 ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface 24 in., Weight 2.36 lbs./ft., Wall thickness or gauge No214										
Casing height above land surface 24 in., Weight 2.36 lbs./ft., Wall thickness or gauge No214										
TYPE OF SCREEN OR PERFORATION MATERIAL:										
Steel Stainless Steel PVC Other (Specify) Brass Galvanized Steel None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE:										
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)  Louvered shutter Key punched Wire wrapped Saw cut Other (specify)  SCREEN-PERFORATED INTERVALS: From 118 ft. to 158 ft., From ft. to ft.										
	Louvered	shutter	Wire wrapped	Saw cut	58 Oth	er (specify)			£.	
SCREE	N-PERF	URATED INTERVALS:	From 110	t. to		It., From	tt. 1	to	It.	
	CD AM	EL PACK INTERVALS	From 24	n. w ft to	160	ft From	ft	to	ft	
			From	tt. to		ft., From	ft.	to	II.	
6 GROU	JT MAT	ERIAL: Neat cem	ent Cement grout	⊠ Bento	nite [	Other				
Grout I	ntervals	ERIAL: Neat cem	o 24 ft., From		ft. to	ft.,	, From	ft. to	ft.	
What is t	the neare	st source of possible cont	amin <u>at</u> ion:							
Septic tank  Lateral lines  Pit privy  Livestock p  Cesspool  Sewage lagoon  Fuel storage						A handoned water well				
						Oil well/g		None Known		
	tion fron		r 🗀	Fertilizer s  Distance					****	
FROM	ТО	LITHOLO	GIC LOG	FROM	ТО	LITHO. L	OG (cont.) <u>or</u> PLU	IGGING INTE	RVALS	
0	4	Topsoil								
4	14	Clay, brown								
14	15	Sand, gravel, fine to								
15	21	Clay, yellow, gray, re	a, ironstone streaks							
24	50	some sandstone	o stroaks							
21 50	127	Clay, gray, sandston Sandstone, some iro								
127	134	Clay, gray, sandston		<b>_</b>						
134	160	Sandstone							> <del>&gt;***********************************</del>	
.01										
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was and constructed, or plugged and this record is true to the best of my knowledge and belief.										
TE / A / A /										
Teams as water well contractors breezes										
under the	e busines	ss name of Clar	ke vveli & Equipment	l, INC. Vand DDIAIT	by (s	ignature)	ke and chack the corre	ct anewere Sand 11	ree coniec	
(white, blue	HONS: U ue, pink) t	se typewriter or ball point po Kansas Department of Heal	th and Environment, Bureau	i of Water, Ge	ology Sect	tion, 1000 SW.	Jackson St., Suite 420,	Topeka, Kansas 6	6612-1367.	
Telephon	e 785-296	-5522. Send one copy to WA	TER WELL OWNER and re	tain one for y	our recor	rds. Include <u>fe</u>	e of \$5.00 for each c	onstructed well.	Visit us at	
http://www.kdheks.gov/waterwell/index.html. KSA 82a-1212										
NOA 02d-	1414									