

WATER WELL RECORD Form WWC-5

Division of Water Resources App. No.

Well ID

Original Record Correction Change in Well Use

1 LOCATION OF WATER WELL: County: <u>Dickinson</u>	Fraction <u>¼ NE ¼ NE ¼ SE ¼</u>	Section Number <u>19</u>	Township Number <u>T 11 S</u>	Range Number <u>R 3 E</u> <input type="checkbox"/> W
--	-------------------------------------	-----------------------------	----------------------------------	---

2 WELL OWNER: Last Name: <u>Reilly Family Trust</u> First: _____ Business: _____ Address: <u>401 Crestview Court</u> Address: _____ City: <u>McPherson</u> State: <u>Ks</u> ZIP: <u>67460</u>	Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here: <input type="checkbox"/> <u>3333 Hwy 15</u> <u>Abilene, Kansas</u>
--	---

3 LOCATE WELL WITH "X" IN SECTION BOX: N <table style="width: 100%; text-align: center;"> <tr><td>--NW--</td><td>--NE--</td></tr> <tr><td>W</td><td>E</td></tr> <tr><td>--SW--</td><td>--SE--</td></tr> <tr><td>S</td><td></td></tr> </table> -----1 mile----- (Note: 'X' is marked in the SE quadrant)	--NW--	--NE--	W	E	--SW--	--SE--	S		4 DEPTH OF COMPLETED WELL: <u>104</u> ft. Depth(s) Groundwater Encountered: 1) <u>70</u> ft. 2) ft. 3) ft., or 4) <input type="checkbox"/> Dry Well WELL'S STATIC WATER LEVEL: <u>58</u> ft. <input type="checkbox"/> below land surface, measured on (mo-day-yr)..... <input type="checkbox"/> above land surface, measured on (mo-day-yr) <u>1.1/8/19</u> Pump test data: Well water was ft. after hours pumping gpm Well water was ft. after hours pumping gpm Estimated Yield: <u>14</u> gpm Bore Hole Diameter: <u>9</u> in. to <u>104</u> ft. and in. to ft.	5 Latitude: (decimal degrees) Longitude: (decimal degrees) Horizontal Datum: <input type="checkbox"/> WGS 84 <input type="checkbox"/> NAD 83 <input type="checkbox"/> NAD 27 Source for Latitude/Longitude: <input type="checkbox"/> GPS (unit make/model:) (WAAS enabled? <input type="checkbox"/> Yes <input type="checkbox"/> No) <input type="checkbox"/> Land Survey <input type="checkbox"/> Topographic Map <input type="checkbox"/> Online Mapper:
--NW--	--NE--									
W	E									
--SW--	--SE--									
S										
6 Elevation: ft. <input type="checkbox"/> Ground Level <input type="checkbox"/> TOC Source: <input type="checkbox"/> Land Survey <input type="checkbox"/> GPS <input type="checkbox"/> Topographic Map <input type="checkbox"/> Other										

7 WELL WATER TO BE USED AS:

1. Domestic: <input type="checkbox"/> Household <input type="checkbox"/> Lawn & Garden <input checked="" type="checkbox"/> Livestock	2. <input type="checkbox"/> Irrigation	3. <input type="checkbox"/> Feedlot	4. <input type="checkbox"/> Industrial	5. <input type="checkbox"/> Public Water Supply: well ID	6. <input type="checkbox"/> Dewatering: how many wells?	7. <input type="checkbox"/> Aquifer Recharge: well ID	8. <input type="checkbox"/> Monitoring: well ID	9. Environmental Remediation: well ID	10. <input type="checkbox"/> Oil Field Water Supply: lease	11. Test Hole: well ID	12. Geothermal: how many bores?	13. <input type="checkbox"/> Other (specify):
---	--	-------------------------------------	--	--	---	---	---	---	--	------------------------------	---------------------------------------	---

Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:

Water well disinfected? Yes No

8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded

Casing diameter 5 in. to 104 ft., Diameter in. to ft., Diameter in. to ft.
 Casing height above land surface 1.6 in. Weight 200 lbs./ft. Wall thickness or gauge No. 250

TYPE OF SCREEN OR PERFORATION MATERIAL:
 Steel Stainless Steel Fiberglass PVC Other (Specify)

SCREEN OR PERFORATION OPENINGS ARE:
 Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)

SCREEN-PERFORATED INTERVALS: From 6.4 ft. to 104 ft., From ft. to ft., From ft. to ft.
 GRAVEL PACK INTERVALS: From 2.5 ft. to 104 ft., From ft. to ft., From ft. to ft.

9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other

Grout Intervals: From 0 ft. to 2.5 ft., From ft. to ft., From ft. to ft.

Nearest source of possible contamination:
 Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage
 Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well
 Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well
 Other (Specify)

Direction from well? SOUTHEAST Distance from well? 200 ft.

10 FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHO. LOG (cont.) or PLUGGING INTERVALS
0	6	DARK TOP SOIL & LITE COLOR CLAY			
6	8	LITE COLOR LIMESTONE	69	76	LITE COLOR SOFT SHALE
8	16	LITE COLOR SHALE	76	80	MAROON SHALE
16	18	LITE COLOR LIMESTONE	80	85	GRAY SHALE
18	26	LITE COLOR SHALE	85	99	MAROON SHALE
26	42	MAROON SHALE	99	104	GRAY & MAROON SHALE MIXED
42	59	HARD LIMESTONE	Notes:		
59	64	LITE COLOR SHALE			
64	69	LIMESTONE			

11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) 1.1/8/19 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 397 This Water Well Record was completed on (mo-day-year) 1.1/14/19 under the business name of CENTRAL KANSAS DRILLING Signature Harold P. Martin