			R WELL RECORD				· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	
LOCATION OF WA County: GOVE	TER WELL:	Fraction NW 1/4	NW 1/4 N		ction Number 26	Township N	Number S	Range Number	r ≅/W
		-	ddress of well if locat	ed within city?					
WATER WELL OV			Drilling, Inc	· .					
R#, St. Address, Bo	_	0. Box 1586				Board of	Agriculture, I	Division of Water Res	ource
ity, State, ZIP Code		eat Bend, KS				Applicatio	n Number:	910337	
LOCATE WELL'S L AN "X" IN SECTIO X	COCATION WITH NO BOX: NO STATE OF THE STATE	DEPTH OF C Depth(s) Ground WELL'S STATIC Pump Est. Yield . 4.0 Bore Hole Diame WELL WATER T 1 Domestic 2 Irrigation Was a chemical/t mitted SR) in. to 160 ft. below ON MATERIAL: ss steel ized steel	COMPLETED WELL. water Encountered WATER LEVEL to test data: Well water	19090 ft. ter was ter was 5 Public wat 6 Oil field w. 7 Lawn and submitted to E 9 Other 8 Ri 9 Al zed wrapped	below land surface supply garden only Department? Y Warete tile (specify below to the control of	TION: 2. face measured offer fiter and 8 Air conditioning 9 Dewatering 10 Observation wes CASING JO W ft., Dia ft., Dia 10 As 11 Off 12 No 8 Saw cut 9 Drilled holes	tell K; If yes, ed? Yes DINTS: Glued Threa or gauge No bestos-ceme her (specify)	mping	gpm gpmft.
2 Louvered shut	tter 4 K	Key punched	7 Torc	h cut		10 Other (specif	fy)		
CREEN-PERFORAT	ED INTERVALS:		ft. to .						
		From	π. το .				# *	^	
GRAVEL PA	CK INTERVALS	: From	ft. to .		ft., Fro		ft. to	o	ft.
GRAVEL PA		: From From		•••••	ft., Fro ft., Fro	m	ft. to		ft. ft.
GROUT MATERIAL	L: 1 Neat	From cement		3 Bent	ft., Fro ft., Fro onite 4	m	ft. to	o	ft. ft.
GROUT MATERIAL out Intervals: Fro	L: 1 Neat	From From cement .ft. to	ft. to	3 Bent	ft., Fro ft., Fro onite 4 to	m	ft. to	o	ft. ft.
GROUT MATERIAL out Intervals: Fro	L: 1 Neat	From cement ft. to	ft. to	3 Bent ft.	ft., Fro tt., Fro onite 4 to	m	ft. to	o	ft. ft.
GROUT MATERIAL out Intervals: Fro hat is the nearest se	L: 1 Neaton	From cement .ft. to contamination: oral lines	ft. to ft. to ft. to 2 Cement grout ft., From	3 Bent ft.	onite 4 to	m	ft. to ft. to	oo ft. tobandoned water well	ft. ft.
GROUT MATERIAL cout Intervals: From that is the nearest so 1 Septic tank	L: 1 Neat om ource of possible 4 Late 5 Cess	From cement .ft. to e contamination: oral lines s pool	ft. to ft. ft. ft. from ft., ft., From ft., ft., from ft., ft., ft., ft., ft., ft., ft., ft.,	3 Bent ft.	onite 4 to	m	ft. to ft. to	oo ft. tobandoned water well il well/Gas well	ft. ft.
GROUT MATERIAL out Intervals: Fro hat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew	L: 1 Neat om ource of possible 4 Late 5 Cess	From From cement .ft. to e contamination: eral lines s pool page pit	2 Cement grout 1. ft., From 7 Pit privy 8 Sewage lag 9 Feedyard	3 Bent ft.	to	m	14 Al 15 O	o	ft. ft.
GROUT MATERIAL out Intervals: Fro nat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew ection from well?	L: 1 Neat om ource of possible 4 Late 5 Cess	From cement .ft. to e contamination: oral lines s pool	2 Cement grout 1. ft., From 7 Pit privy 8 Sewage lag 9 Feedyard	3 Bent ft.	to	m	ft. to ft. to	o	ft. ft.
GROUT MATERIAL out Intervals: Fro lat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew ection from well?	L: 1 Neat om ource of possible 4 Late 5 Cess	From From cement .ft. to e contamination: eral lines s pool page pit	2 Cement grout 1. ft., From 7 Pit privy 8 Sewage lag 9 Feedyard	3 Bent ft.	ft., Fro ft., Fro onite 4 to 10 Lives 11 Fuel 12 Fertil 13 Insec How ma	m Other	14 Al 15 O 16 O	o	ft ft
GROUT MATERIAL out Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew	L: 1 Neat om ource of possible 4 Late 5 Cess	From From cement .ft. to e contamination: eral lines s pool page pit	2 Cement grout 1. ft., From 7 Pit privy 8 Sewage lag 9 Feedyard	3 Bent	to	m	14 Al 15 O 16 O	o	ft ft
GROUT MATERIAL out Intervals: Fro nat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew ection from well?	L: 1 Neat om ource of possible 4 Late 5 Cess	From From cement .ft. to e contamination: eral lines s pool page pit	2 Cement grout 1. ft., From 7 Pit privy 8 Sewage lag 9 Feedyard	3 Bent ft.	ft., Fro ft., Fro onite 4 to 10 Lives 11 Fuel 12 Fertil 13 Insec How ma	m Other	14 Al 15 O 16 O	o	ft ft
GROUT MATERIAL out Intervals: Fro nat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew ection from well?	L: 1 Neat om ource of possible 4 Late 5 Cess	From From cement .ft. to e contamination: eral lines s pool page pit	2 Cement grout 1. ft., From 7 Pit privy 8 Sewage lag 9 Feedyard	3 Bent ft.	ft., Fro ft., Fro onite 4 to 10 Lives 11 Fuel 12 Fertil 13 Insec How ma	m Other	14 Al 15 O 16 O	o	ft f1
GROUT MATERIAL out Intervals: Fro nat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew ection from well?	L: 1 Neat om ource of possible 4 Late 5 Cess	From From cement .ft. to e contamination: eral lines s pool page pit	2 Cement grout 1. ft., From 7 Pit privy 8 Sewage lag 9 Feedyard	3 Bent ft.	ft., Fro ft., Fro onite 4 to 10 Lives 11 Fuel 12 Fertil 13 Insec How ma	m Other	14 Al 15 O 16 O	o	ff
GROUT MATERIAL out Intervals: Fro nat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew ection from well?	L: 1 Neat om ource of possible 4 Late 5 Cess	From From cement .ft. to e contamination: eral lines s pool page pit	2 Cement grout 1. ft., From 7 Pit privy 8 Sewage lag 9 Feedyard	3 Bent ft.	ft., Fro ft., Fro onite 4 to 10 Lives 11 Fuel 12 Fertil 13 Insec How ma	m Other	14 Al 15 O 16 O	o	ft f1
GROUT MATERIAL out Intervals: Fro nat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew ection from well?	L: 1 Neat om ource of possible 4 Late 5 Cess	From From cement .ft. to e contamination: eral lines s pool page pit	2 Cement grout 1. ft., From 7 Pit privy 8 Sewage lag 9 Feedyard	3 Bent ft.	ft., Fro ft., Fro onite 4 to 10 Lives 11 Fuel 12 Fertil 13 Insec How ma	m Other	14 Al 15 O 16 O	o	ft f1
GROUT MATERIAL out Intervals: Fro nat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew ection from well?	L: 1 Neat om ource of possible 4 Late 5 Cess	From From cement .ft. to e contamination: eral lines s pool page pit	2 Cement grout 1. ft., From 7 Pit privy 8 Sewage lag 9 Feedyard	3 Bent ft.	ft., Fro ft., Fro onite 4 to 10 Lives 11 Fuel 12 Fertil 13 Insec How ma	m Other	14 Al 15 O 16 O	o	ft ft
GROUT MATERIAL out Intervals: Fro nat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew rection from well?	L: 1 Neat om ource of possible 4 Late 5 Cess	From From cement .ft. to e contamination: eral lines s pool page pit	2 Cement grout 1. ft., From 7 Pit privy 8 Sewage lag 9 Feedyard	3 Bent ft.	ft., Fro ft., Fro onite 4 to 10 Lives 11 Fuel 12 Fertil 13 Insec How ma	m Other	14 Al 15 O 16 O	o	ft ft
GROUT MATERIAL out Intervals: Fro nat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew rection from well?	L: 1 Neat om ource of possible 4 Late 5 Cess	From From cement .ft. to e contamination: eral lines s pool page pit	2 Cement grout 1. ft., From 7 Pit privy 8 Sewage lag 9 Feedyard	3 Bent ft.	ft., Fro ft., Fro onite 4 to 10 Lives 11 Fuel 12 Fertil 13 Insec How ma	m Other	14 Al 15 O 16 O	o	ft f1
GROUT MATERIAL out Intervals: Fro hat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew rection from well? FROM TO	L: 1 Neat	From cement ft. to contamination: ral lines s pool page pit LITHOLOGIC	ft. to ft.	3 Bent ft.	top	m Other	14 Al 15 O 16 O	ott. tobandoned water well il well/Gas well ther (specify below)	ft
GROUT MATERIAL out Intervals: Fro hat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew rection from well? FROM TO	L: 1 Neat om ource of possible 4 Late 5 Cess ver lines 6 See	From cement ft. to contamination: pral lines s pool page pit LITHOLOGIC	ft. to ft.	3 Bent ft. goon FROM 180	top top top top top top top top	other	14 Al 15 O 16 O WXNOVO	ott. tobandoned water well il well/Gas well ther (specify below)	ft
GROUT MATERIAI out Intervals: Fro hat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew rection from well? FROM TO	DOR LANDOWNE	From cement ft. to contamination: ral lines s pool page pit LITHOLOGIC R'S CERTIFICATIO	ft. to ft.	3 Bentft. goon FROM 180 180 was (1) constru	toft., Fro ft.,	onstructed, or (3)	14 Al 15 O 16 O WXNOVO	ot. tobandoned water well il well/Gas well ther (specify below) OKXXXXX Try Her my jurisdiction and owledge and belief. Ka	ft
GROUT MATERIAI Dut Intervals: Fro nat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew ection from well? ROM TO CONTRACTOR'S on pleted on (mo/day) ter Well Contractor for the business na	DOR LANDOWNE 8/11: 's License No ime of White	From cement ft. to contamination: ral lines s pool page pit LITHOLOGIC R'S CERTIFICATIO 1/91 te & Ellis D	ft. to ft.	3 Bent tft. goon FROM 180 180 was (1) constru	toft., Fro ft.,	on tructed, or (3) rd is true to the boon (mo/qlay/yr); ture)	14 Al 15 O 16 O wxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx	o	f