			WATE	R WELL RECORD	Form WW	C-5 KSA 82	a-1212			
1 LOCATI	ON OF WA	TER WELL:	Fraction			Section Number	· · · · · · · · · · · · · · · · · · ·	mber	Range Number	
County:	Gove				SE 1/4		т 11	S	R 30 E(W)	
Distance a	and direction	from nearest tow		address of well if loca						
	South	fo I - 70 Exi	it 85. Grinne	11. Kansas						
2 WATE		NER: Fred Mi			***************************************	- A4				
		x # : P.O. Box		ollege St			Board of Ac	ricultura I	Division of Water Resources	
Cin. Cint	AUUIESS, DU	Factman	Coordia (21023						
City, State	, ZIP COGE	Las ulai i	, deorgia .	<u> </u>	108		Application	ivumber.	••••	
B LOCAT	E WELL'S L IN SECTIO	OCATION WITHIA	4) DEPTH OF C	COMPLETED WELL.	100	ft. ELEV	ATION:			
_	111 020110	7 BOX.	Depth(s) Ground	fwater Encountered	1 N A	ft.	2	ft. 3		
Ī										
	Pump test data: Well water was ft. after hours pumping gpm									
	Est. Yield gpm: Well water was ft. after hours pumping gpm									
	Bore Hole Diameter 8 in to 108 ft. and in to in to									
W	W I I WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injectio									
-	1 Domestic 3 Feedlot 6 Oil f						ld water supply 9 Dewatering 12 Other (Specify below)			
-	SW	SE	2 Irrigation	4 Industrial	7 Lawn a	nd garden only	10 Monitoring well	·-		
	!		•						mo/day/yr sample was sub	
			mitted	bactericlogical sample	e submitted t			-	· · · · · · · · · · · · · · · · · · ·	
5 D/D5 /	25 DL 4446 (<u> </u>	milled	F Manuals in a	0.0-		ater Well Disinfected		No X	
		CASING USED:		5 Wrought iron		ncrete tile			d Clamped	
1 St		3 RMP (SR	()	6 Asbestos-Cemen		ner (specify belo	•		ed	
②P\	/C	4 ABS	70	7 Fiberglass					adedX	
									in. to ft.	
Casing he	ight above la	and surface		.in., weight		Ibs	./ft. Wall thickness of	r gauge N	o. sch. 40	
TYPE OF	SCREEN O	R PERFORATION	I MATERIAL:		(7)PVC			10 Asbestos-cement		
1 Steel 3 Stainless steel				5 Fiberglass	8	RMP (SR)	11 Other (specify)			
2 Br	ass	4 Galvanize	ed steel	6 Concrete tile	6 Concrete tile 9 ABS		12 None	used (op	en hole)	
SCREEN	OR PERFO	RATION OPENING	SS ARE:	5 Gau	5 Gauzed wrapped		8 Saw cut		11 None (open hole)	
1 Co	ontinuous slo	ot ③Mii	l slot	6 Wir	6 Wire wrapped		9 Drilled holes		, , ,	
2 Lo	uvered shut		y punched	7 Tor	ch cut		10 Other (specify)			
		ED INTERVALS:	From	. 78 ft. to	108	ft Fro			o	
									o	
	SRAVEL PA	CK INTERVALS:							o	
`	SIINVEETA	OK WILLIAMES.	From	ft. to		ft., Fro			oft.	
6 GBOLD	MATERIAL	· 1 Neat or	· · · · · · · · · · · · · · · · · · ·	2 Cement grout	(3)8					
Grout Intervals: From										
What is the nearest source of possible contamination:				7.00				14 Abandoned water well		
				7 Pit privy				15 Oil well/Gas well		
2 Sewer lines 5 Cess pool				8 Sewage lagoon			lizer storage	16 Other (specify below)		
3 W	atertight sew	er lines 6 Seepa	ige pit	9 Feedyard		13 Inse	13 Insecticide storage			
Direction f	T	West					any feet? 210			
FROM	TO	07 ,	LITHOLOGIC	LUG	FRON	1 TO	PLU	JGGING I	NTERVALS	
0	46	Cly, brn								
46	92	Snd, v f -								
92	9 8	Grv1, f -								
98	110	Snd, f − c	/f grvl							
17 1000 00										
	I						····			
								·		
	l						14 C AL	100100: III	<u> </u>	
							MW6 - Abo	veground	<u> </u>	
									The state of the s	
		A - A-M AND								
	l									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was										
completed on (mo/day/year) 07-28-94 and this record is true to the best of my knowledge and belief. Kansas										
				This Water				08-12-		
	business na		GeoCore Ser	vices, Inc	, , .	by (signa				
					Please fill in bla			nd ton three	copies to Kansas Department	
							DWNER and retain one for			