				WELL RECORD	FOITH VVV	VC-5 NSA 628-	1212			
1 LOCATION OF WATER WELL:						Section Number	Township	-	Range I	
County: Logan			NE 1/4	NE 1/4	NE _{1/4}	10	T 1	1 _S	R 32	E(W)
Distance a	nd direction	from nearest tow	n or city street add	ress of well if locate	ed within c	ty?	•			
U.S.	Highway	83 & U.S.	Highway 40	Oakley, K	s 6774	18				
		NER Eric Ko								•
				11 D1			Board o	f Agricultura [Division of Ma	tor Bosouro
			& Smokey Hi					f Agriculture, [DIVISION OF VVA	iei nesouice
1	, ZIP Code		, KS 67748					ion Number:		
AN "X"	E WELL'S L	NIRMY. F	4 DEPTH OF COM Depth(s) Groundwa							
т Г	1		WELL'S STATIC W							
i I	i			est data: Well wat						
-	- NW	NE	•					•		
1	ı	, , ,	Est. Yield	•				•		
. <u>₹</u> w -	<u>'</u>	E E	Bore Hole Diameter							π
Σ	! !	!!!	WELL WATER TO	BE USED AS:			8 Air condition	•	Injection well	
	_ sw	%	1 Domestic	3 Feedlot		l water supply			Other (Specify	
	1	31	2 Irrigation	4 Industrial	7 Lawn a	nd garden only 1	0 Monitoring v	vell /////	-PARGE	⊋
1 1	i		Was a chemical/bac	teriological sample	submitted	to Department? Ye	sNo	X; If yes,	mo/day/yr sar	nple was su
_			mitted			Wat	er Well Disinfe	cted? Yes	No	X ·
TYPE (DE BLANK (ASING USED:	5	Wrought iron	8 C	oncrete tile		JOINTS: Glued		
1 St		3 RMP (SF		Asbestos-Cement		her (specify below			ed	
		•	•				•		ided	
_ (P)		Ĵ ABS		Fiberglass						
Blank casi	ng diameter		in. to	tt., Dia		n. to	π., Dia		in. to	π
Casing he	ight above la	and surface	.3.6 in	., weight	<i></i>	Ibs./f	t. Wall thicknes	ss or gauge N	o	
TYPE OF	SCREEN O	R PERFORATION	N MATERIAL:		(. j}vc	10 A	Asbestos-ceme	nt	
1 Ste	eel	3 Stainless	s steel 5	Fiberglass	8	RMP (SR)	11 (Other (specify)		
2 Br	ass	4 Galvanize	ed steel 6	Concrete tile	9	ABS	12 N	lone used (op	en hole)	
SCREEN	OR PERFOR	RATION OPENING	GS ARE:	5 Gaux	zed wrappe	ed	8 Saw cut		11 None (op	en hole)
1 Co	ntinuous slo	t (Ŝ)Mi	ill slot	6 Wire	6 Wire wrapped			es.		•
	uvered shutt			7 Torc	• • •		9 Drilled hole 10 Other (spe			
			• •	ft. to .			` '			
SCHEEN-I	PERFURATI	ED INTERVALS:								
				ft. to .						
(BRAVEL PA	CK INTERVALS:	From	ft. to .		,				m
			From	ft. to		ft., Fron	<u>n</u>	ft. te	<u> </u>	ft
GROUT	MATERIAL		cement (2)	Cement grout	√ 3) _B	entonite 4	Other			
Grout Inte	vals: From	m. <i>I.O.3</i>	ft. to 3	ft., From		ft. to	ft., From		ft. to	
What is th		ource of possible				10 Livest			pandoned wat	
1 Se	ptic tank	4 Latera	al lines	7 Pit privy		1 Fuel s	storage	15 O	il well/Gas we	II
	2 Sewer lines 5 Cess poo			· ·		12 Fertilizer storage		16 Other (specify below)		
3 Watertight sewer lines 6 Seepage			•			13 Insecticide storage			anor (opcomy a	.0.011)
	-	er intes o deepe	age pit	3 i eedyard			•			
Direction f	TO TO		LITHOLOGIC LO	·C	TERM	How man	iy teet?	PLUGGING II	ITERVALS	
FROM 0	60	SILTY CLA	LITHOLOGIC LO V	<u> </u>	FRO	<u>M TO </u>		. 20001110 11	TILITYALO	
60	70	SAND GRAV								
70	115	SILTY CLA	Υ							
							SVE-8			
					+					
							· · · · · ·			
									-	
J co			NO OFFICE : -:-					N . 1		·····
-			R'S CERTIFICATION							
completed	on (mo/day/	'year)				and this recor	d is true to the	best of my kno	owledge and b	elief. Kansa:
		• •	FOA					_		_
Vater Wel	Contractor'	s License No	590	This Water V	Vell Record	d was completed o	on (mg/day/yr)	A	.L	1.1
Vater Wel	Contractor		590	This Water V	Vell Record	l was completed of by (signate		lest 1	4.1	ichs
Vater Wel	business nai	me of	590 Den. <u>PLEASE PRESS FIRM</u>			by (signati	ure)	leff 1	3.00	Department