WA	TER WELL REC	ORD For	m WWC-5	KSA 82a	KSA 82a-1212 ID No. 00/0 Z449							
1 LOCATION OF WATER WELL:	Fraction	~	~	1	ection Numb	per T	ownship Nu	ımber		Range Num	_	
County: LOGAN  Distance and direction from nearest to		38. 14			3	<u> </u>		S	R	32	E	
HWY 40 - Smaker						Mu	)-Z					
A MATER MELL OWNER.	2 D							***				
RR#, St. Address, Box # : HWY City, State, ZIP Code : DAK	トモブ /ダーブ	י ו'יויש	7 <i>0</i>			P	Board of Agr Application I	Number:				
3 LOCATE WELL'S LOCATION WITH												
AN "X" IN SECTION BOX: N	Depth(s) Grour WELL'S STATION	ndwater Enco	untered	1 ft he	low land eu	ft. 2	ured on mo/	ft. 3			ft.	
	Pui	mp test data:	Well wate	r was		ft. after		hours pu	umping		gpm	
NW NE	Est. Yield WELL WATER			r was Public water			onditioning				gpm	
	1 Domestic		lot 6	Oil field wate	er supply	g Dew	atering	12 0	ther (S	pecify belo		
W   E	2 Irrigation	4 Indus	trial 7	Domestic (la	wn & garde	n) 🕜 Mon	itoring well.	<i></i>	۔ ح	<del>-</del>		
swsE	Mara a abanda	. 1 //			D	-40 V	NI-	. 15	- /- /-			
	Was a chemica mitted	u/bacteriologi	cai sample	submitted to	рерапше		Disinfected		O/day/y	No		
S												
5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SI	<ul><li>5 Wrought</li><li>6 Asbestos</li></ul>		8 Conc 9 Other	rete tile (specify be		CASING JOINTS: Glued Clamp  Welded						
2 PVC 4 ABS	7 Fiberglas	ss			······	Threaded						
Blank casing diameter												
Casing height above land surface  TYPE OF SCREEN OR PERFORATIO		in., weig	int	7 P		lbs./ft. V		ss or guage estos-Ceme				
1 Steel 3 Stainless		5 Fiberglas			MP (SR)			er (Specify)				
2 Brass 4 Galvaniz	zed Steel	6 Concrete	tile	9 A	BS		12 None	e used (op	en hole	·)		
SCREEN OR PERFORATION OPENIN				ed wrapped wrapped		8 Sa	w cut lled holes		11 No	ne (open h	ole)	
	Mill slot Ley punched		7 Torch				ner (specify)	)			ft.	
SCREEN-PERFORATED INTERVALS:			ft. to		ft., Fr	om		ft. to	· · · · · · · · · · · · · · · · · · ·		ft.	
CDAVEL DACK INTERVALS	From		ft. to		ft., Fr	om		ft. to			ft.	
GRAVEL PACK INTERVALS												
6 COOLT MATERIAL . 1 Nee	t	0.00		2 Day	atomita.	4 Othor						
6 GROUT MATERIAL: 1 Near Grout Intervals: From	ft. to 3	i 2 Cemer	rom 3	, s ber	to 129	73 ft	From		ft. to	•••••	ft.	
What is the nearest source of possible		,				vestock pen				ed water w		
1 Septic tank 4 Later					_	age 15 Oil well/Gas well						
2 Sewer lines 5 Cess		8 Sewage	•	on 12 Fertilizer stor 13 Insecticide si								
3 Watertight sewer lines 6 Seep Direction from well?	Dage pit		9 Feedyard	,		many feet?	nage	•••••	•••••			
FROM TO	LITHOLOGIC	CLOG		FROM	ТО		PLU	GGING IN	TERVA	LS		
			****	0	6"	CONC	RETE					
		NA.		6"	3"	BENTO	NITE C	4175	y			
				3/	129.13	DENTON	HITE S	LURRY				
						-		•	-			
		*******										
	AU-			<b>†</b>					····			
										19.11.11.11		
					-							
7	mio 0======	TION -:		(4)	L		. 6					
CONTRACTOR'S OR LANDOWNE completed on (mo/day/year)	H'S CERTIFICA - <b>1-04</b>	HON: This w	ater well wa	as (1) const	ructed, (2) r and this	reconstructe s record is tr	a, or (3) plu	ugged und	er my j owleda	urisdiction e and belief	and was	
Water Well Contractor's Licence No	735		This Water	Well Record	was compl	leted on (mo	o/day/yr)	1-4-0	وسيحك			
under the business name of MILCO						by (signature		-14	_	•		
INSTRUCTIONS: Use typewriter or ball point pe and Environment, Bureau of Water, Geology Sec	n. <i>PLEASE PRESS F</i>	IRMLY and PRIN	Clearly. Please	e fill in blanks, ur	nderline or circle							
records. Fee of \$5.00 for each constructed well.		5, 54 720,						011116				