WA	TER WELL REC	ORD	Form W	/WC-5	KSA 82a	-1212 ID	No.	X 267	209		
1 LOCATION OF WATER WELL:	Fraction					ction Numbe		Township Nu	mber	Range Nu	ımber
County: LOGAN	5E 1/4					3		<u>T //</u>	S	R 3 と	E Ø Ø
Distance and direction from nearest tow	•		of well if I	ocated v	vithin city?						
Hwy 40+ Smoke	Y HILL	Ref									
2 WATER WELL OWNER: ERIC	KOHN	المادة د	2	.j							
RR#, St. Address, Box # : #wy 4	0+ 3mor	2 7 <i>1</i> 7	ILA	/						ivision of Water	Resources
3 LOCATE WELL'S LOCATION WITH	EYKS	60 フン	Y K			4 [[/ATION!	Application I			
S LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	Derin Or C	OWPLE		LL	•••••	II. ELE	WATION:			***************************************	
AN X IN SECTION BOX.	WELL'S STATION	nawater C WATF	Encounte R I EVFI	red/30	ft. be	low land surf	.π. 2 ace mea	sured on mo/	π. ฮ /dav/vr		π.
	Pur	mp test	data: We	ell water	was	f	t. after		hours p	umping	gpm
										umping	gpm
1 1	WELL WATER 1 Domestic		Feedlot		ublic water Il field wate	supply er supply		conditioning watering		ijection well ther (Specify be	ow)
W 1 E	2 Irrigation		ndustrial	7 D	omestic (la	wn & garden) 10 Mo	onitoring well	A	3P-4'	
SW SE	SW SE Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yrs sample w									e was sub-	
mitted						Water Well Disinfected? Yes No					
S											
5 TYPE OF BLANK CASING USED:		5 Wro	ught iron		8 Conci			CASING JOIN	NTS: Glue	d Clampe	ed
1 Steel 3 RMP (SR)			estos-Cer	ment		(specify belo				ed	
2 PVC 4 ABS Blank casing diameterin. to		7 Fibe	-	Dio		in to				aded	
_											
Casing height above land surface			in., weight			VC	103./11		estos-Cem		•••••
1 Steel 3 Stainless Steel			5 Fiberglass			MP (SR))	
2 Brass 4 Galvanized Steel		6 Con	crete tile		9 AI	BS		12 None	e used (op	en hole)	
SCREEN OR PERFORATION OPENINGS ARE:			5 Guazed					Saw cut		11 None (open	hole)
1 Continuous slot 3 Mill slot			6 Wire wra _l 7 Torch cut					Orilled holes	`		f+
	ey punched										
SCREEN-PERFORATED INTERVALS:											
			ft. to								
	From		ft.	. to		ft., Fro	m		ft. to		ft.
6 GROUT MATERIAL: 1 Neat	cement	2 C	ement gro	nut	3 Bor	ntonite	4 Othe				
6 GROUT MATERIAL: 1 Neat cement Grout Intervals: From			_								
What is the nearest source of possible contamination:			,		.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		estock pe			bandoned water	
1 Septic tank 4 Lateral lines			7 P	it privy			l storage		15 C	il well/Gas well	
2 Sewer lines 5 Cess pool				ewage la			tilizer sto		16 C	ther (specify bel	ow)
3 Watertight sewer lines 6 Seepage pit			9 F	eedyard		13 Ins	ecticide s	storage			
Direction from well?						How m	any feet	?			
FROM TO LITHOLOGIC					FROM	TO			GGING IN	TERVALS	
					0	8"		PHALT		·	
					8" 3'	3"		TONITE			
					_3'	136.45	BEN	TOWITE	SLUP	PY	
										-	
CONTRACTOR'S OR LANDOWNER	R'S CERTIFICA	TION: T	his water	well wa	s (1) consti	ructed, (2) re	construc	cted, or % pli	ugged und	ler my jurisdictio	n and was
completed on (mo/day/year)											ef. Kansas
Water Well Contractor's Licence No									1-4-0	<u>ب</u>	
under the business name of MILCO	ENSIROM	ENTA	<u>i Š</u>	EPVIC	25 /1	い <u>し</u> b	y (signat	ure)	71-		