| ¥ | WATER | WELL RECORD | Form W | WC-5 KSA | 9 #2 NI | cke/so | 7 |
|--|---|---------------------|---------------|---|---|--|---|
| 1 LOCATION OF WATER WELL: | Fraction | | | Section Numb | | | nge Number |
| County: Logan | NW 1/4 | | NW 1/4 | 10 | T V | S R | 32 W |
| Distance and direction from nearest town of South | from w | | | | | | |
| 2 WATER WELL OWNER: Harr | 4 Nic | kelson | , | | | | |
| RR#, St. Address, Box # : | 1 10 | 12. | | Board of Agriculture, Division of Water Resources | | | |
| Only, Otato, 211 Codo | aply, | Jez | 20 | 7 | | Number: 783 | |
| | epth(s) Groundwa | ater Encountered | . 1 | | ft. 2 | ft. 3 <u></u> . | tt. |
| | Pump t | est data: Well v | water was . | ft | surface measured on r t. after | hours pumping | gpm |
| Bo | | | | | t., and | | |
| - W | ELL WATER TO | | | water supply | | 11 Injection | - |
| T t t t | 1 Domestic | 3 Feedlot | 600il fie | d water supply | 9 Dewatering | 12 Other (Sp | well On Fig. |
| 3w 3e | 2 Irrigation | 4 Industrial | 7 Lawn | and garden only | y 10 Observation well | | |
| Wa | as a chemical/ba | cteriological samp | ole submitted | to Department? | ? YesNo | ; If yes, mo/day/y | رر yr sample was sub- |
| | tted | | | | Water Well Disinfected | ? Yes | |
| 5 TYPE OF BLANK CASING USED: | 5 | Wrought iron | 8 0 | concrete tile | CASING JOIN | TS: Glued | No ON Clamped |
| 1 Steel 3 RMP (SR) | • | S Asbestos-Ceme | ent 9 C | other (specify be | elow) | Welded | |
| ②PVC 4 ABS | | 7 Fiberglass | | | | | |
| Blank casing diameter in. | 18 50/00 | ft., Dia | | n. to | ft., Dia | in. to | ft. |
| Casing height above land surface3 | - • | k, weight | | | bs./ft. Wall thickness or | gauge No | |
| TYPE OF SCREEN OR PERFORATION M | | | | 7 PVC | | stos-cement | |
| 1 Steel 3 Stainless steel | | 5 Fiberglass | | 8 RMP (SR) | | 11 Other (specify) | |
| 2 Brass 4 Galvanized | | 6 Concrete tile | | 9 ABS | | 12 None used (open hole) | |
| SCREEN OR PERFORATION OPENINGS | | 5 Gauzed | | ed | 8 Saw cut | 11 None | e (open hole) |
| 1 Continuous slot 3 Mill s | | | ire wrapped | | 9 Drilled holes | | ` |
| 2 Louvered shutter 4 Key p | | | orch cut | | 10 Other (specify) | | |
| | | | | | From | | |
| | | | | | From | | |
| GRAVEL FACK INTERVALS. | From | ft. to | | | From | π. το ft. to | ft. |
| 6 GROUT MATERIAL: 1) Neat cem | | Cement grout | | Bentonite | 4 Other | | |
| Grout Intervals: Fromft. | | | | | | | |
| What is the nearest source of possible con | | | | 10 Liv | | 14 Abandoned | Lucator well |
| 1 Septic tank 4 Lateral li | | 7 Pit privy | | | uel storage | 15 Oil well/Ga | 10 |
| 2 Sewer lines 5 Cess pool | | 8 Sewage lagoor | | | ertilizer storage | • | |
| 3 Watertight sewer lines 6 Seepage | | 9 Feedyard | - | | secticide storage . | None | cify below) |
| Direction from well? | | , | | | many feet? | • | |
| | LITHOLOGIC LO | | FRC | м то | L | THOLOGIC LOG | ω |
| 202 135 Sand | + Gira | | [2, 2] | Cubic | Zeey | | SEC |
| 135 10 Clay | <u>, </u> | | 63,61 | Cubic | Teer | | · |
| 10 3 Neat 1 | e ment | ~~ | 7 1 | 11 | f | | |
| | | | | | ļ | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | <i>h</i> |
| | | | | | | | |
| | | | | | | | <u></u> |
| | | | | | | | |
| | | | | | | | M |
| | | | | | | | |
| | | | | | | | ~ |
| | | | | | 1 | | |
| 7 CONTRACTOR'S OR LANDOWNER'S | CERTIFICATION | , | | | | | |
| | 29-8- | | | | ecord is true to the best | Z=: // // * / | and belief. Kansas |
| Water Well Contractor's License No. | 1 4 | This Wate | r Well Recor | • | ed on (mo/day/yr) | 5-29-8 | |
| under the business name of | | DDESS EIGHT | CO CONTRACT | | nature) | y airele the | zel |
| INSTRUCTIONS: Use typewriter or ball point three copies to Kansas Department of Health | and Environmen | nt. Division of Env | ironment Fn | vironmental Geo | iii iri biariks, underline o ology Section. Topeka k | r circle t⊓e correct∕a (S 66620, Sendione | to WATER WELL |
| | | | | | | | |