				KSA 82a-		
LOCATION OF WA				tion Number	Township Number	Range Number
unty: Zog tance and direction	n from nearest town or city str			10	т / (R 32, E(W)
	, 6	L of Oakley	•			
WATER WELL OV						
#. St. Address, Bo		m			Board of Agricult	ure, Division of Water Resource
, State, ZIP Code		Kun 67748			Application Number	
	LOCATION WITH 4 DEPTH	OF COMPLETED WELL	225	. ft. ELEVAT		
N "X" IN SECTIO						ft. 3
ı	T. WELL'S ST					ıy/yr
1	WELLS S.	Pump test data: Well water	was	ft. af	er hour	s pumping gpm
NW	lee Nieel I	· ·				s pumping gpm
w Li	Bore Hole I	Diameterin. to		ft., a	nd	in. to
"!	I WELL WAT		Public wate	• • •	Air conditioning	11 Injection well
sw	1 Dom				~	12 Other (Specify below)
T T	2 Irriga		_	-	Observation well	
		nical/bacteriological sample su	ibmitted to De	•		yes, mo/day/yr sample was sui
TYPE OF BLANK	S mitted	5 Wrought iron	8 Concre		CASING IOINTS:	s No Glued Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement		(specify below		Welded
(2 PVD	4 ABS			• •		Threaded
						in. to ft.
-						ge No
PE OF SCREEN (OR PERFORATION MATERIA	L:	7 PV	C	10 Asbestos-	cement
1 Steel	3 Stainless steel	5 Fiberglass	8 RM	P (SR)	11 Other (spe	cify)
2 Brass	4 Galvanized steel	6 Concrete tile	9 AB	S	12 None used	d (open hole)
REEN OR PERFO	PRATION OPENINGS ARE:		d wrapped		8 Saw cut	11 None (open hole)
1 Continuous sk		6 Wire w	• •		9 Drilled holes	
2 Louvered shu	· · · · · · · · · · · · · · · · · · ·	7 Torch o				
REEN-PERFORAT						ft. toft
	From	π. το				
ODAVEL DA						
GRAVEL PA	ACK INTERVALS: From	ft. to		ft., From		ft. to
	ACK INTERVALS: From. From	ft. to ft. to		ft., From ft., From		ft. to
GROUT MATERIA	ACK INTERVALS: From From Nat: Neat cement	ft. to 2 Cement grout	3 Bento	ft., From ft., From	Other	ft. to
GROUT MATERIA	ACK INTERVALS: From From Nat: Neat cement	ft. to ft. to 2 Cement grout ft., From	3 Bento	ft., From ft., From	Other	ft. to
GROUT MATERIA	ACK INTERVALS: From	ft. to ft. to 2 Cement grout ft., From	3 Bento	ft., From ft., From nite 4 (to	Othertt., From	ft. to
GROUT MATERIA out Intervals: Fro nat is the nearest s	ACK INTERVALS: From From AL: (7) Neat cement om	2 Cement groutft., From	3 Bento ft.	ft., From ft., From nite 4 (to	Other	ft. to
GROUT MATERIA out Intervals: Fro nat is the nearest s 1 Septic tank 2 Sewer lines	ACK INTERVALS: From From NL: Neat cement om	2 Cement groutft., From	3 Bento ft.	tt., From ft., From nite 4 (to	Other	ft. to
GROUT MATERIA but Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sevection from well?	ACK INTERVALS: From. From AL: 1 Neat cement om	ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bento	nite 4 (to	Other	ft. to
GROUT MATERIA out Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sec	ACK INTERVALS: From. From AL: 1 Neat cement om ft. to source of possible contamination 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit	ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bento ft.	ft., From ft., From ft., From nite 4 (to	Other	ft. to
GROUT MATERIA but Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sec	ACK INTERVALS: From. From AL: 1 Neat cement om	ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagoo 9 Feedyard OGIC LOG	3 Bento	nite 4 (to	Other	ft. to
GROUT MATERIA but Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sevection from well?	ACK INTERVALS: From. From AL: 1 Neat cement om ft. to source of possible contamination 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit	ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagoo 9 Feedyard OGIC LOG	3 Bento	nite 4 (to	Other	ft. to
GROUT MATERIA out Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sec	ACK INTERVALS: From From AL: 1 Neat cement om	2 Cement grout 2 Cement grout 5 From 5 Pit privy 8 Sewage lagoog 9 Feedyard OGIC LOG T PAD	3 Bento	nite 4 (to	Other	ft. to
GROUT MATERIA but Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sevection from well?	ACK INTERVALS: From From AL: 1 Neat cement om	ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagoo 9 Feedyard OGIC LOG	3 Bento	nite 4 (to	Other	ft. to
GROUT MATERIA but Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sevection from well?	ACK INTERVALS: From From AL: 1 Neat cement om	2 Cement grout 2 Cement grout 5 From 5 Pit privy 8 Sewage lagoog 9 Feedyard OGIC LOG T PAD	3 Bento	nite 4 (to	Other	ft. to
GROUT MATERIA out Intervals: Fro nat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sevection from well?	ACK INTERVALS: From From AL: 1 Neat cement om	2 Cement grout 2 Cement grout 5 From 5 Pit privy 8 Sewage lagoog 9 Feedyard OGIC LOG T PAD	3 Bento	nite 4 (to	Other	ft. to
GROUT MATERIA but Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sevection from well?	ACK INTERVALS: From From AL: 1 Neat cement om	2 Cement grout 2 Cement grout 5 From 5 Pit privy 8 Sewage lagoog 9 Feedyard OGIC LOG T PAD	3 Bento	nite 4 (to	Other	ft. to
GROUT MATERIA but Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sevection from well?	ACK INTERVALS: From From AL: 1 Neat cement om	2 Cement grout 2 Cement grout 5 From 5 Pit privy 8 Sewage lagoog 9 Feedyard OGIC LOG T PAD	3 Bento	nite 4 (to	Other	ft. to
GROUT MATERIA but Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sevection from well?	ACK INTERVALS: From From AL: 1 Neat cement om	2 Cement grout 2 Cement grout 5 From 5 Pit privy 8 Sewage lagoog 9 Feedyard OGIC LOG T PAD	3 Bento	nite 4 (to	Other	ft. to
GROUT MATERIA but Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sevection from well?	ACK INTERVALS: From From AL: 1 Neat cement om	2 Cement grout 2 Cement grout 5 From 5 Pit privy 8 Sewage lagoog 9 Feedyard OGIC LOG T PAD	3 Bento	nite 4 (to	Other	ft. to
GROUT MATERIA out Intervals: Fro nat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sevection from well?	ACK INTERVALS: From From AL: 1 Neat cement om	2 Cement grout 2 Cement grout 5 From 5 Pit privy 8 Sewage lagoog 9 Feedyard OGIC LOG T PAD	3 Bento	nite 4 (to	Other	ft. to
GROUT MATERIA out Intervals: Fro nat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sevection from well?	ACK INTERVALS: From From AL: 1 Neat cement om	2 Cement grout 2 Cement grout 5 From 5 Pit privy 8 Sewage lagoog 9 Feedyard OGIC LOG T PAD	3 Bento	nite 4 (to	Other	ft. to
GROUT MATERIA out Intervals: Fro nat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight severection from well?	ACK INTERVALS: From From AL: 1 Neat cement om	2 Cement grout 2 Cement grout 5 From 5 Pit privy 8 Sewage lagoog 9 Feedyard OGIC LOG T PAD	3 Bento	nite 4 (to	Other	ft. to
GROUT MATERIA out Intervals: Fro nat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sex rection from well?	ACK INTERVALS: From From AL: (1) Neat cement om	The proof of the p	3 Bento ft.	nite 4 (to	Other	ft. to
GROUT MATERIA out Intervals: Fro nat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sevection from well? FROM TO	ACK INTERVALS: From From AL: (1) Neat cement om	T PAD VC CAP MD 4 SPECS.	3 Bento ft.	nite 4 (to	other	ft. to
GROUT MATERIA but Intervals: Fro tat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight set ection from well? ROM TO CONTRACTOR'S npleted on (mo/da)	ACK INTERVALS: From. From AL: (1) Neat cement of the to the source of possible contamination of the to the source of possible contamination of the tother security of the tother of the	ft. to ft. to ft. to Common grout ft., From Pit privy Sewage lagor Feedyard CATION: This water well was 19.8.4	3 Bento ft.	nite 4 (to	other	ft. to
GROUT MATERIA but Intervals: Fro nat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight serection from well? ROM TO CONTRACTOR'S npleted on (mo/da)	ACK INTERVALS: From. From AL: (1) Neat cement om	ft. to ft. to ft. to Common grout ft., From Pit privy Sewage lagor Feedyard CATION: This water well was 19.8.4	3 Bento ft.	tt., From ft., F	other	ft. to