


1 LOCATION OF WATER WELL: Fraction Section Number Township Number Range Number
 County: **LOGAN** **NE SE 1/4 NE 1/4 SE 1/4** **3** **T 11 S** **R 32 E/W**

Distance and direction from nearest town or city street address of well if located within city?
S. 2nd St + Freeman Ave Oakley, KS

2 WATER WELL OWNER: **Great Western Tire**
 RR#, St. Address, Box #: **319 E. Front St**
 City, State, ZIP Code: **Oakley, KS 67748**
 Board of Agriculture, Division of Water Resources
 Application Number:

3 LOCATE WELL'S LOCATION WITH 4 DEPTH OF COMPLETED WELL **133** ft. ELEVATION: **3050.94 TOC**
 AN "X" IN SECTION BOX:

 Depth(s) Groundwater Encountered 1 ft. 2 ft. 3 ft.
 WELL'S STATIC WATER LEVEL **121.04** ft. below land surface measured on **10/25/05**
 Pump test data: Well water was ft. after hours pumping gpm
 Est. Yield gpm: Well water was ft. after hours pumping gpm
 WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning Injection well
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well **IW-7**
 Was a chemical/bacteriological sample submitted to Department? Yes No ; If yes, mo/day/yrs sample was submitted
 Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped
 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded
 PVC 4 ABS 7 Fiberglass Threaded
 Blank casing diameter in. to ft., Dia in. to ft., Dia in. to ft.
 Casing height above land surface **- 0.40** in., weight lbs./ft. Wall thickness or gauge No.
 TYPE OF SCREEN OR PERFORATION MATERIAL: PVC 10 Asbestos-Cement
 1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 Other (Specify)
 2 Brass 4 Galvanized Steel 6 Concrete tile 9 ABS 12 None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE: 5 Guazed wrapped 8 Saw cut 11 None (open hole)
 1 Continuous slot Mill slot 6 Wire wrapped 9 Drilled holes
 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) ft.
 SCREEN-PERFORATED INTERVALS: From **131** ft. to **133** ft., From ft. to ft.
 GRAVEL PACK INTERVALS: From **129** ft. to **133** ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout Bentonite 4 Other
 Grout Intervals: From **0** ft. to **129** ft., From ft. to ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)
 13 Insecticide storage
 Direction from well? How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	1	field			
1	20	sandy silt w/ trace clay			
20	40	silty clay w/ caliche @ 33-36			
40	80	sand-well graded w/ caliche			
80	100	sand, clay, + caliche			
100	120	gravelly sand w/ clay + caliche			
120	133	sand - well graded			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) **9/20/05** and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No **554** This Water Well Record was completed on (mo/day/yr) **11/10/06** under the business name of **Woolter Pump & Well** by (signature) *[Signature]*