		WA	ATER WELL RE	CORD	Form WWC-5	KSA 82a-	1212 ID N	0.	
1 LOCAT	ION OF WAT		Fraction				tion Number	Township Number	Range Number
County:	LOGA	tN N	E SE 1	NE	14 SE 1	4	3	T // s	R 32 E/MS
Distance ar	nd direction for	rom nearest to			of well if located				, 0
چ.	and.	St #	Fre	ma	n Ave	, Da	kley	KS	
2 WATER	WELL OWN	IER: Gre					7		
_	ddress, Box #	U		Ste	MTIM			Board of Agriculture	e, Division of Water Resources
City, State,	,	317	E. Fro	772	LICENT	.8		Application Number	•
		CATIONIANITH	4 DEPTH OF	COMPLE	TED WELL	33	ft FLFVA	TION: 3050.5	
	WELL'S LOO SECTION E								
AN A II	N SECTION I		WELL'S STAT	IIC WATE	BIEVEL 120	53 ft held	ow land surfac	ce measured on mo/day/yr	30125105 mm.ft.
	1	1							s pumping gpm
	-NW	NE	Est. Yield		gpm: Well water				s pumping gpm
- '	-1444 -	- NE	WELL WATE			Public water s			Dinjection well
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below W								2 Other (Specify below)	
w	1	-	2 Irrigatio	n 4	Industrial 7 [Jomestic (lav	vn & garden)	10 Monitoring well	O
	1	, x						١.	
-	SWSE Was a chemical/bacteriological sample submitted to Department? Yes No								
	mitted Water Well Disinfected? Yes No								No
	S								
5 TYPE (OF BLANK C	ASING USED:		5 Wr	ought iron	8 Concre	ete tile	CASING JOINTS: G	lued Clamped
1 Stee	el	3 RMP (S	SR)		pestos-Cement	9 Other	(specify below	() W	/elded
② •vo	;	4 ABS	'n	7 Fib	erglass			Т	hreadedX
Blank casir	ng diameter .		in. to		ft., Dia		in. to	ft., Dia	ft.
Casing hei	ght above lar	nd surface	-0.3	in.	, weight			lbs./ft. Wall thickness or g	uage No
TYPE OF	SCREEN OR	PERFORATION	ON MATERIAL:		_	PV	'C	10 Asbestos-C	Cement
1 Stee	el	3 Stainles	ss Steel	5 Fib	erglass		IP (SR)		cify)
2 Bras	ss	4 Galvani	zed Steel	6 Co	ncrete tile	9 AB	S	12 None used	(open hole)
SCREEN	OR PERFOR	ATION OPENI	NGS ARE:		5 Guaz	ed wrapped		8 Saw cut	11 None (open hole)
1 Continuous slot							9 Drilled holes		
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)ft.									
SCREEN-I	PERFORATE	D INTERVALS	S: From	17	51 ft. to	133	ft From	ı fi	. toft.
			From		ft. to		2 ft., From	ı ft	. toft.
(GRAVEL PAC	CK INTERVALS	S: From	12	ft. to	17-	ft., From	۱ ft	. toft.
			From	•••••	ft. to	•••••	ft., From) fl	. toft.
6 GROL	JT MATERIA	1 No.	at cement	2 (Cement grout	(3 βen	tonite	4 Other	
						القرص			ft. toft.
l		-			. II., FIOIII	IL. 1			4 Abandoned water well
What is the nearest source of possible contamination:				7 Dit prim		10 Livestock pens 11 Fuel storage			
1 Septic tank 4 Lateral lines					7 Pit privy		12 Fertilizer storage		6 Other (specify below)
2 Sewer lines 5 Cess pool					8 Sewage lagoon9 Feedyard		40 Innesticida stavena		
3 Watertight sewer lines 6 Seepage pit 9 Fee Direction from well?						1		•	
	1			10100		50014	How ma	<u> </u>	NITED ALO
FROM	то		LITHOLOG	IC LOG		FROM	то	PLUGGING	3 INTERVALS
0		فياب							
	20	SR	ady su						
26	40	Silty			sical the 3	-37			
40	الما	SI Ity			caliche				
40	70	wellar	radid so		tracecla	4			
70	&O	<i>u.</i>	u dan t	7	, che	8			
80	100	Sand		**	calche				
100	133	arave			elay tra	e Calic	he		
		U		-i	7.				
						 			
7	1,								
CONTF	RACTOR'S O	R LANDOWN	FR'S CERTIFIC	CATION:	This water well w	as (1) constr	ucted, (2) red	constructed, or (3) plugged	under my jurisdiction and was
completed on (mo/day/year)									
					This Water	Well Record			6.766
	ousiness nam	\sim	the tu		ww			(signature)	4/17/04
INSTRUC	TIONS: Use type	writer or ball point	per PLEASE PRES	S FIRMLY a	nd PRINT clearly. Pleas	e fill in blanks, un	derline or circle th	e correct answers. Send top three	opies to Kansas Department of Health
and Enviro	onment, Bureau (of Water, Geology S ach <u>constructed</u> we	section, 1000 SW Jac	ekson St., S	uite 420, Topeka, Kansa	s 66612-1367. To	eleprione /85-296-	5522. Send one to WATER WELL	Dyvivon and retain one for your