

Corrected



WATER WELL RECORD Form WWC-5 1325290

Division of Water Resources App. No. [] Well ID MW-17

Original Record Correction Change in Well Use

1 LOCATION OF WATER WELL: County: Logan Fraction SE 1/4 NE 1/4 NW 1/4 NE 1/4 Section Number 3 Township Number T 11 S Range Number R 32 E W

2 WELL OWNER: Last Name: First: Business: City of Oakley, Fairmair State Bank Address: 209 Hudson, 100 Center Country Club Motel--709 Center Ave City: Oakley State: KS ZIP: 67748

3 LOCATE WELL WITH "X" IN SECTION BOX: N W E S

4 DEPTH OF COMPLETED WELL: 145 ft. Depth(s) Groundwater Encountered: 1) 130 ft. 2) ... ft. 3) ... ft., or 4) Dry Well WELL'S STATIC WATER LEVEL: 130.25 ft. below land surface, measured on (mo-day-yr) 12/28/2016 above land surface, measured on (mo-day-yr) ... Pump test data: Well water was ... ft. after ... hours pumping ... gpm Well water was ... ft. after ... hours pumping ... gpm Estimated Yield: ... gpm Bore Hole Diameter: 8 in. to 148 in. to ... ft.

5 Latitude: 39.13245 (decimal degrees) Longitude: 100.85405 (decimal degrees) Datum: WGS 84 NAD 83 NAD 27 Source for Latitude/Longitude: GPS (unit make/model: ... (WAAS enabled? Yes No) Land Survey Topographic Map Online Mapper: ... 6 Elevation: 3059.24 ft. Ground Level TOC Source: Land Survey GPS Topographic Map Other KOLAR

7 WELL WATER TO BE USED AS: 1. Domestic: Household Lawn & Garden Livestock Irrigation Feedlot Industrial 5. Public Water Supply: well ID ... 6. Dewatering: how many wells? ... 7. Aquifer Recharge: well ID ... 8. Monitoring: well ID MW-17 9. Environmental Remediation: well ID ... Air Sparge Soil Vapor Extraction Recovery Injection 10. Oil Field Water Supply: lease ... 11. Test Hole: well ID ... Cased Uncased Geotechnical 12. Geothermal: how many bores? ... a) Closed Loop Horizontal Vertical b) Open Loop Surface Discharge Inj. of Water 13. Other (specify): ...

Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted: ... Water well disinfected? Yes No

8 TYPE OF CASING USED: Steel PVC Other ... CASING JOINTS: Glued Clamped Welded Threaded Casing diameter 4 in. to 115 ft., Diameter ... in. to ... ft., Diameter ... in. to ... ft. Casing height above land surface 0 in. Weight 2.071 lbs./ft. Wall thickness or gauge No. .237 TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel Fiberglass PVC Other (Specify) ... Brass Galvanized Steel Concrete tile None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify) ... Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole) SCREEN-PERFORATED INTERVALS: From 115 ft. to 145 ft., From ... ft. to ... ft., From ... ft. to ... ft. GRAVEL PACK INTERVALS: From 112 ft. to 148 ft., From ... ft. to ... ft., From ... ft. to ... ft.

9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other ... Grout Intervals: From 0 ft. to 112 ft., From ... ft. to ... ft., From ... ft. to ... ft. Nearest source of possible contamination: Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well Other (Specify) ... Direction from well? ... Distance from well? ... ft.

10 FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHO. LOG (cont.) or PLUGGING INTERVALS
0	2	surface			
2	21	loess			
21	39	fine & med sand & gravel w/clay & caliche			
39	62	clay & caliche w/sandy clay strks			
62	73	fine to some med sand w/traces of clay &			
73	82	fine & med sand & gravel w/clay & caliche			
82	111	clay & caliche w/sand strks			
111	148	fine & med sand & gravel w/clay & caliche			

11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) 12/21/2016 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 881 This Water Well Record was completed on (mo-day-year) 12/29/2016 under the business name of Woofter Pump and Well, Inc.