W	ATER WELL PLU	GGING K	TCOKD	rorm ww	C-3P	KSA 82				
1	LOCATION OF WATER County: Logan		Fraction 1/4 SE	/4 SW 1/4 NE		n Number	Township Number		ımber □ E K W	
	County: Logan ¼ SE ¼ SW ¼ NE Street/Rural Address of Well Location; if unknown, distance &				Global Positioning Systems (GPS) information:					
					Latitude: (in decimal degrees)					
	direction from nearest town or intersection: If at owner's address, check here 203 Center, Oakley, KS					Longitude: (in decimal degrees)				
	check here 203 Ceriter, Cakley, NS					Elevation:				
						al Datum:	☐ WGS84, [NAD83,	NAD27	
					n Method:		_	_		
Driven Comice Contac						GPS unit (Make/Model:				
2 WATER WELL OWNER: Bryan Service Center						Digital Map/Photo, Topographic Map, Land Survey				
RR#, St. Address, Box #: 415 Converse										
City, State ZIP Code: Oakley, KS 67864						Est. Accuracy: \square < 3 m, \square 3-5 m, \square 5-15 m, \square > 15 m				
<u> </u>										
3 MARK WELL'S LOCATION 4 DEPTH OF WELL 135 ft.										
	WITH AN "X" IN SEC	CTION								
	BOX: WELL'S STATIC WATER LEVELft									
	1	N WELL WAS USED AS:								
ĺ										
	NW NE Domestic Public Water Supply Dewatering									
			☐ Irriga	ıtion 💄	Oil Fiel	d Water Su	pply 🔼 Mo	nitoring		
W	W Feedlot Domestic (Lawn & Garden) Injection Well Air Conditioning Other									
	SW	-	☐ Indus	1		ditioning	∫ U Oth	ner		
SW SE Industrial Li Air Conditioning Li Other										
Was a chemical/bacteriological sample submitted to Department? Yes No										
5 TYPE OF BLANK CASING USED:										
☐ Steel ☐ RMP (SR) ☐ Wrought ☐ Fiberglass ☐ Other (Specify below)										
Steel RMP (SR) Wrought Fiberglass Other (Specify below) PVC ABS Concrete Tile										
M. 10 Lasocsios-centent Contract the										
Blank casing diameter 4 in. Was casing pulled? Yes No If yes, how much ~3ft. below ground surface										
Casing height above or below land surface in.										
6 GROUT PLUG MATERIAL: Neat cement Cement grout Bentonite Other										
OROUT DUG MATERIAL. — Neat cement — Cement grout — Bentonite — Utner										
Grout Plug Intervals: From 3 ft. to 135 ft., From ft. to ft., From ft. to ft.										
Grout rug mervais. From II. to II., From II. to II., From II. to II.										
What is the nearest source of possible contamination:										
	Sentic tenk	cc of possion	e comaninam	JII. Til Evalat)			
Septic tank Seepage pit Sewer lines Seepage pit Fuel storage Fertilizer storage Other (specify below)										
					-					
Watertight sewer lines Sewage lagoon Insecticide storage										
	Lateral lines		edyard		ned water		ection from well? _			
i	Cess pool	Liv	estock pens	Oil wel	l/Gas well	Hov	w many feet?			
	FROM TO	PLUG	GING MATE	RIALS	FROM	TO	PLUGGIN	G MATERIAI	LS	
	3 135 B	entonite								
				-						
		· · · · · · · · · · · · · · · · · · ·								
							······································			
										
							<u></u>			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was plugged under my jurisdiction and was										
completed on (mo/day/year) 06/21/2018 and this record is true to the best of my knowledge and belief. Kansas Water										
Well Contractor's License No. N/A . This Water Well Record was completed on (mo/day/year) 06/27/2018 under the										
business name of GreenField Contractors, Inc. by (signature) Melise D. Milliage										
of (organization) fr (organization)										
Sen	d one white copy to Kan	sas Denartm	ent of Health	& Environmen	t Geology	Section 10	OO SW Jackson Stra	eet Ste 420 T	oneka KS	
SCII									opena, No	
	66612-1367. Send one copy to WATER WELL OWNER and retain one for your records.									
Visit us at http://www.kdheks.gov/waterwell/index.html Telephone 785-296-5524.										

KSA82a-1212

MW-17

Revised 1/20/2015