USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.



Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

	I	F		۱, ,,		T+ 11 1	T	
1. Location of well:	County	Fraction		Section number		Township number	Range number	
	Logan	SN 1/4 3E 1/45W		1/4 8			5 R 33	J E MW
Distance and direction from nearest town or city:					l:	Slawson Drilling Co.		
1. Location of well: Logan SN 1/4 SE 1/4 SW 1/4 Distance and direction from nearest town or city: 3. Owner Street address of well location if in city: north City, sta						200 Douglas Bld. Wichita, Kansas 67202		
						6. Bore hole dia. 1 in. Completion date		
4. Locate with "X" in section below: Sketch map:						Well depth 205 ft. 11-2-77		
1 ! !					Ī	7 Cable tool X Rotary Driven Dug		
NW NE						Hollow rod Jetted Bored Reverse rotary		
						8. Use: X Domestic Public supply Industry		
						Irrigation Air conditioning Stock Lawn Oil field water Other		
SW SE						9. Casing: Material DVC Height: Above or below		
<u> </u>						Threaded Surface 18in.		
5						RMP PVC X Weight lbs./ft. Dia. 5 in. to 205 ft. depth!Wall Thickness: inches or		
1 Mi				From	То	Dia in. to <u>CUD</u> ft. de Dia in. to ft. de		
5. Type and color of	marerial			From	10	10. Screen: Manufacturer's		
man Cail				0	2	Certain_		
Top Soil				 	2	Type <u>DVC</u> Slot/ SVX 1/16	Dia Length25 *	
Clay				2	42	Set between 180	_ft. and205	ft.
Sand & gra	o vol			42	50	Gravel pack? X Size r		1. 3/8
Sauc & gra	IVEL					Static water level:		/day/yr.
Clay				50	88	105 ft. below land so		
Sand & gra	lavel			88	99	12. Pumping level below la		
•					7.57	ft. after	hrs. pumping	g.p.m.
Clay				99	106	Estimated maximum yield		g.p.m.
Sand & gra	avel			106	117	13. Water sample submitted	mo./	/day/yr.
G3				7777	710	X Yes No	Date <u>11-3-7</u>	7
Clay				117	142	Well head completion: Pitless adapter	Inches above g	rade
Sand & gravel					176	15. Well grouted? X		1000
Clar				176	182	With: X Neat cement Bentonite Concrete		
Clay					102	Depth: FromO ft. to		I^
Sand & gravel				182	206	16. Negrest source of possible contamination: ft		
Clay				206	210	Well disinfected upon comp		
						17. Pump:	X Not installed	∞ (
				<u></u>		Manufacturer's name Model number	HP Volt	
	BKOCK .					Length of drop pipe		
		1 12 11 12 11 12 11 12 11 12 11 12 11 12 11 12 11 12 11 12 11 12 11 12 11 12 11 12 11 12 11 12 11 12 11 12 11				Туре:		
				 		Submersible Jet	Turbine Reciproc	oting
	(Use a second sh	eet if needed)				Centrifugal	Other	Sec
18. Elevation:	19. Remarks:		31	75		20. Water well contractor's		
3175 7000						This well was drilled under my jurisdiction and this report		
Topography: The						is true to the best of my knowledge and belief. Rosencrantz-Bemis 134		
— Hill						Business name	Lice	nse No.
Slope X_ Upland						Address Great Ben	d. Kans. 67	2530 \(\sigma\)
Valley						Signed Authorica re	presentative Day	
						V		