


1 LOCATION OF WATER WELL: Fraction Bk 55, Lot 3 Section Number 8 Township Number T 11 S Range Number R 33 EW
 County: LOGAN

Distance and direction from nearest town or city street address of well if located within city?

GRAY STREET

2 WATER WELL OWNER: THELBERT BOYD
 RR#, St. Address, Box #: HCI Box 1 B Board of Agriculture, Division of Water Resources
 City, State, ZIP Code: MONUMENT, KS 67747 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

 4 DEPTH OF COMPLETED WELL: 150 ft. ELEVATION:
 Depth(s) Groundwater Encountered: DRY ft. 2. ft. 3. ft.
 WELL'S STATIC WATER LEVEL: ft. below land surface measured on mo/day/yr
 Pump test data: Well water was ft. after hours pumping gpm
 Est. Yield gpm: Well water was ft. after hours pumping gpm
 Bore Hole Diameter: in. to ft., and in. to ft.
 WELL WATER TO BE USED AS:
 Domestic Feedlot Oil field water supply Dewatering Injection well
 Irrigation Industrial Lawn and garden only Monitoring well
 Was a chemical/bacteriological sample submitted to Department? Yes.....No.....; If yes, mo/day/yr sample was submitted
 Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED:
 Steel RMP (SR) Concrete tile CASING JOINTS: Glued Clamped
 PVC Asbestos-Cement Other (specify below) Welded
 2 PVC Fiberglass Threaded.....
 Blank casing diameter: 5 in. to BOTTOM ft., Dia in. to ft., Dia in. to ft.
 Casing height above land surface: 18" below in., weight lbs./ft. Wall thickness or gauge No.
 TYPE OF SCREEN OR PERFORATION MATERIAL: UNK
 Steel Stainless steel Fiberglass RMP (SR) 10 Asbestos-cement
 2 Brass Galvanized steel Concrete tile 9 ABS 11 Other (specify)
 12 None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE: UNK
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes
 7 Torch cut 10 Other (specify)
 SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft.
 From ft. to ft., From ft. to ft.
 GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft.
 From ft. to ft., From ft. to ft.

6 GROUT MATERIAL: UNK Neat cement Cement grout Bentonite Other
 Grout Intervals: From 6 ft. to 0 ft., From ft. to ft., From ft. to ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) NONE
 13 Insecticide storage

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
		<u>BOTTOM TO 6' - DIRT</u>			
		<u>6' TO SURFACE - CEMENT</u>			
		<u>CUT CASING OFF ABOUT 18"</u>			
		<u>BELOW GROUND</u>			
		<u>0 to 6' cement</u>			
		<u>6' to 150' dirt</u>			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) AUG 26, 1988 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. N/A This Water Well Record was completed on (mo/day/year) AUG 30, 1988 under the business name of N/A by (signature) Thebert Boyd

OFFICE USE ONLY