

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

SE NW NE based on WIZARD + WIMAS
 ABC
 WATER WELL RECORD
 KSA 82a-1201-1215 oakley SW.

Kansas Department of Health and Environment-Division of Environment
 (Water well Contractors)
 Topeka, Kansas 66620

Job #406-78-A-11-11-33

1. Location of well:		County Logan	Section SW 1/4 NW 1/4 NE 1/4	Section number 11	Township number T 11 S R 33	Range number 33																																							
2. Distance and direction from nearest town or city: Street address of well location if in city:			3. Owner of well: Delton Hubert (David) R.R. or street: City, state, zip code: Monument, Kansas																																										
Locate with "X" in section below:		Sketch map:		6. Bore hole dia. 24 in. Completion date 3-21-78 Well depth 209 ft.																																									
		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td>5. Type and color of material</td> <td>From</td> <td>To</td> </tr> <tr> <td>Clay, Coarse Sand Streaks</td> <td>0</td> <td>80</td> </tr> <tr> <td>Coarse Sand, Med. Gravel</td> <td>80</td> <td>95</td> </tr> <tr> <td>Clay</td> <td>95</td> <td>98</td> </tr> <tr> <td>Coarse Sand, Med. Gravel</td> <td>98</td> <td>137</td> </tr> <tr> <td>Clay</td> <td>137</td> <td>147</td> </tr> <tr> <td>Coarse Sand, Med. Gravel</td> <td>147</td> <td>166</td> </tr> <tr> <td>Clay</td> <td>166</td> <td>180</td> </tr> <tr> <td>Coarse Sand</td> <td>180</td> <td>187</td> </tr> <tr> <td>Sandy Clay</td> <td>187</td> <td>196</td> </tr> <tr> <td>Coarse Sand, Med. Gravel</td> <td>196</td> <td>204</td> </tr> <tr> <td>Ochre, Shale</td> <td>204</td> <td>209</td> </tr> <tr> <td colspan="3" style="text-align:center;">(Use a second sheet if needed)</td> </tr> </table>		5. Type and color of material	From	To	Clay, Coarse Sand Streaks	0	80	Coarse Sand, Med. Gravel	80	95	Clay	95	98	Coarse Sand, Med. Gravel	98	137	Clay	137	147	Coarse Sand, Med. Gravel	147	166	Clay	166	180	Coarse Sand	180	187	Sandy Clay	187	196	Coarse Sand, Med. Gravel	196	204	Ochre, Shale	204	209	(Use a second sheet if needed)			7. Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary		
				5. Type and color of material	From	To																																							
Clay, Coarse Sand Streaks	0	80																																											
Coarse Sand, Med. Gravel	80	95																																											
Clay	95	98																																											
Coarse Sand, Med. Gravel	98	137																																											
Clay	137	147																																											
Coarse Sand, Med. Gravel	147	166																																											
Clay	166	180																																											
Coarse Sand	180	187																																											
Sandy Clay	187	196																																											
Coarse Sand, Med. Gravel	196	204																																											
Ochre, Shale	204	209																																											
(Use a second sheet if needed)																																													
8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other			9. Casing: Material Steel Height: Above or below Threading <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 12 in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight .188 lbs./ft. Dia. 16 in. to 139 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No. #7																																										
10. Screen: Manufacturer's name Brown			11. Static water level: 124 ft. below land surface Date 3/25/78 mo./day/yr.																																										
12. Pumping level below land surfaces: 200 ft. after 2 hrs. pumping 907 g.p.m. ____ ft. after ____ hrs. pumping ____ g.p.m. Estimated maximum yield 907 g.p.m.			13. Water sample submitted: ____ Yes <input checked="" type="checkbox"/> No Date ____ mo./day/yr.																																										
14. Well head completion: <input type="checkbox"/> Pitless adapter 12 Inches above grade			15. Well grouted? <input checked="" type="checkbox"/> X With: <input type="checkbox"/> Neat cement <input checked="" type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Concrete Depth: From 0 ft. to 10 ft.																																										
16. Nearest source of possible contamination: ft. 4000 Direction E Type Farmstead Well disinfected upon completion? ____ Yes <input checked="" type="checkbox"/> No			17. Pump: <input type="checkbox"/> Not installed Manufacturer's name Floway Model number 85468 HP 100 Volts ____ Length of drop pipe 200 ft. capacity ____ g.p.m. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other																																										
18. Elevation: 3102 Topo Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input checked="" type="checkbox"/> Upland <input type="checkbox"/> Valley	19. Remarks: 3102 124 2978		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Western Well & Pump 245 Business name License No. Address Box 852 Colby, KS 67701 Signed Ann Huston Date 4/6/78 Authorized representative																																										

11-33-11 SE QUARTER
 R 33 W 11
 Sec 11

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5