WATER WELL RECORD		Form W	VWC-5	Division of Water Resources App. No.		
1 LOCATION OF WATER WELL:		Fraction		Section Number Township No. Range Number		
	ity: Log		1/4 NW 1/4 N\	W ¼ NE ½		
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:						
	from nearest town or intersection: If at owner's address, check here				Latitude: (in decimal degrees)	
1		line & 2050 from E line	,	becaused.	Longitude: (in decimal degrees)	
001	II OIII IN	ine a 2000 from E line			Elevation:	
A ***	CHARAGE MAIN			······································	<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27	
		ELL OWNER: Warren			Collection Method:	
RR#, Street Address, Box #: 5002 Rd			1 29		GPS unit (Make/Model:)	
City,	, State, Z	IP Code : Wallace	, KS 67761		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey	
2 100	ATE WE	* *	Control of the second s		Est. Accuracy:	
	AIL WE HAN "X	LL A DEPTH OF A	OMPLETED WEI	r 40	ft.	
	CION BO	X: Denth(s) Ground	water Encountered	(1)	ft (2) ft (3) ft	
	N					
	X	Pump	test data: Well wat	er was	ft. after hours pumping gpm	
	1 '	TIOTE TITET TO	opm Well wat	er was	ft. after hours pumping gpm	
w NV	- NW -   - NE -   EST. YIELDgpm. Well water wasft. after					
) " <b> </b>					ater supply Geothermal Injection well	
Domestic Dendlet Doll Gold water words Dendering Dotter (Superior Later)						
SW   SE						
			bacteriological samp	le submitted t	to Department? Yes V No	
	S If yes, mo/day/yr sample was submitted					
Water well disinfected? ✓ Yes ☐ No						
5 TYPE OF CASING USED: Steel PVC Other						
CASING JOINTS: Glued Clamped Welded Threaded						
Casing diameter 4.5 in to 40 ft., Diameter in to ft., Diameter in to ft. Diameter in to ft. Casing height above land surface 36 in Weight 2.5 lbs./ft., Wall thickness or gauge No. 0.248						
TVPE	S HOISH	ZEN OD DEDEOD ATION	MATEDIAI:	и жм	ios./it., wan unckness of gauge No449	
TYPE OF SCREEN OR PERFORATION MATERIAL:  ☐ Steel ☐ Stainless Steel ✔ PVC ☐ Other (Specify)						
Brass Galvanized Steel None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE:						
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)						
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)						
SCREEN-PERFORATED INTERVALS: From 20 ft. to40 ft., From ft. to						
From						
GRAVEL PACK INTERVALS: From 20 ft. to 40 ft., From ft. to ft.						
< 0.00 O	TOTAL TO BE A 1		From	<u>. ft. to</u>	ft., From ft. to ft.	
6 GROUT MATERIAL: Neat cement Cement grout 7 Bentonite Other						
Grout In		From .9 ft. to	ft., Fro	m	ft. to ft., From ft., ft. to ft.	
		est source of possible conta		yuung	proofproof	
	Septic ta		es Pit privy	Livestock		
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well						
Direc	etion from	n well	п Посауата		e from well	
FROM	ТО	LITHOLOG	IC LOG	FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS	
0	2	Surface	~ ~ ~	2.1.0141	20 Diffe. 200 (cont.) of 1 2000 in o in the VALS	
2	4	Loess	M			
4	6	Fine to med sand				
6	22	Sandy clay	**************************************			
22	29.5	Fine to med sand with	aravol		**************************************	
29.5	40	Black shale	yı avei			
20.0		PIGOL STORE				
		The state of the s				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION. This water well was 17						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was						
Kansas Water Well Contractor's License No. 838 This Water Well Record was completed on (mo/day/year) .7/10/12						
under the business name ofD&R PUMD Service, LLC						
(white, blue, pink) to Kansas Depar tment of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.						
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at						
http://www.kdheks.gov/waterwell/index.html.						
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy						