WATER WELL RECORD		Form WWC-5		Division of Wate	r Resources App. No	o.	
1 LOCATION OF WATER WELL: County: Wallace		Fraction	I IX SW IX	Section Number 29	Township No. T 11 S	Range Number R 38 ☐E ☑W	
County: Wallace							
from nearest town or intersection: If at owner's address, check here							
1069' from W line, 1383' from S line				Longitude: (in decimal degrees)			
			Elevation:		 L NIAIN 27		
2 WATER WELL OWNER: Warren Sweat				<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27 Collection Method:			
RR#, Street Address, Box #: 5002 Rd 29			GPS unit (Make/Model:)				
City, State, ZIP	Code : Wallace	, KS 67761		Digital Map/Photo, Topographic Map, Land Survey Est. Accuracy: <a>3 m , <a>3-5 m , <a>5-15 m , <a>>15 m			
3 LOCATE WELL							
WITH AN "X" IN							
SECTION BOX:	- T - T - T - T - T - T - T - T - T -						
	WELL'S STATIC WATER LEVEL						
	TOOM SATELLY						
W Bore Hole Diameter 8.5 in. to .50 ft., and							
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well							
Domestic							
Industrial Domestic-lawn & garden Monitoring well							
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☐ No							
S If yes, mo/day/yr sample was submitted							
water wen distinctied: [A] 162 [] No							
5 TYPE OF CASING USED: Steel PVC Other							
CASING JOINTS: Glued Clamped Threaded							
Casing diameter 4.5 in to 50 ft., Diameter in to ft., Diameter in to ft.							
Casing height above land surface. 3							
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)							
SCREEN OR PERFORATION OPENINGS ARE:							
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)							
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From 30 ft. to 50 ft., From ft. to ft.							
From ft to ft From ft to ft							
GRAVEL PACK INTERVALS: From 20 ft. to 50 ft., From ft. to ft.							
From							
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From 0 ft. to 20 ft., From ft. to ft., From ft. to ft.							
Grout Intervals: From U ft. to 20 ft., From ft. to ft., From ft. to ft., From ft. to ft.							
What is the nearest source of possible contamination:							
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well							
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well							
	vell		. Distance i	from well		**********	
FROM TO	LITHOLOG	IC LOG	FROM	TO LITHO. LO	OG (cont.) or PLU	GGING INTERVALS	
	urface						
	oess		 				
	ine to med sand w/ so lack shale	me gravel	 				
42 50 BI	Iack Stidle						
					L.		
		White the transfer to the same of the same			717		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged							
under my jurisdiction and was completed on (mo/day/year) .9/17/12 and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No. 838 This Water Well Record was completed on (molday/year) 10/19/12							
under the business name of D&R Pump Service, LLC by (signature) INSTRUCTIONS: Use ty pewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies							
(white, blue, pink) to Kansas Depar tment of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at							
http://www.kdheks.gov/waterwell/index.html. KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy							
KSA 82a-1212				CIRCUX. W	ше сору, ∐ ВК	ne Copy, Pink Copy	