		WA	ATER WELL R	ECORD	Form WWC			12 ID N				
		TER WELL:	Fraction			5	Section	Number	Townsh	nip Number	Range Number	
	<u>Ottawa</u>			½ SE	¼ SW	/7	9		Т	11 s	R 4 X W	
Distance a	and direction	from nearest t	own or city stre	et addres	s of well if loca	ated within	city?					
3 mil	es Wes	t & 1 1/	2 mile s	South	of Minn	eapol:	is,	KS				
2 WATER	WELL OW	NER: TO	dd & Co	lleen	White				* *			
RR#, St. A	Address, Box	# : RR	2, Box	10					Board of	of Agriculture.	Division of Water Resource	
City, State	, ZIP Code		nneapol		6746	7	Application Number:					
3 LOCATE	WELL'S LC	CATION WITH	4 DEPTH O	F COMPL	ETED WELL.	17	5 ft	. FLEVAT	TION:			
	IN SECTION											
	N.										6/17/02	
 											pumping gpm	
	_NW -	- NE									pumping gpm	
	1	· i										
∰ W	Bore Hole Diameter9 in. to1.7.5											
- "	1	-	X Domesti			Oil field wa		•	Dewatering	•	Other (Specify below)	
	- sw -	- SE	2 Irrigation									
	- SVV -	- SE	_									
₩as a chemical/bacteriological sample submitted to Department? Yes No ; If yes, mo/day/yrs sample was su												
	\$		mitted						Well Disinfe		X No	
_		ASING USED:			ght iron		crete til	е	CASING	3 JOINTS: Glu	ed 🗶 Clamped	
1 Stee		3 RMP (S	R)		stos-Cement		٠.	ify below	•		ded	
X PVC		4 ABS		7 Fiber	•						eaded	
Blank cas	ing diamete	r 5 .	in. to	.1.65	.ft., Dia		.in. to .		ft., Dia	a	in. to <u></u>	
Casing he	eight above l	and surface	. 12	. in., weigl	nt 2 . . 3	3 7		lbs./f	t. Wall thickn	ess or gauge I	No	
TYPE OF	SCREEN (OR PERFORAT	TION MATERIA	AL:		X F	PVC		10	Asbestos-cer	nent	
1 Stee	1 Steel 3 Stainless steel 5 Fiberglass									11 Other (specify)		
					Concrete tile 9 ABS			12	12 None used (open hole)			
SCREEN	OR PERFO	PRATION OPE	NINGS ARE:			zed wrappe			8 Saw cut		11 None (open hole)	
1 Cont	tinuous slot		ill slot		6 Wire	wrapped			9 Drilled ho	oles		
1	vered shutte		ey punched		7 Torc							
SCREEN-	-PERFORA	TED INTERVA									to	
			From		ft. to	475		ft., From		ft.	to ft.	
	GRAVEL P	ACK INTERVAL	LS: From	. ふ5	ft. to	1.7.2		ft., From		ft.	to	
			-					•			toft.	
	MATERIAL				ent grout							
Grout Inte	ervals: Fro	m . 5	ft. to	35	t., From		.ft. to		ft., Fror	n	ft. to	
What is th	he nearest s	ource of possib	ble contaminati	on:			1	0 Livesto	ock pens	14 /	Abandoned water well	
1 Septic tank X Lateral			al lines		7 Pit privy		11 Fuel stora			15 (Oil well/Gas well	
2 Sewer lines 5 Cess			pool 8 Sewage		lagoon	agoon 12 Fertilizer :		er storage	16 (Other (specify below)		
3 Wate	ertight sewe	r lines 6 Seep	age pit	9 Feedyard			13 Insecticide					
Direction	from well?	East	•		Í		ì	low many	y feet? 25	0		
FROM	ТО		LITHOLOGIC I	LOG		FROM			,	PLUGGING I	NTERVALS	
0	2	Topsoi			· · · · · · · · · · · · · · · · · · ·	1	- 	-				
	5		l, silty			+						
2						<u> </u>						
5	17		one, red	<u>u</u>								
17	33	Shale,										
33	38		one, tar	<u>n</u>								
38	115	Shale,										
115	145		one, gr	ay, na	ard with	1						
			layers	· · · · · · · · · · · · · · · · · · ·								
145	175	Sandst	one, gra	ay, h	ard							
7 CONTR	ACTOR'S O	R LANDOWNE	R'S CERTIFICA	ATION: Th	is water well w	as (K cons	structed	(2) recor	nstructed, or	(3) plugged ur	nder my jurisdiction and was	
		year) 								e best of my kr	nowledge and belief. Kansas	
		• •									<u> </u>	
ł	ousiness nar		erson I					by (sign		1/ /v	1	
										une (view	
I INSTRUCT										nd top three copies t of \$5.00 for each <u>co</u>	o Kansas Department of Health and	