1 LOCATI	ION OF WA	ER WELL:	Fraction	H WELL HEC	OHD F	orm wwc-				٠,		
	OTTAWA	EN WELL.	SE 1/4	NE 1/	. NE	1	ction Number		ship Numb 11	-	Range Num	
		from nearest town of	/	, , ,		1/4		<u> </u>		S R		E/W
						within city?						
		ST CORNER OF					14.14					
•		NER: MINNEAP			AN CEN	TER						
		(# : 815 N. I						Boa	rd of Agric	ulture, Division	of Water	Resourc
	e, ZIP Code	MINNEAP	OLIS,KS.	67467				Appi	lication Nu	mber:		
LOCATI	E WELL'S L	DCATION WITH 4 De	DEPTH OF C	OMPLETED V	VELL	157	ft. ELEV	ATION:				
AN A	IN SECTION	De De	pth(s) Ground	lwater Encount	ered 1.	86.6	ft.	2		ft. 3		ft.
7 F	1	ı WE	ELL'S STATIC	WATER LEVE	<sub>EL</sub> 86.	.6 <sub>ft. t</sub>	pelow land su	ırface measu	red on mo	day/yr 4-	20-98	
1 1			Pumi	p test data: V	Vell water	was AIRI	UMPED #	after	hc	ure numning		anı
-	NW	NE -X	t Yield 15	<b>0</b> gpm: V	Vell water	was		after	he	ure pumping		gpi
.	- ;	Boi	re Hote Diame	eter <b>9</b>	in to	158		and		in to		gpi
∯ w ├				TO BE USED A		Public water		8 Air condit				
<del>.</del> 1	1	i     '''	1 Domestic					9 Dewateri	•	•		low)
-	SW	SE	2 Irrigation	4 Indus					_	12 Other (	_	
	1	· · · · · · · · · · · · · · · · · · ·	-	bacteriological:								
į L		vva		bacteriological	sample su	omitted to D						e was su
Type	OF BLANK C	ASING USED:	iled	<b>5.14</b>				ater Well Disi			No	
_				5 Wrought in		8 Concr			IG JOINTS	: Glued . A.	-	
1 Ste	_	3 RMP (SR)		6 Asbestos-C			(specify belo	•		Welded		
	<u>/C</u>	4 ABS	. 197	7 Fiberglass						Threaded		
Siank casi	ing diameter		to キンバ. つ	ft., Dia	160	in. to		ft., Dia		. in. to	DB 26	f
		nd surface1		.in., weight	ton:			/ft. Wall thick	ness or ga	auge No ∺		
		R PERFORATION M					<u>C</u>		0 Asbesto			
1 Ste		3 Stainless ste		5 Fiberglass			IP (SR)	1	1 Other (s	pecify)		
2 Bra		4 Galvanized s		6 Concrete ti	le	9 <b>A</b> B	S	1	2 None us	sed (open hole	<del>)</del> )	
		ATION OPENINGS			5 Gauzed	wrapped		8 Saw cut	t	11 No	one (open l	hole)
	ontinuous slo			2	6 Wire wr	apped		9 Drilled h	noles			
	uvered shutt	· · · · · · · · · · · · · · · · · · ·	unched		7 Torch c							
SCREEN-	PERFORATE	D INTERVALS:	From	.137	ft. to	<b>1<i>5</i>7</b>	ft., Fro	om		ft. <b>to</b>		,f
			From		ft. to		ft., Fro	om		ft. <b>to</b>		<b></b>
G	GRAVEL PAG	CK INTERVALS:	$From.\ \dots.$	120	ft. to	157	ft., Fro	om		ft. to		<b>f</b>
,		-	From		ft. to		ft., Fro	om		ft. to		f
	MATERIAL		ent	2 Cement grou	ut	3 Bento	nite 4	Other				
Grout Inter	rvals: Fror	n <b>1</b> ft. t	to <b>2.6</b>	ft., Fron	n	ft.	to	ft., Fre	om	ft. te	o	
What is the	e nearest so	urce of possible conf	tamination:				10 Lives	stock pens		14 Abandon	ed water w	/ell
1 Se	ptic tank	4 Lateral lin	nes	7 Pit p	rivy		11 Fuel	storage		15 Oil well/0	àas well	
2 Se	wer lines	5 Cess poo	ol	8 Sew	age lagoo	n	12 Ferti	lizer storage		16 Other (sp	ecify below	<b>w</b> )
3_Wa	atertight sew	er lines 6 Seepage	pit	9 Feed	dyard		13 Insec	cticide storage	e			
Direction f	rom well?	NORTH			•			iny feet?	15			
FROM	то	L	ITHOLOGIC	LOG		FROM	то		PLUGO	ING INTERV	ALS	
0	2	FILL DIRT								,		
2	15	CLAY TAN S	OFT									
15	51	CLAY RED TO	O GRAY H	ARD								
51	157	SANDSTONE !										
			W 14									
	f											
							<del> </del>					
							<b></b>					
	<del> </del>					<u> </u>	<del>                                     </del>					
				The Principle of the State of t			<b></b>				Total Control	
	ļ						<b> </b>					
							<b> </b>					
<u>,                                     </u>			~				<u> </u>					
CONTR	RACTOR'S C	R LANDOWNER'S	CERTIFICATION	ON: This water	well was	(1) constru	cted, (2) rece	enstructed. or	(3) pluaa	ed under my i	urisdiction	and wa
-	on (mo/day/	<b>以_つ</b> (	0-98					•		1		
•	` •	License No	388	Thie V	Vater Well	l Record wa	s completed	on (me/day/y	1/1/4	my Inowledge		
nder the l	husiness nar	ne of PESTINGER		RVICE	*****	110	by (signa		ンスナ	esle	200	
						- <b>6</b> 00 to 10 to 1		$ \nu$				
		ewriter or ball point pen. <u>f</u> nt, Bureau of Water, Tope									Kansas Depar	rtment