WATER WELL RECORD	Form W	WC-5	Division of Wate	r Resources App. N	0.
1 LOCATION OF WATER WELL:	Fraction		Section Number Township No. Range Number		
County: LTAKOLN	County: LTWOLN 1/4 SW 1/4 SW 1/4 SW		5	T // S	$R \beta \square E \lambda W$
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here .		Global Positioning System (GPS) information:			
		Latitude:			
			Elevation:		
ALLANCE LICAMAKE			Datum: WGS 🖌 🗋 NAD 83, 🗌 NAD 27		
2 WATER WELL OWNER: CHARLES HERMAN			Collection Method:		
RR#, Street Address, Box #: 1316 COUNTRY CLUB DR City, State, ZIP Code : Control VS / 1901			Digital Map/Photo, Topographic Map, Land Survey		
City, State, ZIP Code CONCORDIA, K5 6690/ Digital Map/Photo, Topographic Map, Land Surv Est. Accuracy: 3 m, 3-5 m, 5-15 m, >15 m					
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL ZBD. ft.					
SECTION BOX: N Depth(s) Groundwater Encountered (1)ft. (2)ft. (3)ft. WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr.//ft.					
Pump test data: Well water wasft. after					
EST. YIELD /90. gpm. Well water wasft. after					
w E Bore Hole Diameter \dots Ω \dots in to \dots 200 \dots tt., and \dots in to \dots in to \dots tt.					
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well					
SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)					
Image: Strate of the strat					
s If yes, mo/day/yr sample was submitted					
1 mile Water well disinfected? ▲ Yes □ No					
5 TYPE OF CASING USED: Steel X PVC Other					
CASING JOINTS: 📈 Glued 🔲 Clamped 🗍 Welded 🗍 Threaded					
Casing diameter f. Diameter in. to ft. Diameter ft.					
Casing height above land surface					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
Steel Stainless Steel Brass Galvanized Steel None used (open hole) Other (Specify)					
SCREEN OR PERFORATION OPENINGS ARE:					
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)					
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)					
From ft to ft From ft to ft					
GRAVEL PACK INTERVALS: From. 25 ft. to 230 ft., From ft. to ft. ft.					
From					
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other					
Grout Intervals: From					
What is the nearest source of possible conta Septic tank		Livestock p	ens 🗌 Insecticide	storage 🗌 Otl	ner (specify below)
Septic tank Lateral lines Pit privy Livestock pens Sewer lines Cesspool Sewage lagoon Fuel storage				d water well	
☐ Watertight sewer lines ☐ Seepage r	it Feedyard	Fertilizer st	• •	•	EN PASTURE
Direction from well			from well		
FROM TO LITHOLOG		FROM	TO LITHO. L	UG (cont.) or PLU	JGGING INTERVALS
0 2 Soil 2 ZS LEMESTONEW/C	LAY STREMARS	++			
25 119 SHAIF LOAU		-			
25 119 SHALE, GRAY 119 129 SAMISTONE	-				
129 258 SHALE, GRAY to	RED @ 232				
238 200 SANDSODNE H	10				
		ļ			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed I reconstructed or I phygoed					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year)					
Kansas Water Well Contractor's License No C.O This Water Well Record was completed on (mb/day/year) /					
under the business name of ASSOCATED URI LUTAVE MUL by (signature)					
INSTRUCTIONS: Use typewriter or ball point per	. PLEASE PRESS FIRMLY	and PRINT cle	arly. Please fill in blank	s and check the correct	t answers. Send three copies
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at					
http://www.kdheks.gov/waterwell/index.html.					