WATED WELL DECODD	Form WWC 5		
WATER WELL RECORD	Form WWC-5	Division of Water Resources App. No.	
1 LOCATION OF WATER WELL: County: LTNCOLN Street/Rural Address of Well Location;	Fraction 1/4 NW 1/4 NF2-1/4 NW 1/	Section Number Township No. Range Number T I S R $\bigcirc$ E	
Street/Rural Address of Well Location;	f unknown, distance & direction	Global Positioning System (GPS) information:	
from nearest town or intersection: If at a	owner's address, check here .	Latitude:	
		Longitude:	
		Elevation:	
2 WATER WELL OWNER: CHARLES HERMAN			
RR#, Street Address, Box #: 13/6 COUNTRY CLUB DR		Collection Method: GPS unit (Make/Model: GARMIN ETRAX)	
		Digital Map/Photo, Topographic Map, Land Survey	
	ORDIA, KS 66901	Est. Accuracy: $\square < 3 \text{ m}, \square 3^{4}5 \text{ m}, \square 5^{-15} \text{ m}, \square >15 \text{ m}$	
3 LOCATE WELL			
	COMPLETED WELL		
SECTION BOX: Depth(s) Ground	lwater Encountered (1)	$f_{1}$ , $f_{2}$ , $f_{2}$ , $f_{3}$ , $f_{3}$ , $f_{4}$ , $f_{5}$ , $f_{6}$ , $f_{7}$ , $f$	
		t. below land surface measured on mo/day/yr. 11-2-2010	
Pump	test data: Well water was	ft. after hours pumping	
NW NE   EST. YIELD		ft. after hours pumping gpm	
		ft., andft.	
WELL WATER	TO BE USED AS: D Public wa	ter supply  Geothermal  Injection well	
		ter supply Dewatering Other (Specify below)	
I Irrigation		wn & garden 🔲 Monitoring well	
		to Department? 🗌 Yes 🕱 No	
	day/yr sample was submitted		
Water went disinfected: A res The			
5 TYPE OF CASING USED: 🗌 Steel			
CASING JOINTS: 🔀 Glued 🗌 Clamped 🗌 Welded 🗌 Threaded			
Casing diameter			
Casing height above land surface			
TYPE OF SCREEN OR PERFORATION MATERIAL:			
Steel       Stainless Steel       Steel       Other (Specify)         Brass       Galvanized Steel       None used (open hole)			
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:			
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)			
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)			
SCREEN-PERFORATED INTERVALS:	From		
	GRAVEL PACK INTERVALS: From		
GRAVEL PACK INTERVALS:	From	<b>2</b> ft., From ft. to ft.	
	Fromπ. το	<b>7</b> . <del>ζ</del> π., From π. το Γ	
6 GROUT MATERIAL:  Neat ceme	ent Cement grout Bent	mite Other	
Grout Intervals: From ft. to		. ft. to	
What is the nearest source of possible conta			
Septic tank Lateral lir Sewer lines Cesspool	es Pit privy Livestock		
Watertight sewer lines Seepage p			
Direction from well WEST		from well	
FROM TO LITHOLOG	IC LOG FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVAL	
0 8 CLAY			
8 22 CALCARROUS SHALF	TAN		
22 1.38 SHALF, GRAY	, , ,		
13B 16B SANDSTONE			
168 246 SHALR			
246 251 SANDSTONE H.	2.0		
251 262 SHALF , RED.		,	
7 CONTRACTOR'S OR LANDOWNER	SCERTIFICATION: This wa	ter well was constructed, reconstructed, or plugged	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year)			
Kansas Water Well Contractor's License No. 1.622 This Water Well Record was completed on (mo/gay/year)			
under the business name of			
		learly. Please fill in blanks and check the correct answers. Send three cop	
		logy Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-130 your records. Include fee of \$5.00 for each constructed well. Visit us	
http://www.kdheks.gov/waterwell/index.html.	Ex welle owner and retain one for	your records. monute nee or \$5.00 for each constructed went. VISIT US	