WATER WELL RECORD			Form WWC-5		Division of Water Resources App. No.			
1 LOCATION OF WATER WELL:			Fraction		Section Number Township No. Range Number			
County:	Lincoln		1/4 SE 1/4 SE		7	T 11 S	R 9 DE VW	
Street/Ri	ural Address of	Well Location; i	f unknown, distance &	Global Positioning System (GPS) information:				
from nearest town or intersection: If at owner's address, check here					Latitude:			
3 3/4 south &1/8 east of Ashgrove, Ks.					Flevation:			
					Datum: WGS 84, NAD 83, NAD 27			
2 WATER WELL OWNER: M.H. W. Enterprises Inc.					Collection Method:			
RR#, Street Address, Box #: 819 E. Rve Dr.					GPS unit (Make/Model:)			
City, State, ZIP Code : Sylvan Grove, KS. 67481					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m			
ESt. Accuracy. Sin, Som, Som, Som, Som,								
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 38								
	WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered (1)							
	M A THE LAC CITATIO WATER LEVEL 19 ft below land surface measured on mo/day/yr. 47.7.5.1							
Dymn teet dete: Well water was ff. after nours pumping spin								
FST VIFID NA onm Well water wastt. after nours pumping							nping gpm	
w NW	Pore Hole Diameter 10 in to 38tt., and							
**	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well							
cw.	Oil field water supply 1 Dewatering 1/ Utner (Specify Delow)							
3W	I Irrigation Indistrial Dollestic-lawii & garden L. Montoning.							
<u> </u>	Was a chemical/pacteriological sample submitted to Department:							
	S If yes, mo/day/yr sample was submitted							
'	mile		ifected? 🔽 Yes 🔲					
5 TYPE OF CASING USED: Steel V PVC Other								
CASING IOINTS: M Clued Clamped Welded Threaded								
the second secon								
Casing height above land surface18								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
Steel								
Brass Galvanized Steel None used (open noie) SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
Transplant Wire wranged V Saw cut 1 () ther (specify)								
SCREEN-PERFORATED INTERVALS: From 38 ft. to 18 ft., From ft. to ft. From ft. to ft.								
From								
GRAVEL PACK INTERVALS: From								
From. ft. to								
l	T MATERIAL	∴ ∐ Neat cem	ent Cement grout	19 Bento.	ft to 0	t From	ft. toft.	
Grout Inter	rvais: From	a of nossible con	tamination:		16. 60	_		
What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)								
□ Se	Septic tank Septic tank							
	atertight sewer l	lines Seepage		Fertilizer s	torage Oil well			
Direction from well								
	ТО	LITHOLO	GIC LOG	FROM	TO LITHO.	LOG (com.) of FL	OGGING INTERVALS	
0 3			d					
	4 Brown			 				
		sandy clay					A Part of the Control	
		& gravel		-				
24 3	8 Blue s	naie						
				-				
-						Andrew Control of the		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 🗸 constructed, 🗆 reconstructed, or 🗆 plugged								
and this record is trule to the best of my knowledge and bence.								
This Water Well Record was completed on (mo/day/year) 7.5								
by (signature)								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and cleek the correct answers. Sold line copies.								
	(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 3 w Jackson St., Gate 126, Topology Sec							
http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1					Check: X	White Copy, 🔲 I	Blue Copy, 🔲 Pink Copy	