WATER WELL RECORD		Form WWC-5		Division of Water Resources App. No.				
	LOCATION OF WATER WELL: County: Lincoln		Fraction 1/4 NE 1/4 NE	E 1/4 NW 1/4	Section Number 17		Range Number R 9 □E ☑W	
		ddress of Well Location; is	f unknown, distance	Global Positioning System (GPS) information:				
from	from nearest town or intersection: If at owner's address, check here .				Latitude: (in decimal degrees)			
3/4 /	3/4 North, 3 West of Denmark, Ks.			Longitude: (in decimal degrees)				
				Elevation:				
2 WAT	2 WATER WELL OWNER: M. H. W. Enterprises, Inc.					Datum: WGS 84, NAD 83, NAD 27		
	RR#, Street Address, Box #: 819 E. Rve Dr.				Collection Method: GPS unit (Make/Model:)			
City,	City, State, ZIP Code : Sylvan Grove, Ks. 67481				☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
2 100	A OCTO ANAMON				Est. Accuracy: <	3 m, 🔲 3-5 m, 🔲 :	5-15 m, □ >15 m	
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 55								
	ION BOX	ON BOX: Depth(s) Groundwater Encountered (1) ft (2) ft (3)						
	SECTION BOX: Depth(s) Groundwater Encountered (1)							
	Pump test data: Well water wasft. after hours pumpingg							
W								
	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well Domestic Feedlot Oil field water supply Dewatering Other (Specify below)							
SW	SW - SE - Domestic							
<u> </u>	Was a chemical/bacteriological sample submitted to Department? Yes V No							
	S If yes, mo/day/yr sample was submitted							
Water well disinfected? ✓ Yes ☐ No								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: V Glued Clamped C Welded C Threaded								
Casing diameter .5								
Casing height above land surface18 in., Weight SDR-26 lbs./ft., Wall thickness or gauge No								
Steel Stainless Steel VPVC Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From								
GRAVEL PACK INTERVALS: From								
From ft. to ft., From ft. to ft. ft. ft. ft.								
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other								
What is the nearest source of possible contamination:								
Septic tank								
Sewer lines								
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well Shed Direction from well .West ☐ Distance from well .50.								
FROM	ТО	LITHOLOGIC					GING INTERVALS	
0 2		op soil						
2 6		an clay						
		roken rock						
		an clay ellow & gray shale						
		andstone						
		hale w/ streaks of sands	stone					
# CONTER) A COTO D							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged under my jurisdiction and was completed as (2.2.2.4.4.								
under my jurisdiction and was completed on (mo/day/year) .32211								
under the business name of Nosencrantz- Bemis by (signature)								
AND INCLIDED. Ose typewriter of Dall Doing Den PLEANE PRENT FIRMLY and PRINT clearly. Discos fill in blanks and shook the assessment of the								
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								
mtp.//www.kdness.gov/waterwell/index.ntiml.								
SA 82a-1212 Check: White Copy, Blue Copy, Pink Copy								

KSA 82a-1212

R. E. K