			ATER WELL REC	ORD Form WV	VC-5 KSA	82a-1212 II	D No			
	TION OF WA	TER WELL:	Fraction			Section Numb	er Townshi	ip Number	Range Number	
County:	CTTAWA		SE 14	SE 14. S	S 1/4	34	Т	12 s	R 1W E/W	
Distance and direction from nearest town or city street address of well if located within city?										
2381 2 WATER	E. OTTA	WA RD. NER: ŒRALI	ממישו ר						70.00	
RR#, St. A		# : 2 3 81 🗉	E. OTTAWA R					of Agriculture, D	Division of Water Resources	
3 LOCATE	, Z.I. 0000	SOLUME.	N.KS. 6748	OMPLETED WELL	60	# FIE	Applica VATION:	tion radinber.		
3 LOCATE WELL'S LOCATION WITH 4 DEPTH OF COMPLETED WELL 60 ft. ELEVATION: AN "X" IN SECTION BOX: N Depth(s) Groundwater Encountered 43 ft. 2 ft. 3 ft. WELL'S STATIC WATER LEVEL 46 ft. below land surface measured gn mo/day/yr 4-14-04 ft.										
	Pump test data: Well water was									
	-NW	- NE	Est. Yield1	.5 gpm: Well					oumping gpm	
WELL WATER TO BE USED AS: 5 Public water supply 8							8 Air conditio	•	njection well	
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify belo										
W E 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well										
-	SW									
	ı	1	mitted	Daoto no logical ca	pio oubiintt	od to Boparimon	Water Well Disinf			
X										
5 TYPE	OE DI ANK (ASING USED:	l	F Manualtina	0.6	\	CACINO	JOINTO: Olive	d X Clamad	
1 Stee		ASING USED: 3 RMP (S		5 Wrought iron 6 Asbestos-Cem		Concrete tile Other (specify be			dd	
2 PVC		4 ABS	11)	7 Fiberglass		, , ,			aded	
Blank casi	no diameter		in to	•						
Casing he	ight ahove la	nd surface	18	in weight	160		the /ft Wall this	ckness or allac	in. toft. ge No	
				woight		7 PVC				
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel				5 Fiberglass		8 RMP (SR)				
2 Bras		4 Galvani		6 Concrete tile		9 ABS		None used (or		
SCREEN OR PERFORATION OPENINGS ARE: 5 Guazed wrapped 8 Saw cut 11 None (open hole)										
1 Continuous slot 3 Mill slot • 025 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)										
To Go										
SCREEN-PERFORATED INTERVALS: From										
From									,	
			From	ft. 1	to	ft., Fr	om	ft. to	ft.	
				THE PROPERTY OF THE PARTY OF TH						
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other										
Grout Inte	rvals: Fron	n	ft. to2.5	? ft., From		ft. to	ft., From .		ft. toft.	
What is the	e nearest so	urce of possible	contamination:			10 Liv	estock pens	14_A	bandoned water well	
1 Septic tank 4 Later		ral lines	lines 7 Pit privy		11 Fu	el storage	15 C	Oil well/Gas well		
2 Sewer lines 5 Cess			s pool	8 Sewage lagoon		12 Fe	ertilizer storage	16 C	Other (specify below)	
3 Watertight sewer lines 6 Seepage			page pit	9 Fe	edyard	13 Ins	13 Insecticide storage			
Direction for	rom well?	SOUTH				How r	nany feet? 1	5		
FROM	то		LITHOLOGIC	LOG	FRO	то то		PLUGGING IN	ITERVALS	
0	2	TOP SOII								
2	13	SANDY SI								
13	53	SHALE G		Y						
53	54	CRACK IN								
54	60	SHALE GE		. 4.1 01			1			
	00	STREET GI								
-	ļ								The state of the s	
	-								- LANE LANGUAGE PLANTER	

							-			
	}									
7 CONTR	ACTOR'S C	R LANDOWNE	R'S CERTIFICA	TION: This water v	vell was (1) c	onstructed, (2)	reconstructed, or (3) plugged ug	der my jurisdiction and was nowledge a nd belief. Kansas	
completed	on (mo/day/y	ear)4-	15-04			and this	s record is true to the	ne best of make	nowledge and belief. Kansas	
		Licence No	<u> </u>	This	Water Well Re	ecord was comp	leted on (mo/bay/y	(r) //		
1	ousiness nam	e of PEST	INGSK PUEP	SERVICE.			by (signature)	4/1/	sugar	
INSTRUC	TIONS: Use type	writer or ball point p	en. <u>PLEASE PRESS</u> F	IRMLY and PRINT clearly	y. Please fill in blar	nks, underline or circle	the correct answers. Se	en top three copies	s to Kansas Department of Health	
and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and etain one for your records. Fee of \$5.00 for each constructed well.										
records. F	ee ot \$5.00 for e	acn constructed well	i.							