_	ECORD Form WWC-5		sion of Water	
Original Record			irces App. No.	Well ID
1 LOCATION OF W County: 0	ATER WELL: Fraction		3/	Township Number Range Number T
2 WELL OWNER: I	ast Name: EF #)C 11. First: MIF	HAEL Street or Run	al Address wh	ere well is located (if unknown, distance and
Business:	1. 240 TO ROAD	direction from n	earest town or int	ersection): It at owner's address, check here: 📉
Address: 74 // Address:	ATU NOAB	2/1/	12 24	PINDON
City: NEW CAMBRIA State: KJ ZIP: 67470				
3 LOCATE WELL	4 DEPTH OF COMPLETED V	VEII. 4(3 A	E Tastinda	(4.2
WITH "X" IN	Depth(s) Groundwater Encountered:	1) <b>2.6</b> ft.	Lauruue	decimal degrees:(decimal degrees:(decimal degrees)
SECTION BOX:	2) ft. 3) ft	., or 4) 🔲 Dry Well		] WGS 84 □ NAD 83 □ NAD 27
	WELL'S STATIC WATER LEVEL:		Course fo	r Latitude/Longitude:
	below land surface, measured on above land surface, measured on	(mo-day-yr)	☐ GPS	(unit make/model:
NW NE	Pump test data: Well water was	<b>?</b> Ø ft.		(WAAS enabled? ☐ Yes ☐ No) Survey ☐ Topographic Map
W E	after A hours pumping	<b>40</b> gpm		ne Mapper:
swse	Well water was after hours pumping			
	1 70 4 4 1 2 2 1 1 1	<del></del>	6 Elevatio	n:ft. 🗌 Ground Level 🔲 TOO
S	Bore Hole Diameter: \ \ \mathbb{Q} \dots in. to	ft. and	_	Land Survey GPS Topographic May
1 mile	in. to	ft.	<u> </u>	Other
7 WELL WATER TO 1. Domestic:	DEE USED AS: 5. □ Public Water Supply: w	oll II)	in 🗆 Oil Fi	eld Water Supply: lease
Household	6. ☐ Dewatering: how many			e: well ID
Lawn & Garden	7. Aquifer Recharge: well	ID		Uncased Geotechnical
Livestock	8. Monitoring: well ID			nal: how many bores?
2. ☐ Irrigation 3. ☐ Feedlot	9. Environmental Remediation ☐ Air Sparge ☐ So	il Vapor Extraction		d Loop ☐ Horizontal ☐ Vertical  Loop ☐ Surface Discharge ☐ Inj. of Water
4. Industrial		ection		(specify):
Was a chemical/bacte	riological sample submitted to KD	HE? ☐ Yes No	If yes, date sa	mple was submitted:
Water well disinfected?	Yes 🗆 No			
8 TYPE OF CASING	USED: ☐ Steel M PVC ☐ Other	CASIN	G JOINTS: [	Glued Clamped Welded Threaded
Casing diameter	in. to <b>O/</b> ft., Diameter	in to	A Diamete	r in to A
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft., Diameter in. to to ft., Diameter in. to to ft., Wall thickness or gauge No.J.D. 2.6.				
Casing height above land	surface 2.7 in. Weight.	<i>l.Q.Q</i> lbs./ft.	Wall thicknes	is or gauge No.S.D.C.Ab
Casing height above land TYPE OF SCREEN OI	surface 2.7 in. Weight . R PERFORATION MATERIAL:		Wall thicknes	(Specify)
Casing height above land TYPE OF SCREEN OI  Steel Stai Brass Galv	surface		Wall thicknes	is or gauge NoJ. D. C. 26
Casing height above land TYPE OF SCREEN OI Steel Stai Brass Galv SCREEN OR PERFOR	surface	MPVC None used (open hole)	Wall thicknes	(Specify)
Casing height above land TYPE OF SCREEN OI  Steel Stai Brass Galv SCREEN OR PERFOR Continuous Slot	surface	PVC ☐ None used (open hole) ☐ Torch Cut ☐ Dr	Wall thicknes	(Specify)
Casing height above land TYPE OF SCREEN OI  Steel Stai Brass Galv SCREEN OR PERFOR Continuous Slot	surface	PVC ☐ None used (open hole) ☐ Torch Cut ☐ Dr	Wall thicknes	(Specify)
Casing height above land TYPE OF SCREEN OI  Steel Stai Brass Gah SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PAGE	surface	PVC None used (open hole)  Torch Cut Dr Saw Cut No to M. From to M. From	Wall thicknes	Specify)
Casing height above land TYPE OF SCREEN OI  Steel Stai Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PACE  9 GROUT MATERIA	surface	PVC None used (open hole)  Torch Cut Dr Saw Cut No to fin, From to Bentonite Ot	Wall thicknes	Specify)
Casing height above land TYPE OF SCREEN OI  Steel Stai Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PAGE GROUT MATERIA Grout Intervals: From	surface	PVC None used (open hole)  Torch Cut Dr Saw Cut No to fin, From to Bentonite Ot	Wall thicknes	Specify)
Casing height above land TYPE OF SCREEN OI  Steel Stai Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PAGE GROUT MATERIA Grout Intervals: From Nearest source of possible	surface	PVC None used (open hole)  Torch Cut Dr Saw Cut No to ft., From to Bentonite Ot	Wall thicknes	Other (Specify)
Casing height above land TYPE OF SCREEN OI  Steel Stai Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PACE  GROUT MATERIA Grout Intervals: From Nearest source of possible Septic Tank Sewer Lines	surface	PVC None used (open hole)  Torch Cut Dr Saw Cut No to M. From to ft., From t Bentonite Ot tt. Frivy It	Wall thicknes  Other (  Other	Other (Specify)
Casing height above land TYPE OF SCREEN OI  Steel Stai Brass Gal- SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PA  GROUT MATERIA Grout Intervals: From Nearest source of possib Septic Tank Sewer Lines Watertight Sewer Li	surface	PVC None used (open hole)  Torch Cut Dr Saw Cut No to M. From to ft., From t Bentonite Ot tt. Frivy It	Other ()  Other ()  iilled Holes  one (Open Hole	Other (Specify)
Casing height above land TYPE OF SCREEN OI  Steel Stai Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PACE  GROUT MATERIA Grout Intervals: From Nearest source of possible Septic Tank Sewer Lines Watertight Sewer Li Other (Specify)	surface	PVC None used (open hole)  Torch Cut Dr Saw Cut No to M. ft., From to H. From to ft., From th. ft. to It.	Wall thickness  Other (   Other (  Othe	Other (Specify)
Casing height above land TYPE OF SCREEN OI  Steel Stai Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PACE  GROUT MATERIA Grout Intervals: From Nearest source of possible Septic Tank Sewer Lines Watertight Sewer Li Other (Specify)	surface	PVC None used (open hole)  Torch Cut Dr Saw Cut No to ft., From to ft., From to ft. to ft.	Wall thicknes  Other (  Other	Other (Specify)
Casing height above land TYPE OF SCREEN OI  Steel Stai Brass Galver SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PAR  GRAVEL PAR  GROUT MATERIA Grout Intervals: From Nearest source of possible Septic Tank Sewer Lines Watertight Sewer Li Other (Specify) Direction from well?  10 FROM TO	surface	PVC  ☐ None used (open hole)  ☐ Torch Cut ☐ Dr ☐ Saw Cut ☐ No to	Wall thicknes  Other (  Other	Other (Specify)
Casing height above land TYPE OF SCREEN OI  Steel Stai Brass Gal- SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PA  GRAVEL PA  GROUT MATERIA Grout Intervals: From Nearest source of possib Septic Tank Sewer Lines Watertight Sewer Li Other (Specify) Direction from well?  10 FROM TO  O 2  2 27	surface	PVC None used (open hole)  Torch Cut Dr Saw Cut No to ft., From to ft., From to ft., From tt Bentonite Ot tt. Privy It ewage Lagoon Fredyard  FROM	Wall thicknes  Other (  Other	Other (Specify)
Casing height above land TYPE OF SCREEN OI  Steel Stai Brass Galver SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PAR  GRAVEL PAR  GROUT MATERIA Grout Intervals: From Nearest source of possible Septic Tank Sewer Lines Watertight Sewer Li Other (Specify) Direction from well?  10 FROM TO	surface	PVC None used (open hole)  Torch Cut Dr Saw Cut No to ft., From to ft., From to ft., From tt Bentonite Ot tt. Privy It ewage Lagoon Fredyard  FROM	Wall thicknes  Other (  Other	Other (Specify)
Casing height above land TYPE OF SCREEN OI  Steel Stai Brass Gal- SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PA  GRAVEL PA  GROUT MATERIA Grout Intervals: From Nearest source of possib Septic Tank Sewer Lines Watertight Sewer Li Other (Specify) Direction from well?  10 FROM TO  O 2  2 27	surface	PVC None used (open hole)  Torch Cut Dr Saw Cut No to ft., From to ft., From to ft., From tt Bentonite Ot tt. Privy It ewage Lagoon Fredyard  FROM	Wall thicknes  Other (  Other	Other (Specify)
Casing height above land TYPE OF SCREEN OI  Steel Stai Brass Gal- SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PA  GRAVEL PA  GROUT MATERIA Grout Intervals: From Nearest source of possib Septic Tank Sewer Lines Watertight Sewer Li Other (Specify) Direction from well?  10 FROM TO  O 2  2 27	surface	PVC None used (open hole)  Torch Cut Dr Saw Cut No to ft., From to ft., From to ft., From tt Bentonite Ot tt. Privy It ewage Lagoon Fredyard  FROM	Wall thicknes  Other (  Other	Other (Specify)
Casing height above land TYPE OF SCREEN OI  Steel Stai Brass Gal- SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PA  GRAVEL PA  GROUT MATERIA Grout Intervals: From Nearest source of possib Septic Tank Sewer Lines Watertight Sewer Li Other (Specify) Direction from well?  10 FROM TO  O 2  2 27	surface	PVC None used (open hole)  Torch Cut Dr Saw Cut No to ft., From to ft., From to ft., From tt Bentonite Ot tt. Privy It ewage Lagoon Fredyard  FROM	Wall thicknes  Other (  Other	Other (Specify)
Casing height above land TYPE OF SCREEN OI  Steel Stai Brass Gal- SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PA  GRAVEL PA  GROUT MATERIA Grout Intervals: From Nearest source of possib Septic Tank Sewer Lines Watertight Sewer Li Other (Specify) Direction from well?  10 FROM TO  O 2  2 27	surface	PVC None used (open hole)  Torch Cut Dr Saw Cut No to Saw Cut, From to H., From t Bentonite Ot tt Privy I I ewage Lagoon From eedyard FROM  FROM	Wall thicknes  Other (  Other	Other (Specify)
Casing height above land TYPE OF SCREEN OI  Steel Stai Brass Gale SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PA  9 GROUT MATERIA Grout Intervals: From Nearest source of possib Septic Tank Sewer Lines Watertight Sewer Li Other (Specify) Direction from well? 10 FROM TO 0 2 2 27 27 27 27	surface	PVC None used (open hole)  Torch Cut Draws Cut Notes:  Bentonite Ott  Territy If the toward FROM  FROM  Notes:	Wall thickness  Other (   Other (  Other (  Other (  Other (  Other (  Other (  Other (   Other (  Other (  Other (  Other (  Other (  Other (  Other (   Other (  Other (  Other (  Other (  Other (  Other (  Other (   Other (  Other (  Other (  Other (  Other (  Other (  Other (	Specify)  Other (Specify)  ft., From ft. to ft.  ft. ft. o ft.  Insecticide Storage  Abandoned Water Well  Oil Well/Gas Well  ft.  THO. LOG (cont.) or PLUGGING INTERVALS
Casing height above land TYPE OF SCREEN OI  Steel Stai Brass Gale SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PA  9 GROUT MATERIA Grout Intervals: From Nearest source of possib Septic Tank Sewer Lines Watertight Sewer Li Other (Specify) Direction from well? 10 FROM TO 0 2 2 27 27 27 27	surface	PVC None used (open hole)  Torch Cut Draws Cut Notes:  Bentonite Ott  Territy If the toward FROM  FROM  Notes:	Wall thickness  Other (   Other (  Other (  Other (  Other (  Other (  Other (  Other (   Other (  Other (  Other (  Other (  Other (  Other (  Other (   Other (  Other (  Other (  Other (  Other (  Other (  Other (   Other (  Other (  Other (  Other (  Other (  Other (  Other (	Specify)  Other (Specify)  ft., From ft. to ft.  ft. ft. o ft.  Insecticide Storage  Abandoned Water Well  Oil Well/Gas Well  ft.  THO. LOG (cont.) or PLUGGING INTERVALS
Casing height above land TYPE OF SCREEN OI  Steel Stai Brass Gale SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PA  GROUT MATERIA Grout Intervals: From Nearest source of possib Septic Tank Sewer Lines Watertight Sewer Li Other (Specify) Direction from well? To FROM TO O 2 2 7 27 27 27 CONTRACTOR'S under my jurisdiction a Kansas Water Well Co	surface	PVC None used (open hole)  Torch Cut Draw Cut Notes:  Torch Cut Draw Cut Notes:  Bentonite Out Notes:	well was ord was complete was c	Other (Specify)
Casing height above land TYPE OF SCREEN OI  Steel Stai Brass Gal- SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PAR  9 GROUT MATERIA Grout Intervals: From Nearest source of possib Septic Tank Sewer Lines Watertight Sewer Li Other (Specify) Direction from well? 10 FROM TO 0 2 2 2 7 27 27 27 27 CONTRACTOR'S under my jurisdiction a Kansas Water Well Counder the business name	surface	PVC None used (open hole)  Torch Cut Dr Saw Cut No to M., From to M., From to M., From to Tt., From to From Th., Fro	Wall thickness  Other ( Other	Specify)  Other (Specify)  ft., From ft. to ft.  ft. to ft.  Insecticide Storage  Abandoned Water Well  e Oil Well/Gas Well  ft.  THO. LOG (cont.) or PLUGGING INTERVALS  onstructed, reconstructed, or plugged ue to the best of my knowledge and belief.  eted on (mo-day-year)
Casing height above land TYPE OF SCREEN OI  Steel Stai Brass Gale SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORAT GRAVEL PA  GROUT MATERIA Grout Intervals: From Nearest source of possib Septic Tank Sewer Lines Watertight Sewer Li Other (Specify) Direction from well?  10 FROM TO  2 2 2 7 27 27 27 30  Interval: Staid of the business name instructions: Staid of the	surface	PVC None used (open hole)  Torch Cut Draws Cut Notes:  Torch Cut Draws Cut Notes:  Bentonite Otton Cut Notes:  This Water Well Recomposed Copy for your records. Submit Su	Wall thicknes  Other (   Other (  Other (  Other (  Other (  Other (  Other (  Other (   Other (  Other (  Other (  Other (  Other (  Other (  Other (   Other (  Other (  Other (  Other (  Other (  Other (  Other (   Other (  Other (  Other (  Other (  Other (  Other (  Other (   Other (  Other (  Other (  Other (  Other (  Other (  Other (	Specify)  Other (Specify)  ft., From