

1] LOCATION OF WATER WELL: County: Lincoln	Fraction SE 1/4 SW 1/4 NW 1/4	Section Number 28	Township Number T 12 S	Range Number R 10 E/W
---	----------------------------------	----------------------	---------------------------	---------------------------------

Distance and direction from nearest town or city street address of well if located within city?

Approximately 2 1/2 south and 2 1/4 west of Sylvan Grove

2] WATER WELL OWNER: RR#, St. Address, Box # : City, State, ZIP Code	Meyer, Land & Cattle c/o Chris Meyer Box 149 Sylvan Grove, KS 67481	Board of Agriculture, Division of Water Resources Application Number:
--	--	--

3] LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4] DEPTH OF COMPLETED WELL: 93 ft. ELEVATION: unknown
---	---

Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.

WELL'S STATIC WATER LEVEL . . . 25. ft. below land surface measured on mo/day/yr

Pump test data: Well water was not ch'd. ft. after hours pumping gpm

Est. Yield unknown gpm: Well water was ft. after hours pumping gpm

Bore Hole Diameter . 8 3/4 . in. to 91 ft., and in. to ft.

WELL WATER TO BE USED AS:

5 Public water supply	8 Air conditioning	11 Injection well
1 Domestic	3 Feedlot	6 Oil field water supply
2 Irrigation	4 Industrial	7 Lawn and garden only
		10 Monitoring well

Stock

Was a chemical/bacteriological sample submitted to Department? Yes No **X**; If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes **x** No

5] TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued . . . x . . . Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
2 PVC	4 ABS	7 Fiberglass	Welded
Blank casing diameter 5 in. to 59 ft., Dia in. to ft., Dia in. to ft.			Threaded
Casing height above land surface 24 in., weight 2.36 lbs./ft. Wall thickness or gauge No. . . . 214			
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 PVC	10 Asbestos-cement
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped	8 Saw cut
1 Continuous slot	3 Mill slot	6 Wire wrapped	9 Drilled holes
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify)
SCREEN-PERFORATED INTERVALS: From 59 ft. to 91 ft., From ft. to ft.			11 None (open hole)
GRAVEL PACK INTERVALS: From 37 ft. to 91 ft., From ft. to ft.			

6] GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 <u>Bentonite</u>	4 Other . . . Bentonite Holeplug
Grout Intervals: From 0 ft. to 37 ft., From ft. to ft., From 0 ft. to 37 ft.				
What is the nearest source of possible contamination:			10 Livestock pens	14 Abandoned water well
1 Septic tank	4 Lateral lines	7 Pit privy	11 Fuel storage	15 Oil well/Gas well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	12 Fertilizer storage	16 Other (specify below)
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	13 Insecticide storage	none known
Direction from well?			How many feet?	

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	6	Topsoil			
6	17	Sandstone			
17	20	Sandstone, limestone streak			
20	29	Sandstone			
29	37	Clay, gray and yellow			
37	43	Sandstone			
43	45	Sandstone with limestone streak			
45	91	Sandstone			

7] CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) <u>constructed</u> , (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 6-25-91 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 185 This Water Well Record was completed on (mo/day/yr) 7-5-91 under the business name of <u>Clarke Well & Equipment, Inc.</u> by (signature) <i>Chris W. Clarke</i>

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-7320. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.