

1 LOCATION OF WATER WELL: County: <u>WABARSEE</u>	Fraction <u>SW 1/4 NE 1/4 SW 1/4</u>	Section Number <u>10</u>	Township Number <u>T 12 S</u>	Range Number <u>R 10 E/W</u>
--	---	-----------------------------	----------------------------------	---------------------------------

Distance and direction from nearest town or city street address of well if located within city? From ALMA CO NORTH 1/4 OF A Mill on 99 HWY

2 WATER WELL OWNER: RR#, St. Address, Box # : <u>Don HAFENSTINE</u> City, State, ZIP Code : <u>33120 Phillips Creek Rd. ALMA KS 66401</u>	Board of Agriculture, Division of Water Resources Application Number:
---	--

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL <u>100</u> ft. ELEVATION:
--	---

Depth(s) Groundwater Encountered 1 57 ft. 2 ft. 3 ft.

WELL'S STATIC WATER LEVEL 50 ft. below land surface measured on mo/day/yr

Pump test data: Well water was ft. after hours pumping gpm

Est. Yield 7.5 gpm: Well water was ft. after hours pumping gpm

WELL WATER TO BE USED AS:

5 Public water supply	8 Air conditioning	11 Injection well
1 Domestic	3 Feedlot	6 Oil field water supply
2 Irrigation	4 Industrial	7 Domestic (lawn & garden)
		10 Monitoring well

12 Other (Specify below)

Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yr sample was submitted

Water Well Disinfected Yes No

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: <u>Glued</u> Clamped
------------------------------	----------------	-----------------	-------------------------------------

1 Steel

2 PVC

3 RMP (SR)

4 ABS

6 Asbestos-Cement

7 Fiberglass

9 Other (specify below)

Welded

Threaded

Blank casing diameter in. to ft., Dia in. to ft., Dia in. to ft.

Casing height above land surface 21 in., weight 50 lbs./ft. Wall thickness or gauge No.

TYPE OF SCREEN OR PERFORATION MATERIAL:	5 Fiberglass	8 RMP (SR)	10 Asbestos-Cement
1 Steel	6 Concrete tile	9 ABS	11 Other (Specify)
2 Brass			12 None used (open hole)
3 Stainless Steel			
4 Galvanized Steel			

SCREEN OR PERFORATION OPENINGS ARE:

1 Continuous slot	3 Mill slot	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes	
		7 Torch cut	10 Other (specify)	

SCREEN-PERFORATED INTERVALS: From 80 ft. to 100 ft., From ft. to ft.

GRAVEL PACK INTERVALS: From 25 ft. to 100 ft., From ft. to ft.

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other
-------------------	---------------	----------------	-------------	---------

Grout Intervals: From 5 ft. to 25 ft., From ft. to ft., From ft. to ft.

What is the nearest source of possible contamination: NORM CLOSE

1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
			13 Insecticide storage	

Direction from well? How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	12	Top Soil			
12	24	Brown Clay			
24	28	Yellow Shale			
28	40	Brown Shale			
40	57	Limestone			
57	65	Brown Shale			
65	78	Limestone			
78	84	Grey Silty Sand			
84	100	Limestone			
		Grey Silty Sand			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>6/2/2005</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No <u>451</u> This Water Well Record was completed on (mo/day/yr) <u>6/30/2005</u> the business name of <u>Haldeman Well Drilling</u> by (signature) <u>Clay R. Cupper</u>
--