		ELL RECORD		WWC-5		Division of Wate	r Resources App. No).	
		N OF WATER WELL:	Fraction			ection Number	Township No.	Range Number	
	County: Russell 4 SW 1/4 NE 1/4 SW 1/4 Street/Rural Address of Well Location; if unknown, distance & direction								
fro	from nearest town or intersection: If at owner's address, check here					Global Positioning System (GPS) information:			
	8 North, 1 West of Dorrance					Latitude: (in decimal degrees)			
0	o North, I West of Dorrance					Longitude: (in decimal degrees) Elevation:			
2 WATER WELL OWNER					Da Da	Datum: WGS 84, NAD 83, NAD 27			
	2 WATER WELL OWNER: Greg Ringler RR#, Street Address, Box #: 905 N 30th Road					Collection Method:			
City Ctate 7ID Cada						GPS unit (Make/Model:)			
Sylvan			Grove, Ks. 67481			☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m			
3 LO	CATE W	ELL			Est	. Accuracy: [] <	3 m, <u></u> 3-5 m, <u></u> .	5-15 m, □ >15 m	
Wi	WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 160								
SE		TION BOX: Depth(s) Groundwater Encountered (1) ft (2)							
	well 5 STATIC WATER LEVELft. below land surface measured on mo/day/yr 5-17-11								
rump test data: Well Water wastt. after hours numping on									
	L-NW 1 NE EST. YELDgpm. Well water was ft after hours number								
W L	E Bore Hole Diameter 1.0								
	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
5	Domestic Feedlot Oil field water supply Dewatering Other (Specify below) Irrigation Industrial Domestic-lawn & garden Manitoring well Stock								
	☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well Stock Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No								
11 ves. mo/day/yr sample was submitted									
mile Water well disinfected? ✓ Yes ☐ No									
CASING JOINTS: Glued □ Clamped □ Welded □ Threaded									
Casing diameter D in to 100 ft Diameter									
m Welont ODD=20 lbc/ff Wolf thiolegoes on course M.									
☐ Steel ☐ Stainless Steel									
Li Brass Li Galvanized Steel None.used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes Nore (open hole)									
Louvered shutter Key nunched Wire wrapped Source (open note)									
SCREEN-PERFORATED INTERVALS: From									
FIGURE 17 to 44 December 20 cm									
GRAVELTACK INTERVALS: From									
6 GROUT MATERIAL: Neat cement Cement grout Et. to tt., From tt. to tt., From tt., From tt. to tt., From tt., From tt. to tt., From tt									
Grout Intervals: From									
		est source of possible contain	mation.						
	☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well								
] Watertig	ht sewer lines Seepage pit	Feedvard	Fertilizer o		Oil well/gas			
Dire	ction from	n well				vell	wen	•••••••	
FROM	TO	LITHOLOGIC	LOG	FROM	ТО	LITHO. LOC	G (cont.) or PLUG	GING INTERVALS	
0	3	Top soil						ALLIVIILD	
3	35	Dark gray shale							
35 57	57	Hard sandstone							
	64	Light gray shale							
64	120	Fire clay							
120	134	Light gray shale/ short sa	ndstone						
134	160	layers Sandstone							
104	100	Sanusione							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION. THE									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, or plugged under my jurisdiction and was completed on (moldowlyses) 5-17-11									
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year)									
white the susmoss fulfic of the second of th									
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.									
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at									
KSA 82a-						neck: X White			
					CI	icck. A white	Copy, Blue (Copy, Pink Copy	