WATER WELL RE  ☑ Original Record □		Form WW Change in				ision of Wate ources App. N	•	Well ID Stock #3		
1 LOCATION OF WA		LL: Fra	ection		Sect	ion Numbe	mana and an arrange of the contract of the con	ber Range Number		
County: Russell			14 NW 14 SW			29	T 12 S		W	
2 WELL OWNER: La Business: Kansas Dep Address: #3 State Par Address: City: Sylvan Grov	st: 5 P: 67481		Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection):  If at owner's address, check here:							
3 LOCATE WELL	1	State: KS ZI  I OF COMPLI	Talian i va ne sanana.	.: 11	7 ft.	5 Latitu	ıde: 38.976319	(desimal degree		
WITH "X" IN SECTION BOX:		Groundwater Enco		<b></b>	ft.		tude: -98.685002	(decimal degre		
WNWNE x-SWSE	below above		LEVEL: asured on (mo- asured on (mo- was not check apping r was apping pm	day-yr) ed ft. gpm ft. gpm	ft.	Horiz Source Source L C	ontal Datum. WGS of for Latitude/Longitude PS (unit make/model: (WAAS enabled?   and Survey  Topogonline Mapper:  Unknown	Yes	····)	
S    mile	Bore Hole	Diameter: 9	in. to 12 in. to	20 ft. a ft.	and	Source	e: Land Survey C	GPS Topographic M	-	
7 WELL WATER TO BE U	JSED AS:		111. 10	11.						
1. Domestic:  ☐ Household ☐ Lawn & Garden ☑ Livestock 2. ☐ Irrigation 3. ☐ Feedlot 4. ☐ Industrial	<ul><li>5. ☐ Public Water Supply: well ID</li><li>6. ☐ Dewatering: how many wells?</li></ul>					11. Test	10. ☐ Oil Field Water Supply: lease  11. Test Hole: well ID ☐ Cased ☐ Uncased ☐ Geotechnical  12. Geothermal: how many bores? a) Closed Loop ☐ Horizontal ☐ Vertical b) Open Loop ☐ Surface Discharge ☐ Inj. of Water  13. ☐ Other (specify):			
Was a chemical/bacteriological sample submitted to KDHE?  Water well disinfected? ☐ Yes ☒ No  Yes ☒ No										
8 TYPE OF CASING USED: Steel PVC CASING JOINTS: Glued Clamped Welded Threaded Other										
Casing diameter 5 in. to 85 ft., Diameter in. to ft., Diameter in. to ft.										
Casing height above land surface 24 in. Weight 2.36 lbs./ft. Wall thickness or gauge No215  TYPE OF SCREEN OR PERFORATION MATERIAL:  Steel Stainless Steel Fiberglass PVC Other (Specify)  Brass Galvanized Steel Concrete tile None used (open hole)  SCREEN OR PERFORATION OPENINGS ARE:  Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)  Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)  SCREEN-PERFORATED INTERVALS: From 85 ft. to 115 ft., From ft. to ft., From ft. to ft.  GRAVEL PACK INTERVALS: From 20 ft. to 120 ft., From ft. to ft., From ft. to ft.										
9 GROUT MATERIAL:		cement Cer		Bentonit	e 🗌 Ot	ther				
Grout Intervals: From 0 ft. to 20 ft., From ft. to ft.  Nearest source of possible contamination:  Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well Other (Specify) None Known										
Direction from well?  10 FROM TO		LITHOLOGIC	Distance from LOG		ROM	TO ft.	LITHO LOG (cont.)	or PLUGGING INTERVA	AI S	
0 3 T	opsoil						ZITTO: LOG (COIL.)	A I DOGGING INTERVA	LLO	
	lay, brown									
	lay, gray & red andstone with o									
3. 120 3.	andstone will (	oray outaks								
Notes:										
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged under my jurisdiction and was completed on (mo-day-year) 02-21-20 and this record is true to the best of my knowledge and belief.  Kansas Water Well Contractor's License No. 185 This Water Well Record was completed on (mo-day-year) 02-24-20 under the business name of Clarke Well & Equipment, Inc.										
Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.										
Visit us at http://www.kdheks.izov/waterwell/index.html  KSA 82a-1212  Revised 7/10/20										