| Original Record | ECORD Form WWC-5 Correction Change in Well Use | | on of Water ces App. No. | | Well ID |
|--|--|--|--|---|--|
| 1 LOCATION OF W | | | Number | Township Number | |
| County: Rus | sell NW/4 1/4 1/4 | | ス / | T/2 S | $R13 \square E \times W$ |
| 2 WELL OWNER: La | nst Name: Anschutz First: Hekn | | | ere well is located (if | unknown, distance and address, check here: |
| Business: Address: 1254 | V. Seitz St. | | | stc and s | |
| Addresss City: KUSSEU | State: KS ZIP: 67665 | | Sorth ir | | CHI VI I CO I AGO |
| 3 LOCATE WELL | | 1000 | | | andria de la composição de La composição de la composid |
| WITH "X" IN | 4 DEPTH OF COMPLETED WELL: Depth(s) Groundwater Encountered: 1) | 38 ft | | | (decimal degrees) |
| SECTION BOX: | 2) ft. 3) ft., or 4) | ☐ Dry Well | | e: WGS 84 □ NAD 8 | (decimal degrees) |
| IN. | WELL'S STATIC WATER LEVEL: | <i>l</i> ft. | Source for | Latitude/Longitude: | , |
| | ☐ below land surface, measured on (mo-day above land surface, measured on (mo-day) | | | | an Flan |
| NW NE | Pump test data: Well water was | | | WAAS enabled? ☐ Y Survey ☐ Topograpl | |
| W E | after hours pumping | | | | |
| SW SE | Well water was after hours pumping | | · · · · · · · · · · · · · · · · · · · | · | |
| | Estimated Yield:2 gpm | | | | ☐ Ground Level ☐ TOC |
| S | Bore Hole Diameter: A in. to | ft. and | | | S |
| 1 mile in. to ft. | | | | | |
| 1. Domestic: | 5. Public Water Supply: well ID | ************ | 10. 🔲 Oil Fie | eld Water Supply: leas | e |
| Household | 6. ☐ Dewatering: how many wells? . | | | well ID | |
| Lawn & Garden Livestock | 7. ☐ Aquifer Recharge: well ID8. ☐ Monitoring: well ID | | | ☐ Uncased ☐ Ge nal: how many bores? | |
| 2. Irrigation | . Irrigation 9. Environmental Remediation: well ID | | a) Closed | l Loop 🔲 Horizontal | ☐ Vertical |
| 3. Feedlot | ☐ Air Sparge ☐ Soil Vapor | Extraction | | | narge Inj. of Water |
| 4. Industrial | ☐ Recovery ☐ Injection | 137 (52) 931 I | | 1.7 | e a la especial de Calabarra de Propinsión de Propinsión de Calabarra |
| Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ Yes, date sample was submitted: | | | | | |
| 8 TYPE OF CASING | USED: ☐ Şteel ☐XPVC ☐ Other | CASING | JOINTS: 🗷 | Glued Clamped | ☐ Welded ☐ Threaded |
| Casing diameter 5 in to 50 ft. Diameter in to ft. Diameter in to ft. Diameter ft. | | | | | |
| Casing height above land surface | | | | | |
| Steel Stainless Steel Fiberglass PVC Other (Specify) | | | | | |
| ☐ Brass ☐ Galv | vanized Steel | used (open hole) | | | |
| | ATION OPENINGS ARE: | Coroli Cut Deil | lled Holes | Other (Specify) FOC | tory Progressoted |
| ☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify) To Clary . The Grant of Continuous Slot ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole) | | | | | |
| SCREEN-PERFORATED INTERVALS: From ft., From ft., From ft. | | | | | |
| SCREEN-PERFORAT | ED INTERVALS: From ft. to | aw Cut 🔝 Noi | ft. to | ft., From | ft. to ft. |
| SCREEN-PERFORATI GRAVEL PAGE | ED INTERVALS: From 5.0 ft. to 3. | O. ft., From | ft. to 1.8 ft. to | (C) ft., From | ft. to ft. |
| SCREEN-PERFORATI GRAVEL PAGE 9 GROUT MATERIA | ED INTERVALS: From ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft. | aw Cut ☐ Nor C. ft., From Bentonite ☐ Oth | ft. to 1.8 ft. to ner | (C ft., From | ft. to ft. |
| GRAVEL PAGE OF STREET OF S | ED INTERVALS: From ft. to ft., From ft., From ft., From ft., From ft. ft., From ft | O. ft., From Sentonite Oth | ft. to | (C) ft., From ft. to | ft. to ft. |
| GRAVEL PAGE GRAVEL PAGE GROUT MATERIA Grout Intervals: From Nearest source of possible Septic Tank | ED INTERVALS: From ft. to ft. ft. from ft. ft. ft. from ft. ft. ft. ft. ft. ft. ft. ft. ft. | O. ft., From Sentonite Oth | ft. to | tC ft., From ft. to | ft. to ft ft. le Storage |
| GRAVEL PAGE GRAVEL PAGE GRAVEL PAGE GROUT MATERIA Grout Intervals: From Nearest source of possible Septic Tank Sewer Lines | ED INTERVALS: From ft. to ft., From ft., From ft., From ft. ft. ft., From ft. ft. ft. ft., From ft. ft. ft. ft. ft. ft. ft. ft. ft. | Aw Cut Nor Nor | ft. to | ft., From | ft. to ft ft ft. le Storage ed Water Well |
| GRAVEL PAGE GRAVEL PAGE GROUT MATERIA Grout Intervals: From Nearest source of possible Septic Tank Sewer Lines Watertight Sewer Line Other (Specify) | ED INTERVALS: From ft. to ft. to ft. to ft. to ft. to ft., From ft., Fro | Normal N | ft. to | ft. to | ft. to ft ft ft. le Storage ed Water Well |
| GRAVEL PAGE GRAVEL PAGE GRAVEL PAGE GROUT MATERIA Grout Intervals: From Nearest source of possible Septic Tank Sewer Lines Watertight Sewer Line Other (Specify) | Key Punched Wire Wrapped SED INTERVALS: From 50 ft. to 3 | Normal N | ft. to | ft. to | ft. to ft ft. le Storage ed Water Well Gas Well |
| GRAVEL PAGE GRAVE | ED INTERVALS: From 50 ft. to 8. CK INTERVALS: From 50 ft. to 8. | aw Cut Nor Nor | ft. to | ft. to | t ft. to ft. i ft. le Storage ed Water Well Gas Well LUGGING INTERVALS- |
| GRAVEL PAGE GRAVEL FOR THE GRAVEL PAGE GRAVEL FOR THE GRAVEL PAGE | ED INTERVALS: From ft. to ft. to ft. to ft. to ft. to ft. to ft. ft., From ft., Fr | Rom | ref., From | ft. from | ft. to ft ft. le Storage ed Water Well Gas Well LUGGING INTERVALS |
| GRAVEL PAGE GRAVEL FOR GRA | ED INTERVALS: From ft. to ft. to ft. to ft. to ft. to ft. ft. from ft., | Sentonite | ref., From | ft. from | in the fit. It. It. It. It. It. It. It. |
| SCREEN-PERFORATI GRAVEL PAG 9 GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Lines Other (Specify) Direction from well? 10 FROM TO 10 FROM TO 11 FROM TO 12 FROM TO 13 FROM TO 14 FROM TO 15 FROM TO 16 FROM TO 17 FROM TO 18 FROM TO 19 FROM TO 19 FROM TO 10 FROM TO 10 FROM TO 11 FROM TO 12 FROM TO 13 FROM TO 14 FROM TO 15 FROM TO 16 FROM TO 17 FROM TO 18 FROM TO 19 FROM TO 19 FROM TO 10 FROM TO 10 FROM TO 11 FROM TO 12 FROM TO 13 FROM TO 14 FROM TO 15 FROM TO 16 FROM TO 17 FROM TO 18 FROM TO 19 FROM TO 19 FROM TO 19 FROM TO 10 F | ED INTERVALS: From ft. to ft. to ft. to ft. to ft. to ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft. | Sentonite | rt., From | ft. from | t. toft. It. It. It. It. It. It. |
| SCREEN-PERFORATI GRAVEL PAG 9 GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Lines Other (Specify) Direction from well? 10 FROM TO 10 FROM TO 11 Septic Tank Sewer Lines Watertight Sewer L | ED INTERVALS: From 50 ft. to 8 EK INTERVALS: From 50 ft. to 8 EX ft. to 6 ft., From 6 Ex ft. to 6 ft., From 6 Ex contamination: Lateral Lines Pit Privy Cess Pool Sewage Less Seepage Pit Feedyard Distance from 6 LITHOLOGIC LOG Cay Sandrock & gray clay Sandr | Sentonite | rt., From | ft. to ft. to Insecticic Abandon Oil Well ft. FHO LOG (cont.) or P Undrock gray che ray chay ray chay ray chay | in the fit. It. |
| GRAVEL PAGE GRAVEL FOR A SEWER LINE GRAVEL PAGE GRAVEL | ED INTERVALS: From 50 ft. to 8 EK INTERVALS: From 50 ft. to 8 EL: Neat cement Cement grout EL E contamination: Cess Pool Sewage L Cess Pool Sewage L Distance from LITHOLOGIC LOG Contamination: Server Seepage Pit Seedyard LITHOLOGIC LOG Contamination: Contaminati | Sentonite | rt., From | ft. to ft. to Insecticic Abandon Oil Well ft. FHO LOG (cont.) or P Undrock gray che ray chay ray chay ray chay ray chay ad pire ch | in the fit. It. It. It. It. It. It. It. |
| SCREEN-PERFORATI GRAVEL PAG 9 GROUT MATERIA Grout Intervals: From Nearest source of possible Septic Tank Sewer Lines Watertight Sewer Lines Other (Specify) Direction from well? 10 FROM TO 1 | ED INTERVALS: From 50 ft. to 8 EX INTERVALS: From 50 ft. to 8 AL: Neat cement Cement grout EX L: Neat cement Cement grout EX Cement ground EX | Notes: Notes Not | ref. to | ft. to ft. to Insecticic Abandon Oil Well ft. FHO LOG (cont.) or P whock gray ch ray chay ray chay ray chay ad pipe c | in the fit. It. It. It. It. It. It. It. |
| SCREEN-PERFORATI GRAVEL PAG 9 GROUT MATERIA Grout Intervals: From Nearest source of possible Septic Tank Sewer Lines Watertight Sewer Lines Watertight Sewer Lines Other (Specify) Direction from well? 10 FROM TO 1 | ED INTERVALS: From 50 ft. to 8 EK INTERVALS: From 50 ft. to 8 EL: Neat cement Cement grout EL E contamination: Lateral Lines Pit Privy Cess Pool Sewage L Seepage Pit Feedyard | Aw Cut North Nor | ref., ft. to | ft. to ft. to Insecticic Abandon Abandon ft. ft. FHO. LOG (cont.) or P Individe gray che ray clay ray clay ray clay ed fire c | in the to the fit. It fit. It storage the storage the storage the storage the storage that we show the storage that it is a sound to the sto |
| SCREEN-PERFORATI GRAVEL PAG 9 GROUT MATERIA Grout Intervals: From Nearest source of possible Septic Tank Sewer Lines Watertight Sewer Lines Watertight Sewer Lines Other (Specify) Direction from well? 10 FROM TO 1 | ED INTERVALS: From 50 ft. to 8 EK INTERVALS: From 50 ft. to 8 EL: Neat cement Cement grout EL E contamination: Lateral Lines Pit Privy Cess Pool Sewage L Seepage Pit Feedyard | Aw Cut North Nor | ref., ft. to | ft. to ft. to Insecticic Abandon Abandon ft. ft. FHO. LOG (cont.) or P Individe gray che ray clay ray clay ray clay ed fire c | in the to the fit. It fit. It storage the storage the storage the storage the storage that we show the storage that it is a sound to the sto |
| GRAVEL PAGE GRAVE | ED INTERVALS: From | Agoon Grand | ref., ft. to | ft. from | In the storage ed Water Well Gas Well LUGGING INTERVALS A LAYEVS SAND SOUNDERVALS SOUNDERVAL |
| GRAVEL PAGE GRAVEL | ED INTERVALS: From 50 ft. to 8 EX INTERVALS: From 50 ft. to 8 AL: Neat cement Cement grout EX L: Neat cement Cement grout EX L: Neat cement Cement grout EX Cess Pool Sewage L Cess Pool Sewag | Aw Cut North Nor | TO SA 135 91 137 91 150 PHOLOGIC Well was Scomple was complete the control of the | ft. from | In the storage ed Water Well Gas Well LUGGING INTERVALS A LAYEVS SAND SOUNDERVALS SOUNDERVAL |

KSA 82a-1212

Visit us at http://www.kdheks.gov/waterwell/index.html

Revised 9/10/2012