CORRECTION(S) TO WATER WELL RECORD (WWC-5) (to rectify lacking or incorrect information)

	County: £//is
Location listed as:	Location changed to:
Section-Township-Range: 3-12-16	3-125-16W
Section-Township-Range: 3-12-16 Fraction (1/4 1/4 1/4): None Given	SF.
Other changes: Initial statements:	
Changed to:	
Comments: <u>Site name</u> : <u>Dreiling</u>	F
verification method: Phone call to driller	
	initials: DRL date: 5/18/2004
milmitted how Warren Containing Comment Date Barrens Library 1920 Comment	, ,
submitted by: Kansas Geological Survey, Data Resources Library, 1930 Consto: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson	
	•

KSA 82a-1212 ID No Form WWC-5 WATER WELL RECORD 1 LOCATION OF WATER WELL: Section Number Township Number Range Number Fraction 16 County: Ellis т 12 E/W Distance and direction from nearest town or city street address of well if located within city? 2 WATER WELL OWNER: Kaw Pipeline RR#, St. Address, Box # : 1199 W Wisconsin Board of Agriculture, Division of Water Resources Application Number: City, State, ZIP Code : Russell, KS AN "X" IN SECTION BOX: Pump test data: Well water was ft. after hours pumping gpm NW_ -- NE --WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well W 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 1 Domestic 3 Feedlot 2 Irrigation 4 Industrial -SW--- - SE --Was a chemical/bacteriological sample submitted to Department? Yes. No. ; If yes, mo/day/yrs sample was sub-Water Well Disinfected? Yes 5 TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued. Clamped. 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) (2) VC 4 ABS 7 Fiberglass Threaded........ Casing height above land surface......in., weightlbs./ft. Wall thickness or gauge No................. (7)PVC TYPE OF SCREEN OR PERFORATION MATERIAL: 10 Ashestos-cement 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 2 Brass 6 Concrete tile 9 ABS 12 None used (open hole) 4 Galvanized steel SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 9 Drilled holes 1 Continuous slot 3 Mill slot 6 Wire wrapped 2 Louvered shutter 7 Torch cut 4 Key punched SCREEN-PERFORATED INTERVALS: From..... 2 Gement grout 3 Dentonite 6 GROUT MATERIAL: 1 Neat cement Grout Intervals: From....0.....ft. to...2.....ft., From....2....ft. to...3.5....ft., From.....ft. to....ft. 10 Livestock pens 14 Abandoned water well What is the nearest source of possible contamination: 15 Oil well/Gas well 1 Septic tank 11 Fuel storage 4 Lateral lines 7 Pit privv 12 Fertilizer storage 16 Other (specify below) 2 Sewer lines 5 Cess pool 8 Sewage lagoon 13 Insecticide storage 3 Watertight sewer lines 6 Seepage pit 9 Feedvard Direction from well? How many feet? LITHOLOGIC LOG PLUGGING INTERVALS FROM то FROM 0 8 Brown Silty Clay 15 8 Grey/Black Shale 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 1.0 - 1.5 - 0.0 and this record is true to the best of my knowledge and belief. Kansas under the business name of Davis Environmental Drilling by (signature)

ree copies to Kansas Department of Health and INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answer Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone 785-296-5524. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.