

WATER WELL RECORD Form WWC-5 KSA 82a-1212 ID No.

1 LOCATION OF WATER WELL: County: ELLIS	Fraction SE 1/4 SW 1/4 SW 1/4	Section Number 9	Township Number T 12 S	Range Number R 18 EW
--	----------------------------------	---------------------	---------------------------	-------------------------

Distance and direction from nearest town or city street address of well if located within city?
8 miles North of and 3/4 mile West of HAYS KS

2 WATER WELL OWNER: ROBERT LEIKAM
RR#, St. Address, Box # : 905 hickory Board of Agriculture, Division of Water Resources
City, State, ZIP Code : VICTORIA KS 67671 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: 68 ft. ELEVATION:
--	--

1 Mile

W

N

	NW	NE	
	SW	SE	
	X		

E

S

Depth(s) Groundwater Encountered 1. 52 ft. 2. ft. 3. ft.

WELL'S STATIC WATER LEVEL . . . 52 . . . ft. below land surface measured on mo/day/yr . . . 7-27-00

Pump test data: Well water was ft. after hours pumping gpm

Est. Yield . . . 15 . . . gpm: Well water was ft. after hours pumping gpm

Bore Hole Diameter. . . . 10 . . . in. to 68 . . . ft., and. in. to ft.

WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well

xx Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)

2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well

Was a chemical/bacteriological sample submitted to Department? Yes. No. xx; If yes, mo/day/yrs sample was submitted Water Well Disinfected? Yes No xx

5 TYPE OF BLANK CASING USED:

1 Steel	3 RMP (SR)	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued. xx Clamped.
xx PVC	4 ABS	6 Asbestos-Cement	9 Other (specify below)	Welded
		7 Fiberglass		Threaded.

Blank casing diameter 5 . . . in. to 48 . . . ft., Dia in. to ft., Dia in. to ft.

Casing height above land surface. 18 . . . in., weight 160 . . . lbs./ft. Wall thickness or gauge No.

TYPE OF SCREEN OR PERFORATION MATERIAL:

1 Steel	3 Stainless steel	5 Fiberglass	xx PVC	10 Asbestos-cement
2 Brass	4 Galvanized steel	6 Concrete tile	8 RMP (SR)	11 Other (specify)
			9 ABS	12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:

1 Continuous slot	xx Mill slot	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes	
		7 Torch cut	10 Other (specify)	ft.

SCREEN-PERFORATED INTERVALS: From 48 . . . ft. to 68 . . . ft., From ft. to ft.

GRAVEL PACK INTERVALS: From 40 . . . ft. to 68 . . . ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout xx Bentonite 4 Other

Grout Intervals: From 0 . . . ft. to 30 . . . ft., From ft. to ft., From ft. to ft.

What is the nearest source of possible contamination:

1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
			13 Insecticide storage	

Direction from well? How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	8	SURFACE CLAY			
8	20	GRAY CLAY			
20	50	YELLOW LIMESTONE			
50	58	FINE SAND			
58	66	MED SAND			
66					
66	68	BLUE SHALE			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (xx) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 7-27-00 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No. 444 This Water Well Record was completed on (mo/day/yr) 7-27-00 under the business name of ANDY ANDERSON DRILLING by (signature) *Cindy Anderson*

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send to three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone 785-296-5524. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.