		L RECORD	Form V	VWC-5			0.	
1 LOCATION OF WATER WELL:		Fraction	1/ <b>CW</b> 1/	Section Number 22		Range Number		
County: Ellis			NE ¼ NE ¼	% direction	22 T 12 S R 18 E WW Global Positioning System (GPS) information:			
						le:		
1603 Meadowlark Lane, Hays, KS 67601					Longitude: (in decimal degrees)			
1005 Meadowiark Lane, Hays, No 07001					Elevation:			
2 WATER WELL OWNER: Stacy Campbell					Datum: WGS 84, NAD 83, NAD 27			
- Clast Si			ampoeii eadowlark Lane		Collection Method:  GPS unit (Make/Model:)			
GI. G. GID G 1			5 67601 Digital Map/Photo, Topographic l					
					Est. Accuracy: -	3 m, ☐ 3-5 m, ☐	] 5-15 m, □>15 m	
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 80 ft.								
		ON BOX: Depth(s) Groundwater Encountered (1).60						
SEC.	N N	N WELL'S STATIC WATER LEVEL. 45ft. below land surface measured on mo/day/yr. 7/30/09						
	Pump test data: Well water was. 62ft. after hours pumping. 20							
EST. YIELD.20gpm. Well water wasft. after								
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well  Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
SV	Domestic   Feedlot   Oil field water supply   Dewatering   Other (Specify below)   Irrigation   Industrial   Domestic-lawn & garden   Monitoring well							
Was a chemical/bacteriological sample submitted to Department?  Yes  No								
S If yes, mo/day/yr sample was submitted								
	1 mile		fected? 📝 Yes 🗌					
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: M Glued Clamped Welded Threaded								
Casing diameter .5 in. to .80 ft., Diameter ft., Diameter ft.,								
Casing height above land surface18								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)								
Louvered shutter    Key punched    Wire wrapped    Saw cut    Other (specify)								
From								
GRAVEL PACK INTERVALS: From 80 ft. to .20 ft., From ft. to								
From								
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other								
Grout Intervals: From .20 ft. to .0 ft., From								
What is the nearest source of possible contamination:								
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well								
Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well								
		n well			from well			
FROM	TO	LITHOLOG	IC LOG	FROM	TO LITHO. L	OG (cont.) or PLU	JGGING INTERVALS	
0	2	Top soil						
2 15	15 60	Gumbo White rock						
60	65	White rock Clay codel sand						
65	80	shale		1 1				
	LI	- William						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   ☐ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) .7/30/09								
Kansas Water Well Contractor's License No. 0199 This Water Well Record was completed on 180/19/year 8/18/09 under the business name of Karst Water Well Drilling & Service, Inc. by (signature)								
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies								
(white, bl	ue, pink) to	Kansas Department of Health	and Environment, Bureau	u of Water, Geolo	gy Section, 1000 SW Ja	ckson St., Suite 420.	Topeka, Kansas 66612-1367.	
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include <u>fee</u> of \$5.00 for each <u>constructed</u> well. Visit us at <a href="http://www.kdheks.gov/waterwell/index.html">http://www.kdheks.gov/waterwell/index.html</a> .								
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy								
oza					CHOOK, WI	⊶ сору, ∟ј Ві	uc copy, L j rillik copy	