WATE	R WEL	L RECORD	Form W	WC-5		er Resources App. N		
1 LOCATION OF WATER WELL:		Fraction	.,	Section Number		Range Number		
County: Ellis			1/4 SW 1/4 SW		33   T 12 S   R 18 □ E ▼   Global Positioning System (GPS) information:			
		ddress of Well Location; i						
from nearest town or intersection: If at owner's address, check here .						Latitude:		
3 North 1 West 3/4 North of I-70 & 183					Longitude: (in decimal degrees) Elevation:			
					Datum: WGS 8	84. □ NAD 83. □	 1 NAD 27	
2 WATER WELL OWNER: Jayme Zimmerman					Collection Method:			
RR#, Street Address, Box #: 2913 Barclav					GPS unit (Make/Model:)			
City	, State, Z	IP Code : Hays. K	s 67601		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m			
		-			Est. Accuracy:	<3 m, □ 3-5 m, □	5-15 m, ∐ >15 m	
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 70 ft.								
SECTION BOX: Depth(s) Groundwater Encountered (1).58 ft. (2) ft. (3) ft.								
N WELL'S STATIC WATER LEVEL 58ft. below land surface measured on mo/day/yr. 05/15/12								
Pump test data: Well water was 35								
NW NE   EST. YIELD. 10gpm. Well water wasft. after hours pumping								
W         E   Bore Hole Diameter 1.0								
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
SW - SE -								
S If yes, mo/day/yr sample was submitted								
1 mile  Water well disinfected?  \( \overline{\mathcal{A}} \) Yes \( \overline{\mathcal{A}} \) No								
5 TYPE OF CASING USED: Steel V PVC Other								
CASING JOINTS:  Glued  Clamped  Welded  Threaded  Casing diameter .5								
Casing diameter in. to it., Diameter								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From								
GRAVEL PACK INTERVALS: From 70 ft. to 20 ft., From ft. to ft.								
From								
		TERIAL:	nt	Bento:	nite 🔲 Other			
Grout Intervals: From .20 ft. to .0 ft., From ft. to ft., From ft., From ft.								
What is the nearest source of possible contamination:								
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well								
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well								
		well						
FROM	TO	LITHOLOG	IC LOG	FROM	TO LITHO. L	OG (cont.) <u>or</u> PLU	IGGING INTERVALS	
0	45	Limestone Rock						
45		Clay						
57		Gray clay and rock						
60	70	Shale						
	<del>                                     </del>							
				<del>                                     </del>				
7 CON	TD A CTC	D'S OR LANDOWNED	'S CEDTIFICATIO	N. This wet	er well was [7]	nucted [] ======	noted on California	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was  ☐ constructed, ☐ reconstructed, or ☐ plugged under my jurisdiction and was completed on (mo/day/year) .05/16/12 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 0199 This Water Well Record was completed on (mo/day/year) 06/13/12								
under th	e busines	s name of Karst Water	Well Drilling & Servi	ice, Inc	. by (signature)		1/ ~. )	
INSTRU	CTIONS: (	Jse ty pewriter or ball point pen.	PLEASE PRESS FIRMLY	and PRINT cle	arly. Please fill in blank	s and check the correct	Semistice copies	
(white, bl	ue, pink) to	Kansas Depar tment of Health	and Environment, Bureau	of Water, Geole	ogy Section, 1000 SW Ja	ckson St., Suite 420,	Topeka, Kansas 666 12-1367.	
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at								