WATER WELL RECORD			Form WWC-5			Division of Water Resources App. No.				
1 LOCATION OF WATER WELL:			Fraction			on Number	Township No.	Range Number		
County: Ellis			SW 1/4 SW 1/4 SW			33	T 12 S	R 18 □E □W		
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:										
from nearest town or intersection: If at owner's address, check here HN, I West 1/2 N East Side of 1-70d						Latitude: (in decimal degrees)				
4 N, 1 WEST 1/2 10 COST SIGE OF 1 /100						Longitude: (in decimal degrees) Elevation:				
	Nays. Exit						Datum: WGS 84, NAD 83, NAD 27			
2 WATER WELL OWNER: Jayme Zimmerman						ction Method:	*, NAD 65,	NAD 27		
RR#, Street Address, Box #: 2913 Barclay Dr						GPS unit (Make/Model:)				
City, State, ZIP Code : Hays. K			S 67601		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey					
Est. Accuracy:										
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 70 ft.										
	VITH AN "X" IN 4 DEPTH OF COMPLETED WELL 19									
520	SECTION BOX: Depth(s) Groundwater Encountered (1).43 ft. (2)									
	Pump test data: Well water was									
L.N	EST. YIELD									
W E Bore Hole Diameter !!!										
	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well									
SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)										
Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was submitted										
Water well disinfected?										
Water went dismicerted: 12 145										
5 TYPE OF CASING USED: Steel PVC Other										
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter 5 in to 70 the Diameter in to the Diameter in the Diameter i										
Casing diameter .5										
TYPE OF SCREEN OR PERFORATION MATERIAL:										
☐ Steel ☐ Stainless Steel										
Brass Galvanized Steel None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE:										
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify)										
SCREEN-PERFORATED INTERVALS: From										
From										
	GRAV	EL PACK INTERVALS:	From. 70	ft. to20		ft., From	ft. 1	to ft.		
From										
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other										
Grout Intervals: From 20 ft. to 0 ft., From ft. to ft., From ft. to ft., From ft.										
What is the nearest source of possible contamination:										
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well								er (specify below)		
		ht sewer lines Seepage		Fertilizer		Oil well/ga				
Direc	ction fro	n well		. Distance	from w	ell				
FROM	TO	LITHOLOG	IC LOG	FROM	TO	LITHO. LO	OG (cont.) <u>or</u> PLU	GGING INTERVALS		
0	2	Top Soil								
2	12	Dirt & Clay								
12	16	Rock								
16	45	Rock w/ clays					w			
45	50	Limestone clay								
50	56	Light grey clay								
56	70	Shale						- NAME OF THE PERSON OF THE PE		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged										
under my jurisdiction and was completed on (mo/day/year) .19/09/14 and this record is true to the best of my knowledge and belief.										
Kansas Water Well Contractor's License No. 0.199 This Water Well Record was completed on (mo/day/year) 10/17/14										
under the business name of Karst Water Well Drilling & Service, Inc by (signature)										
INSTRUC	CTIONS:	Use typewriter or ball point per	. PLEASE PRESS FIRMLY	and PRINT o	learly. Ple	ase fill in blanks	and check the correct	answers. Send one copy to		
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at										
http://www.kdheks.gov/waterwell/index.html										