—			WATER	R WELL RECORD	Form WW	/C-5 KSA 82	a-1212			
	ION OF WAT	ER WELL:	Fraction			Section Number	Township	Number	Range Number	
County:			NW 1/4	SW 1/4 S		6	<u> T 1</u> 2	2 s	R 2-3 EW	
Distance and direction from nearest town or city street address of well if located within city?										
			507 PA	RKER						
2 WATE	R WELL OW	NER:TYSON WO	ODY							
RR#, St. Address, Box # :507 PARKER Board of Agriculture, Division of Water Resources										
	e, ZIP Code		<u>on ks. 674</u>			Application Number:				
3 LOCATE WELL'S LOCATION WITH 4 DEPTH OF COMPLETED WELL 39.4 ft. ELEVATION:										
Depth(s) Groundwater Encountered 120.8ft. 2ft.										
WELL'S STATIC WATER LEVEL 20.8 ft. below land surface measured on mo/day/yr 5-1-96										
	Pump test data: Well water was 32 ft. after 1 hours pumping 15									
	Est. Yield 18 gpm: Well water was ft. after hours pumping									
<u>.</u>	i	i B	ore Hole Diame	ter 5 in. to.						
A A	1	· · · · · · · · · · · · · · · · · · ·	VELL WATER T	O BE USED AS:						
7	I sw	SF	1 Domestic	3 Feedlot	6 Oil field	water supply	9 Dewatering	12	Other (Specify below)	
	SW	35	2 Irrigation							
	Was a chemical/bacteriological sample submitted to Department? YesNoX; If yes, mo/day/yr sample was									
Τ.	S	m	nitted			Wa	ater Well Disinfe	cted? Yes	X _{No}	
5 TYPE	OF BLANK C	ASING USED:		5 Wrought iron	8 Co	ncrete tile	CASING	JOINTS: Glue	dX Clamped	
1 S	teel	3 RMP (SR)		6 Asbestos-Cement	9 Otl	her (specify belo	w)	Weld	ded	
2 P		4 ABS		7 Fiberglass				Thre	aded	
Blank cas	sing diameter	<i>5</i> in	ı, to 29.•4	ft., Dia	in	. to	ft., Dia		in. to ft.	
Casing h	eight above la	ind surface 1	6	in., weight 160		Ibs.	/ft. Wall thickne	ss or gauge N	lo. SDR 26	
TYPE OF	SCREEN O	R PERFORATION	MATERIAL:		_7	PVC •035	10	Asbestos-ceme	ent	
1 S	teel	3 Stainless s	steel	5 Fiberglass	8	RMP (SR)	11 (Other (specify))	
2 B	rass	4 Galvanized	d steel	6 Concrete tile	9	ABS	12	None used (or	oen hole)	
SCREEN	OR PERFOR	RATION OPENINGS			d wrappe	d	8 Saw cut		11 None (open hole)	
1 C	ontinuous slo	3 Mill	slot •035	_ 6 Wire v	vrapped		9 Drilled hole	es		
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)										
SCREEN-PERFORATED INTERVALS: From										
From										
	GRAVEL PA	CK INTERVALS:	From	2 <i>5</i> ft. to	39	.•.44 ft., Fro	om	ft. 1	ło	
			From	ft. to		ft., Fro	om	ft. 1	to ft.	
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other										
Grout Intervals: From0ft. to20ft., Fromft. toft. ft. to										
What is t	he nearest so	urce of possible co	ontamination:			•		bandoned water well		
1 Septic tank 4 Lateral			lines	es 7 Pit privy		11 Fuel storage		15 Oil well/Gas well		
2 Sewer lines 5 Cess p				8 Sewage lagoon		12 Fertilizer storage		16 C	16 Other (specify below)	
3 W	atertight sew	er lines 6 Seepag	je pit	9 Feedyard		13 Inse	cticide storage			
	from well?	WEST					any feet?	20		
FROM	TO	73-7 T T3-73	LITHOLOGIC I	LOG	FROM	и то		PLUGGING I	NIERVALS	
0	3	FILL DIR			- 					
3	14	CLAY BRO		nii daan raanad					AANSE I E II	
14	39.4	CLAY TAN	SILTY WIT	TH SAND LAYERS	-					
					1					
	1				_				A 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
	-									
	 				-				- 1788 17 - 17 - 17 - 17 - 17 - 17 - 17	
	ļ									
					_					
					+					
					 					
	-				-				A second	
<u> </u>	-				-					
	J									
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was										
completed on (mo/day/year)5-1-96										
					ell Record		1 40	/PX 39	'	
	•	ne of PESTING				by (signa		10 CM	my	
INSTR of Hea	UCTIONS: Use ty alth and Environm	pewriter or ball point per ent, Bureau of Water, To	n. <i>PLEASE PRESS FI</i> opeka, Kansas 66620	<u>RMLY</u> and <u>PRINT</u> clearly. Plea -0001. Telephone: 913-296-55	ise fill in blai 645. Send on	nks, underline or circl le to WATER WELL C	e the correct answer	rs. Send top three ne for your record	copies to Kansas Department s.	