


1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: OTTAWA		NW 1/4 NW 1/4 SW 1/4	6	T 12 S	R 24 E/W
Distance and direction from nearest town or city street address of well if located within city?					
400 N. NELSON					
2 WATER WELL OWNER: ART DAVIS					
RR#, St. Address, Box # : 400 N. NELSON					
City, State, ZIP Code : BENNINGTON, KS. 67422					
Board of Agriculture, Division of Water Resources					
Application Number:					
3 LOCATE WELL'S LOCATION WITH		4 DEPTH OF COMPLETED WELL			
AN "X" IN SECTION BOX:		51 ft. ELEVATION:			
		Depth(s) Groundwater Encountered 1 29 ft. 2 ft. 3 11-6-03 ft.			
		WELL'S STATIC WATER LEVEL 29 ft. below land surface measured on mo/day/yr			
		Pump test data: Well water was 30 ft. after 1 hours pumping 20 gpm			
		Est. Yield 40 gpm: Well water was ft. after hours pumping gpm			
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well			
		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)			
		2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well			
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted					
Water Well Disinfected? Yes X No					
5 TYPE OF BLANK CASING USED:					
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped					
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded					
7 Fiberglass Threaded					
Blank casing diameter 5 in. to 41 ft. Dia in. to ft. Dia in. to ft.					
Casing height above land surface 14 in., weight 160 lbs./ft. Wall thickness or gauge No. SDR 26					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-Cement					
2 Brass 4 Galvanized Steel 6 Concrete tile 9 ABS 11 Other (Specify)					
12 None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot 3 Mill slot .025 5 Gauzed wrapped 8 Saw cut 11 None (open hole)					
2 Louvered shutter 4 Key punched 7 Torch cut 9 Drilled holes 10 Other (specify) ft.					
SCREEN-PERFORATED INTERVALS: From ft. to ft. From ft. to ft. From ft. to ft.					
GRAVEL PACK INTERVALS: From 22 ft. to 51 ft. From ft. to ft. From ft. to ft.					
6 GROUT MATERIAL:					
1 Neat cement 2 Cement grout 3 Bentonite 4 Other					
Grout Intervals: From 0 ft. to 22 ft. From ft. to ft. From ft. to ft.					
What is the nearest source of possible contamination:					
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well					
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well					
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)					
13 Insecticide storage 40					
Direction from well? SOUTH					
How many feet? 40					
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS					
0 2 FILL DIRT					
2 12 SANDY LOOM TAN					
12 34 CLAY BROWN HARD					
34 51 SAND FINE TO MED, TAN					
51 SHALE GRAY HARD					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 11-06-03 and this record is true to the best of my knowledge and belief. Kansas					
Water Well Contractor's Licence No 388 This Water Well Record was completed on (mo/day/yr) 11-06-03					
under the business name of PESTINGER PUMP SERVICE by (signature) [Signature]					
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send up three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.					