WATE	R WEI	LL RECORD	Form W	WC-5	D		r Resources App. No	o. L		
1 LOC	ATION	OF WATER WELL:	Fraction		Secti	on Number	Township No.	Range Numl		
Coun	ty: Otta	Wa Address of Wall Legation:	SE 14 NW 14 NV	V 1/4 TV IV 1/2	Clob	7	T 12 S	R 2	E Z W	
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here						Latitude: (in decimal degrees)				
5 Nelson and E. Yorktown St.						Global Positioning System (GPS) information: Latitude:				
Bennington KS 67422						Elevation:				
2 WATER WELL OWNER: Kuch Remediation & Env. Sucs						Collection Method:				
RR#, Street Address, Box #: HIII & 3714 St. N						☐ GPS unit (Make/Model: Garmin etrek				
City, State, ZIP Code : Digital Map/Photo, Topographic Map, Land Survey Est. Accuracy: 3 m, 3-5 m, 5-15 m										
3 LOC		LL			-		· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·		
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 24 ft.								Đ.		
SECTION BOX: Depth(s) Groundwater Encountered (1)										
Pump test data: Well water wasft. after hours pumping										
EST. YIELDgpm. Well water wasft. afterhours pumpinggg									gpm	
W Bore Hole Diameter 8.5. in. to 4 ft., and in. to ft. WELL WATER TO BE USED AS: Public water supply Geothermal Injection well										
Domestic Feedlot Oil field water supply Dewatering Other (Specify below)										
Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☑ Monitoring well										
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No If yes, mo/day/yr sample was submitted										
Water well disinfected? Yes No										
5 TYPE OF CASING USED: Steel V PVC Other										
CASING JOINTS: Glued Clamped Welded Threaded										
Casing diameter .2										
Casing height above land surface30										
☐ Steel ☐ Stainless Steel										
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:										
Continuous slot										
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)										
SCREEN-PERFORATED INTERVALS: From										
GRAVEL PACK INTERVALS: From 12 ft. to 24 ft. From ft. to ft.										
From										
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other										
Grout Intervals: From .3										
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below)								w)		
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☑ Fertilizer storage						☐ Abandoned ☐ Oil well/ga				
		n well				ell				
FROM	TO	LITHOLOG		FROM	TO	LITHO. LO	OG (cont.) <u>or</u> PLU	GGING INTE	ERVALS	
9	7	Brown silty cla	 							
7	8 25	Sands gravish brown	5: 12 00.							
	~_	Judy sh ordan	arry cary							
			- , , , , , , , , , , , , , , , , , , ,							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \(\bigcirc \) constructed, \(\bigcirc \) reconstructed, or \(\bigcirc \) plugged under my jurisdiction and was completed on \(\bigcirc \) (mo/day/year) \(\bigcirc \) 24.14. and this record is true to the best of my knowledge and belief.										
Kansas Water Well Contractor's License No7.10 This Water Well Record was completed on (mo/day/year) .06/28/14										
under th	e busine	ss name of Below Grou	ind Surface, Inc.		by (s	signature) 🚜				
INSTRUC	CTIONS:	Use typewriter or ball point pe	n. PLEASE PRESS FIRML	Yand PRINT c	early. Ple	ease fill in blanks	and check the correct	answers. Send or	ne copy to	
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at										
http://www.kdheks.gov/waterwell/index.html										