				. por		-			
			WAT	ER WELL RECORD	Form WWC-	5 KSA 82a-	1212		
		TER WELL:	Fraction		Se	ction Number	Township Number	Range Number	
	AWATTO		SW 1			24	т 12 s	R 2 E/W	
Distance	and direction	from nearest to	wn or city street	address of well if locate	d within city?				
_				DI.KS.					
2 WATE	R WELL OW	NER: ŒO QU	JESTE B	•					
RR#, St.	R#, St. Address, Box # : 135 S. 11th						Board of Agriculture, Division of Water Resources		
City, State	City, State, ZIP Code : SAT,TA KS 67401 Application Number:								
3 LOCAT	E WELL'S L	OCATION WITH	4 DEPTH OF	COMPLETED WELL	. 52	ft. ELEVAT	ION:		
AN "X"	IN SECTIO	N BOX:	Depth(s) Groun	dwater Encountered 1	21.1	1 ft. 2.		ft. 3	
ī	WELL'S STATIC WATER LEVEL 21.11. ft. below land surface measured on mo/day/yr 10-11-94								
Pump test data. Well water was 26.2 ft after 1 hours numping 30 gpm.									
	Est. Yield 75 gpm: Well water was								
	Bore Hole Diameter 9 in to 52 ft and in to ft								
. ¥	WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well								
-	ı	i	1 Domestic			,	-	12 Other (Specify below)	
1 1	SW	SE	2 Irrigation						
	x ¦		1					yes, mo/day/yr sample was sub-	
1		<u></u>	mitted	buoteriological sample s	abilititoa to D	•	er Well Disinfected? Yes		
5 TYPE	OF BLANK (CASING USED:	1111100	5 Wrought iron	8 Concr			aluedX Clamped	
1 St		3 RMP (S	:R)	6 Asbestos-Cement		(specify below)		Velded	
2 P\		4 ABS		7 Fiberglass		,		hreaded	
			in to 47		in to				
Blank casing diameter 5 in to 47 ft. Dia in to ft. Dia in to ft. Casing height above land surface 20 in., weight 160 lbs./ft. Wall thickness or gauge No. SDR 26									
				m., weight					
	TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement								
1 Steel 3 Stainless steel 5 Fibergla						8 RMP (SR) 11 Other (specify)			
								'''	
			fill slot •035		ed wrapped		8 Saw cut	11 None (open hole)	
	ontinuous slo			-	wrapped		9 Drilled holes		
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)									
SCREEN-PERFORATED INTERVALS: From 47. ft. to 52 ft., From ft. to ft.									
From									
,	GHAVEL PA	CK INTERVALS:			• • • •				
cl coour	T MATERIAL	4 11	From	ft. to		ft., From		ft. to ft.	
	T MATERIAL			2 Cement grout				ft. to	
					π.				
What is the nearest source of possible contamination:						10 Livesto	•	4 Abandoned water well	
1 Septic tank 4 Lateral lines				7 Pit privy		11 Fuel st		5 Oil well/Gas well	
2 Sewer lines 5 Cess pool 3 Watertight sewer lines 6 Seepage pit				8 Sewage lagoon		12 Fertilizer storage 16 Other (specify below)			
	•	er lines 6 Seep	page pit	9 Feedyard		13 Insecticide storage OPEN FEILD NONE APPARENT			
FROM	from well?		LITHOLOGIC	100	FDOM	How many		IG INTERVALS	
		MOD GOTT		LOG	FROM	ТО	rLoddin	G INTERVALS	
0	3	TOP SOII			-+				
3	32	SANDY LO		m A 3 T					
32	52	SAND FIN	E TO MED.	TAN		 			
			AND THE EXPLORER OF PERSONS ASSESSED AND ADMINISTRAL PROPERTY OF THE PERSON OF THE PER	man matter the fifth and the safety of the state of the safety of the sa					
		The second secon							
		All the Fire on a city of a city MA		MANAGEMENT CONTRACTOR OF THE PROPERTY OF THE P					
						-			
			,		<u> </u>	ļ		and the second s	
	<u> </u>					<u> </u>			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was									
completed	on (mo/day/	year) 10-11	L-94					knowledge and belief. Kansas	
				This Water W				14-94	
		me of PESTING				by (signatu		of in (0)	
					ase fill in blanks			hree opies to Kansas Department	
of Heal	th and Environm	ent, Bureau of Water,	Topeka, Kansas 666	20-0001. Telephone: 913-296-5	545. Send one to	WATER WELL OWN	NER and retain one for your rec	cords.	