<b>,</b>			R WELL RECORD	Form WWC-5	KSA 82a	-1212	
LOCATION OF VELL		Fraction		Sec	tion Number	Township Number	
County:		NW 1/4			32	T 23 128	s R 20 E/W
			ddress of well if local North and $1/$		t of ELL	IS KS	
2 WATER WELL	OWNER: JAS	ON BREIT					
RR#, St. Address,	Box # : 115	W 4th				Board of Agricult	ture, Division of Water Resourc
City, State, ZIP Co	de : HAY	S KS 676	01			Application Num	ber:
3 LOCATE WELL	S LOCATION WITH 4	DEPTH OF C	OMPLETED WELL.	58	. ft. ELEVA	TION:	
AN "X" IN SEC							. ft. 3
T !	T i w	ELL'S STATIC	WATER LEVEL	.34 ft. b	elow land surf	face measured on mo/d	ay/yr .5-15-98
\	1 NS	Pump	test data: Well wa	ater was	ft. af	fter hou	rs pumping gpr
X X	NE E						rs pumping gpr
# w i	I B	ore Hole Diame	ter10in. t	o 5.8		and	in. to
M 1	i w	ELL WATER T	O BE USED AS:	5 Public wate	r supply	8 Air conditioning	11 Injection well
sw -	SE	X <b>X</b> Domestic	3 Feedlot	6 Oil field wat	er supply	9 Dewatering	12 Other (Specify below)
3" -	36 1	2 Irrigation	4 Industrial	7 Lawn and g	arden only 1	0 Monitoring well	
<u> </u>	_   W	as a chemical/b	acteriological sample	submitted to De	partment? Ye	es, NoXX; I	lf yes, mo/day/yr sample was su
		itted		· · · · · · · · · · · · · · · · · · ·		er Well Disinfected? Ye	
-	K CASING USED:		5 Wrought iron	8 Concre	te tile	CASING JOINTS:	Glued XX Clamped
1 Steel	3 RMP (SR)		6 Asbestos-Cemen	t 9 Other	specify below		Welded
XX PVC	4 ABS		7 Fiberglass				Threaded
Blank casing diame	eter 5 in.	. to	ft., Dia	in. to		ft., Dia	in. to f
Casing height above	e land surface		in., weight	160	lbs./f	t. Wall thickness or gau	ge No
TYPE OF SCREEN	OR PERFORATION I	MATERIAL:		XX7 PV		10 Asbestos-	cement
1 Steel	3 Stainless s	teel	5 Fiberglass		P (SR)	11 Other (sp	ecify)
2 Brass	4 Galvanized	steel	6 Concrete tile	9 AB	3	12 None use	d (open hole)
SCREEN OR PER	FORATION OPENINGS	S ARE:	5 Gau	zed wrapped		8 Saw cut	11 None (open hole)
1 Continuous	slot X3XMill s	slot		e wrapped		9 Drilled holes	
2 Louvered s	•			ch cut		10 Other (specify)	
SCREEN-PERFOR	ATED INTERVALS:						. ft. tof
							. ft. tof
GRAVEL	PACK INTERVALS:						ft. tof
6 GROUT MATER	141	From				n	
_	IAL: 1 Neat cen		2 Cement grout	XXX Bento	nite 4 (	Other	
			π., From	π. 1			ft. to
	source of possible co		7. Dh		10 Livest		14 Abandoned water well
1 Septic tank 4 Lateral lines 2 Sewer lines 5 Cess pool			7 Pit privy 8 Sewage lagoon		<ul><li>11 Fuel storage</li><li>12 Fertilizer storage</li></ul>		15 Oil well/Gas well
	•			goon		_	16 Other (specify below)
	sewer lines 6 Seepage	e pit	9 Feedyard			icide storage	
FROM TO		LITHOLOGIC I	OG	FROM	How man		NG INTERVALS
0 6	SURFACE CI			I ROW		1 20001	TO INTENTALO
6 20	FINE SAND						
20 30	MED SAND						
30 40	MED ROCK A	ND SAND					
40 50	SOAPSTONE						
50 58	GRAY SHALE	?					
							1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
						The same of the sa	
Z CONTRACTOR			NI. This waster well	was (WYserstand		natruated or (2) plusses	d under my jurisdiction and wa
_	6 UD I VIIIUUMVIEDIO						cier inv lunsaicaon and Wa
completed as /							
completed on (mo/d	lay/year)	5-15-98			and this recor	d is true to the best of n	ny knowledge and belief. Kansa
Water Well Contrac	lay/year)	5-15-98 44	This Water		and this recore completed o	d is true to the best of non (mo/day/yr)	
Water Well Contract under the business	lay/year)	5-15-98 44 Y ANDERSC	This Water N DRILLING	Well Record was	and this record completed of by (signati	d is true to the best of m in (mo/day/yr)5- ure)5-	ny knowledge and belief. Kansa