WATER WELL RECORD	Form WW	C-5	Division of W	ater Resources App. N	0.	
1 LOCATION OF WATER WELL:	Fraction	4 400		r Township No.	Range Number	
County: Trego		4 NE 1/4	10		R 21 DE 2	₹ W
Street/Rural Address of Well Location;	f unknown, distance & d	irection		ing System (GPS) in		
from nearest town or intersection: If at	owner's address, check he	ere [X].				
			Longitude: (in decimal degrees) Elevation:			
			Datum: WG	S 84, □ NAD 83, □	NAD 27	
2 WATER WELL OWNER: Ken Kohl			Collection Method:			
RR#, Street Address, Box #: City, State, ZIP Code : 17053 390+h AVC			☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
City, State, Zir Code	5 KS 6163	7	Est. Accuracy:	7Pnoto, ☐ Topograpm] <3 m, ☐ 3-5 m, ☐	C Map, Land Surv	vey
1 3 I OCATE WELL	<i>I</i>	8			0 10 111, 10 III	
WITH AN "X" IN 4 DEPTH OF C	COMPLETED WELL.	<i>Y.Ö</i>		ft.		
SECTION BOX: Depth(s) Groundwater Encountered (1)						
WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr						
W - NW - NE - EST. YIELDgpm. Well water wasft. after						
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well						
SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)						
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well						
Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was submitted						
Water well disinfected? \(\begin{align*} \text{Yes} & \lefta \text{No} \\ \text{Pos} & \text{No} \\ \text{No} \\ \text{Ves} & \text{No} \\ \text{No} \						
5 TYPE OF CASING USED: Steel				*******		
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter						
Casing height above land surface						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
Steel Stainless Steel PVC Other (Specify)						
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:						
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)						
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)						
SCREEN-PERFORATED INTERVALS: From 98 ft. to 7.8 ft., From ft. to ft.						
From						
GRAVEL PACK INTERVALS: From						
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other.						
Grout Intervals: From ft. to	20 ft., From	f	ît. to	ft., From	ft. to	ft.
What is the nearest source of possible conta						
		Livestock p		ide storage	ner (specify below)	
Sewer lines Cesspool Watertight sewer lines Seepage p		Fuel storage Fertilizer sto				
Direction from well Sou ham				>		
FROM TO LITHOLOG	IC LOG	FROM	TO LITHO	LOG (cont.) or PLU	JGGING INTERVA	ALS
0 2 72p Ssi/						
2 26 C/RY						
26 76 SAND + CIK	4				,	
76 79 HARD ROCK						
79 89 GRAVEL 89 95 LIMESTONE						
75 98 SHALE						
7 3 3 1 1 2 1						
7 CONTRACTOR'S OR LANDOWNER	'S CERTIFICATION:	This water	r well was 🔀 con	structed, \square reconsti	ucted, or plugge	ed ·
under my jurisdiction and was completed on (mo/day/year) . \$\langle 15\langle 2 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. \(\frac{1}{2} \) \						
under the business name of Sanda and						
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies						
(White, blue, pink) to Kansas Department of Health	and Environment, Bureau of '	Water, Geolo	gy Section, 1000 SW	Jackson St., Suite 420,	Topeka, Kansas 66612	2-1367.
Telephone 785-296-5522. Send one copy to WAT http://www.kdheks.gov/waterwell/index.html.	EK WELL OWNER and reta	in one for yo	our records. Include	tee of \$5.00 for each	constructed well. Visit	t us at
KSA 82a-1212						