WATER	WELI	L RECORD	Form WV	WC-5	Div	rision of Wate	er Resources App. N			
1 LOCATION OF WATER WELL:			Fraction			n Number	Township No.			
	y: Tread		NE 1/4 SW 1/4 SW			19	T 12 S	R 22	□E ØW	
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here						Global Positioning System (GPS) information:  Latitude:				
						Longitude: (in decimal degrees)				
3 1/2 miles west of Ogallah, KS						Elevation:				
2 WATER WELLOWNED						Datum: WGS 84, NAD 83, NAD 27				
2 WATER WELL OWNER: Francis Staab RR#, Street Address, Box #: 1607 Hopewell Rd						Collection Method:  GPS unit (Make/Model:)				
	State, ZI	5 6 1	S 67601	☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey						
C.10, , .	J	Hays, r	(5 0/001				<3 m, 🔲 3-5 m, 🗀			
10.00	TE WEI	1	COMPLETED WELI	155		A				
	AN "X"				ft. (2)ft.					
SECTION BOX: Depth(s) Groundwater Encountered (1).90 ft. (2)									3/13	
ГТ	T	Pumi	test data: Well water	ft.	ft. after hours pumping gpm					
NW	NE	EST. YIELD. 5	<ol><li>Qgpm. Well water</li></ol>	n. Well water wasft. after hours pumping gpm						
w	/ <sup>#</sup>	E   Doi'd Hold Dian	eter 10 in. to .155 ft., and in. to						المر	
		Domastia	Feedlot 🗹	Oil field water supply Dewatering Other (Specify below)						
SWSE										
Was a chemical/bacteriological sample submitted to Department? Yes V No										
s If yes, mo/day/yr sample was submitted										
	-1 mile	Water well disi	nfected? 📝 Yes 🗌	No					ser Ser	
5 TYPE OF CASING USED: Steel PVC Other										
CASING JOINTS: 7 Glued Clamped Welded Threaded										
Casing diameter 5 in. to 155 ft., Diameter in. to ft., Diameter in. to ft.										
Casing height above land surface. 24 in., Weight 2.91 lbs./ft., Wall thickness or gauge No21										
TYPE OF SCREEN OR PERFORATION MATERIAL:  Steel Stainless Steel PVC Other (Specify)										
Brass Galvanized Steel None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE:										
Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify)										
SCREEN PERFORATED INTERVALS: From 155 ft to 95 ft. From									ft.	
From ft. to ft. From ft. ft. ft. ft.										
GRAVEL PACK INTERVALS: From 155 ft. to 20 ft., From ft. to ft. From ft. to ft.										
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other										
Grout In		From 20 ft	to .0 ft., From		ft. to	cinci ft	., From	ft. to	ft.	
		st source of possible con								
Septic tank										
	Sewer lin	es		☐ Fuel stora☐ Fertilizer	ge storage	Oil well/				
		n well				ell				
FROM	ТО	LITHOLO		FROM	TO	LITHO.	LOG (cont.) <u>or</u> PL	UGGING	INTERVALS	
0	15	Top Soil		150	155	Hard clay				
15	20	Gumbo Clay							· · · · · · · · · · · · · · · · · · ·	
20	25	Sandy Clay								
25	30	Sand Book								
30 60	60 70	Sand Rock Gumbo clay					The state of the s			
70	75	Sand								
75	118	Gravel	,							
118	125	Gumbo								
125	150	Sand & clay mix			<u> </u>					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \( \subseteq \text{constructed}, \subseteq \text{reconstructed}, \text{or } \subseteq \text{plugged} \)										
under my jurisdiction and was completed on (mo/day/year) .05/24/13										
under the business name of Karsi Water Well Drilling & Service, IIIC by (signature)										
INCTPIL	TIONS.	Use ty newriter or hall point n	en PLEASE PRESS FIRMI	Y and PRINT	clearly. Ple	ease fill in blar	iks and check the cor	rect answers.	ound three copies	
(white, blue, pink) to Kansas Depar tment of Health and E nvironment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.  Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at										
http://www.kdheks.gov/waterwell/index.html.										
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Cop										