	Fraction	Section Number	82a-1212 ₁₃₂ [] Township No	umber Range Number
County:	1/4 1/4 1/4	Global Positionin	T	S DE DY
Street/Rural Address of Well Location; direction from nearest town or intersect	,	Latitude:	g Systems (GPS	information:(in decimal degree
check here	ion. If at owner's address,	Longitude:		(in decimal degrees
		Elevation: W	/GS84. \[\sqrt{N}	NAD83, NAD27
		Collection Method	<u>l:</u>	
WATER WELL OWNER: RR#, St. Address, Box #:		GPS unit (Make/Model:		
RR#, St. Address, Box #: City, State ZIP Code:				
				m, □ 5-15 m, □ > 15 m
MARK WELL'S LOCATION WITH AN "X" IN SECTION	4 DEPTH OF WELL	ft	•	
BOX:	WELL'S STATIC W	ATER LEVEL	ft	
	WELL WAS USED A	AS:		
NW NE	Domestic	Public Water Su		Dewatering
W E	Irrigation Feedlot	Oil Field Water S Domestic (Lawn		Monitoring Injection Well
SW SE	☐ Industrial	☐ Air Conditioning	; L	Other
	Was a chemical/bacter	riological sample subr	nitted to Departn	nent? Yes No
S TYPE OF BLANK CASING USE	[]D•			
Steel RMP (SR) ABS Blank casing diameter in. Casing height above or below land	Asbestos-Cement Was casing pulled? Yes	Concrete Tile	Other (Specify how much	
GROUT PLUG MATERIAL:		nent grout Bent	conite Othe	er
Grout Plug Intervals: From What is the nearest source of possib	Neat cement Cen ft. toft., From the contamination:	om ft. to	ft., Fron	n ft. to ft.
Grout Plug Intervals: From What is the nearest source of possible Septic tank S	Neat cement Cen ft. to ft., From the contamination: deepage pit Fuel	om ft. to		n ft. to ft.
Grout Plug Intervals: From What is the nearest source of possib Septic tank Sewer lines P Watertight sewer lines S	Neat cement Cen ft. toft., Fro ole contamination: deepage pit Fuel fit privy Ferti dewage lagoon Insec	storage [izer storage _ ticide storage	ft., Fron	n ft. to ft. below)
Grout Plug Intervals: From What is the nearest source of possible Septic tank Sewer lines Possible Watertight sewer lines Lateral lines From	Neat cement Cen ft. toft., Fro ole contamination: deepage pit Fuel fit privy Ferti dewage lagoon Insect Geedyard Aban	storage [izer storage ticide storage doned water well I	ft., From	n ft. to ft. below)
Grout Plug Intervals: From What is the nearest source of possible Septic tank Sewer lines Property Watertight sewer lines Lateral lines Cess pool Line	Neat cement Cen ft. toft., From the contamination: Seepage pit	storage [lizer storage ticide storage doned water well I ell/Gas well I	ft., From Other (specify Direction from we have many feet?	n ft. to ft. below)
Grout Plug Intervals: From What is the nearest source of possible Septic tank Sewer lines Property Watertight sewer lines Lateral lines Cess pool Line	Neat cement Cen ft. toft., Fro ole contamination: deepage pit Fuel fit privy Ferti dewage lagoon Insect Geedyard Aban	storage [izer storage ticide storage doned water well I	ft., From Other (specify Direction from we have many feet?	n ft. to ft. below) ell?
Grout Plug Intervals: From What is the nearest source of possible Septic tank Sewer lines Property Watertight sewer lines Lateral lines Cess pool Line	Neat cement Cen ft. toft., From the contamination: Seepage pit	storage [lizer storage ticide storage doned water well I ell/Gas well I	ft., From Other (specify Direction from we have many feet?	n ft. to ft. below)
Grout Plug Intervals: From What is the nearest source of possible Septic tank Sewer lines Property Watertight sewer lines Lateral lines Cess pool Line	Neat cement Cen ft. toft., From the contamination: Seepage pit	storage [lizer storage ticide storage doned water well I ell/Gas well I	ft., From Other (specify Direction from we have many feet?	n ft. to ft. below)
Grout Plug Intervals: From What is the nearest source of possible Septic tank Sewer lines Property Watertight sewer lines Lateral lines Cess pool Line	Neat cement Cen ft. toft., From the contamination: Seepage pit	storage [lizer storage ticide storage doned water well I ell/Gas well I	ft., From Other (specify Direction from we have many feet?	n ft. to ft. below)
Grout Plug Intervals: From What is the nearest source of possible Septic tank Sewer lines Property Watertight sewer lines Lateral lines Cess pool Line	Neat cement Cen ft. toft., From the contamination: Seepage pit	storage [lizer storage ticide storage doned water well I ell/Gas well I	ft., From Other (specify Direction from we have many feet?	n ft. to ft. below)
Grout Plug Intervals: From What is the nearest source of possible Septic tank Sewer lines Property Watertight sewer lines Lateral lines Cess pool Line	Neat cement Cen ft. toft., From the contamination: Seepage pit	storage [lizer storage ticide storage doned water well I ell/Gas well I	ft., From Other (specify Direction from we have many feet?	n ft. to ft. below)
Grout Plug Intervals: From What is the nearest source of possible Septic tank	Neat cement Cen ft. toft., Fro ole contamination: deepage pit Fuel it privy Ferti dewage lagoon Insect deedyard Aban divestock pens Oil w GGING MATERIALS WNER'S CERTIFICATION	storage	ft., From Other (specify Direction from wellow many feet? PLUC	ft. to ft. below) ell? GGING MATERIALS under my jurisdiction and w
Grout Plug Intervals: From What is the nearest source of possible Septic tank Sewer lines Property Watertight sewer lines Lateral lines Cess pool LEST FROM TO PLUGO PL	Neat cement Cen ft. toft., Fro ole contamination: deepage pit Fuel it privy Ferti dewage lagoon Insect deedyard Aban divestock pens Oil w GGING MATERIALS WNER'S CERTIFICATIO and this re	storage	ft., From Other (specify Direction from wellow many feet? PLUC	below) GGING MATERIALS ander my jurisdiction and wadge and belief. Kansas Wat
Grout Plug Intervals: From What is the nearest source of possible Septic tank	Neat cement Cen ft. toft., Fro ole contamination: deepage pit Fuel it privy Ferti dewage lagoon Insect deedyard Aban olivestock pens Oil w GGING MATERIALS WNER'S CERTIFICATIO and this re This Water Well	storage	ft., From Other (specify Direction from wellow many feet? PLUC I was plugged use of my knowled on (mo/day/yea	below) GGING MATERIALS Inder my jurisdiction and wadge and belief. Kansas Watar) under the

KSA82a-1212

Revised 1/29/2014