				WATE	R WELL RECORD			2a-1212		
→	ON OF WA	TER WEL	L:	Fraction		[ction Numbe	1 "		Range Number
County: T	rego			NW 1/4	ddress of well if lo	NE 1/4	19	т 12	S	R 22W E/W
	nd direction of O ga				daress of well if to	cated within city?				
	R WELL OW			y Staab		Blue Goose	3			
ZI WATER	MELL UN	MEN:		lah, Ks.		D 1110		Board of A	ariculture l	Division of Water Resources
City State	, ZIP Code	X# .	6765	6		Great Bend	i, Ks.67	530 Board of A Application	Number	Unknown
3 LOCATE	WELLS	OCATIO!	with		OMBI ETED WELL	160	4 ELEV	ATIONI Unknor	m	
AN "X"	IN SECTIO	N BOX:	• •••••	Depth(e) Ground	water Encountered	110	11. ELEV	2		12/16/82 ft.
. r		V	\neg	WELL'S STATIO	WATER I EVE	110,	helow land s	urface measured on	mo/day/vr	12/16/82
1	i			1						mping gpm
-	- NW	NE	 							mping gpm
'.	!		- '	Bore Hole Diame	eter 8in	to 160		. and	in	. to
ĕ w ⊢	<u> </u>	- 	 €	1	O BE USED AS:					
-	i	i		1 Domestic	3 Feedlot			•		Injection well Other (Specify below)
-	- SW	SE		2 Irrigation	4 Industrial			-		
	1	;					•			, mo/day/yr sample was sub-
1		<u> </u>		mitted	J	•	•		-	
5 TYPE C	OF BLANK (CASING	USED:		5 Wrought iron	8 Cond	rete tile			Nod_, Clamped
1 Ste	eel	3	RMP (S	R)	6 Asbestos-Cem	ent 9 Othe	(specify bel	ow)	Weld	ed
2 <u>.P</u> V	<u>'C.</u>	4	ABS	•	7 Fiberglass				Threa	aded
Blank casi	ng diameter	5		.in. to 140	ft., Dia	in. t	o <i>.</i>	ft., Dia		in. to ft.
Casing hei	ght above la	and surfa	ce	12	in., weight	2.8	lbs	s./ft. Wall thickness of	r gauge N	o. Sch. 40
				N MATERIAL:		7 <u>P</u>		10 Asb		1
1 Ste	eel	3 :	Stainles	s steel	5 Fiberglass	8 R	MP (SR)	11 Oth	er (specify)	
2 Bra	ass	4 (Galvania	zed steel	6 Concrete tile			12 Non		
SCREEN (OR PERFO	RATION	OPENIN	IGS ARE:	5 G	auzed wrapped		8 Saw cut		11 None (open hole)
1 Co	ntinuous slo	ot	3 N	fill slot	6 V	Vire wrapped		9 Drilled holes		}
2 Lo	uvered shut	ter	4 K	ey punched	7 T	orch cut		10 Other (specify)	
SCREEN-F	PERFORAT	ED INTE	RVALS:	From	140 ft. 1	to	<u>1</u> ,60 _{ft., Fr}	rom	ft. t	o
				From	ft. 1	to	ft., Fr	rom	ft. t	o
G	RAVEL PA	CK INTE	RVALS:	From	10 ft. f	to	. 1 <u>60</u> .ft., Fr	rom	ft. t	o
				From	ft.	to	ft., Fr	rom	ft. t	o ft.
6 GROUT	MATERIAL	_:	1 Neat	cement	2 Cement grout	3 Bent	onite	4 Other		
Grout Inter	vals: Fro	m	0	. ft. to 10	ft., From	ft.	to	ft., From		ft. to
What is the	e nearest so	ource of p	oossible	contamination:			10 Live	estock pens	14 A	bandoned water well
1 Septic tank 4 Lateral lin				ral lines	nes 7 Pit privy		11 Fuel st		torage 15 Oil well/Gas well	
2 Sewer lines 5 Cess poo				pool	8 Sewage		oon 12 Fertiliz		zer storage 16 Other (specify belo	
3 Wa	atertight sev	er lines	6 Seep	page pit	9 Feedyar	rd	13 Inse	ecticide storage		other (specify below)
Direction f		·	Sout			-		any feet? 60		
FROM	TO	67.0		LITHOLOGIC	LOG	FROM	ТО		LITHOLOG	alC LOG
0	70	Clay		O 7			ļ			
70	160	Sano	ano	Gravel			 			
							_			
							-			
							ļ		· · · · · · · · · · · · · · · · · · ·	
			-							
	47.							•		
			- 1	· ;			1			
7 CONTE	RACTOR'S	OR LAND	OWNE	R'S CERTIFICATI	ON: This water we	ell was (1) constr	ucted. (2) re	constructed, or (3) p	lugged und	der my jurisdiction and was
	on (mo/day		12/1	6/82						owledge and belief. Kansas
	I Contractor		e No.	186	This Wat	er Well Record w				1/11/83
under the	business na	me of	Kell	ys Water We	ell Service		by (sign	nature) Reny	· R	2
INSTRUC	TIONS: Use	typewrite								e correct answers. Send top
	es to Kansas and retain o				nent, Division of En	vironment, Enviro	nmental Geol	ogy Section, Topeka,	KS 66620.	Send one to WATER WELL
	retain O	yo								