

1 LOCATION OF WELL:		Fraction	Section Number	Township Number	Range Number
County: Trego		SW ¼ NW ¼ NE ¼	15	T 12 S	R 23 EW
Distance and direction from nearest town or city street address of well if located within city? 910 S. 13th, Wakeeney, Kansas					
2 WATER WELL OWNER: Quality Mart, Inc.					
RR#, St Address, Box # : 910 S. 13th			Board of Agriculture, Division of Water Resources Application Number:		
City, State, ZIP Code : Wakeeney, Kansas 67672					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: <div style="text-align:center;">N W E S</div> <div style="text-align:center;">1 Mile ↓ ↑ 1 Mile</div>		4 DEPTH OF COMPLETED WELL 95 ft. ELEVATION: 2439.79			
		Depth(s) Groundwater Encountered 1..... 77 ft. 2..... ft. 3..... ft.			
		WELL'S STATIC WATER LEVEL ... 79.86 ... ft. below land surface measured on mo/day/yr 8/1/97			
		Pump test data: Well water was NA ft. after hours pumping gpm			
		Est Yield . NA . gpm: Well water was ft. after hours pumping gpm			
		Bore Hole Diameter 8.... in. to 95 ft., and in. to ft.			
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well			
		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)			
		2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well			
		Was a chemical/bacteriological sample submitted to Department? Yes.....No✓.....; If yes, mo/day/yr sample was submitted			
		Water Well Disinfected? Yes No ✓			
5 TYPE OF BLANK CASING USED:					
1 Steel		3 RMP (SR)		CASING JOINTS: Glued Clamped	
2 PVC		4 ABS		Welded	
		7 Fiberglass		Threaded. ✓	
Blank casing diameter 2 in. to 70 ft., Dia in. to ft., Dia in. to ft.					
Casing height above land surface -2.4 in., weight Sch 40 lbs./ft. Wall thickness or gauge No.					
TYPE OF SCREEN OR PERFORATION MATERIAL					
1 Steel		3 Stainless steel		7 PVC	
2 Brass		4 Galvanized steel		8 RMP (SR)	
		6 Concrete tile		9 ABS	
		5 Gauzed wrapped		10 Asbestos-cement	
SCREEN OR PERFORATION OPENINGS ARE:		6 Wire wrapped		11 Other (specify)	
1 Continuous slot		7 Torch cut		12 None used (open hole)	
2 Louvered shutter		8 Saw cut		11 None (open hole)	
3 Mill slot		9 Drilled holes			
4 Key punched		10 Other (specify)			
SCREEN-PERFORATED INTERVALS: From 70 ft. to 95 ft., From ft. to ft.					
GRAVEL PACK INTERVALS: From 68 ft. to 95 ft., From ft. to ft.					
FROM ft. to ft., FROM ft. to ft.					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other					
Grout Intervals: From 0 ft. to 66 ft., From 66 ft. to 68 ft., From ft. to ft.					
What is the nearest source of possible contamination:					
1 Septic tank		4 Lateral lines		10 Livestock pens	
2 Sewer lines		7 Pit privy		11 Fuel storage	
3 Watertight sewer lines		8 Sewage lagoon		12 Fertilizer storage	
6 Seepage pit		9 Feedyard		13 Insecticide storage	
				14 Abandoned water well	
				15 Oil well/Gas well	
				16 Other (specify below) Former UST Basins	
Direction from well? North How many feet? 0					
LITHOLOGIC LOG					
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLOGGING INTERVALS
0	0.5	Asphalt,			
0.5	13	Clay, Brown			
13	17	Clay, Red Brown			
17	23	Sand, Light Brown			
23	28	Sand, Light Red Brown			
28	50	Sand, Light Brown			
50	95	Sand, Light Green			
MW1 , Tag # 00159070 , Flushmount					
Project Name: Quality Mart, Inc					
GeoCore # 489 , KDHE # U6 098 790					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 7/7/97 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 527 This Water Well Record was completed on (mo/day/yr) 9/2/97 under the business name of GeoCore Services, Inc. by (signature) Dale Kelly					
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.					