WATE	R WELL RE	CORD	Form W	WC-5	Division of	Water Resources App. N	No	
1 LOC	CATION OF WA	TER WELL:	Fraction		Section Numb		Range Number	
Cou	nty: Trego		SW 1/4 NW 1/4 NV	V 1/4 1/4	15	T 12 S	R 23 □E 🗹 W	
Street/Rural Address of Well Location; if unknown, distance & direction						ning System (GPS) i	nformation:	
from nearest town or intersection: If at owner's address, check here \(\mathbb{Z}\) .						Latitude:39.00.46.1(in decimal degrees)		
					Longitude: 99.52.15.7 (in decimal degrees)			
					Elevation:	Elevation:		
2 WATER WELL OWNER: Quality Mart. Inc.					– <u>Datum</u> : □ W	Datum: WGS 84, NAD 83, NAD 27		
RR#, Street Address, Box #: 910 South 13th					Collection Met	Collection Method: ☐ GPS unit (Make/Model: Garmin		
C'ty Ctata ZID Cala					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
City, State, ZIP Code : WaKeeney, KS 67672					Est. Accuracy: □ <3 m, □ 3-5 m, □ 5-15 m, □ >15 m			
3 LOCATE WELL								
	WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 90 ft.							
SEC	SECTION BOX: Depth(s) Groundwater Encountered (1).78							
	N WELL'S STATIC WATER LEVEL78ft. below land surface measured on mo/day/yr							
Pump test data: Well water wasft. after hours pumping								
EST. YIELDgpm. Well water wasft. after hours pumping gpm								
W Bore Hole Diameter 8in. to .90ft., andin. toft. WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
Domestic Decodlet Doil field victor cumbly Devictoring Dother (Specify below)								
SW SE Dolliestic Feedlot Off field water supply Dewatering Other (specify below)								
Was a chemical/bacteriological sample submitted to Department? Yes No								
S If yes, mo/day/yr sample was submitted								
Water well disinfected? Yes No								
5 TYPE OF CASING USED: ☐ Steel ☑ PVC ☐ Other								
Casing diameter .2 in. to .90 ft., Diameter in. to ft.								
Casing height above land surface. 0 in., Weight in. lbs./ft., Wall thickness or gauge No025								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
		ninless Steel	✓ PVC		Other (Specify) .			
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous slot ☑ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)								
Louvered shutter Key punched Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From								
From								
GRAVEL PACK INTERVALS: From								
From								
6 CROUT MATERIAL: Next cement Cement grout Rentonite Other								
	ntervals: From	1 .60 ft. to	.50 ft., From	n .50	ft. to .2	. ft., From	ft. toft.	
What is	the nearest sourc	e of possible conta	mination:					
Septic tank								
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well								
			it				•••••	
FROM	TO TO	LITHOLOG		FROM			UGGING INTERVALS	
0		sh Clay Firm	10 100	1 KOW	IO LIIN	LOG (cont.) <u>or</u> PL	JOHN HILKYALS	
20		ay Layers Sand	Caliche Nodule					
80		Fine Sand Wet	Canonia Noutile	+				
		o Garia Wet		<u> </u>				
			-					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) .07/1.0/09 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No728 This Water Well Record was completed on (mo/day/year) 07/14/09								
under the business name of .JC Drilling Services by (signature)								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include <u>fee</u> of \$5.00 for each <u>constructed</u> well. Visit us at http://www.kdheks.gov/waterwell/index.html .								
KSA 82a-1212 Check: ✓ White Copy, ☐ Blue Copy, ☐ Pink Copy								