KOLAR Document ID: 1539109

County: 1/4 1/4 1/4 1/4 T S R  2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, direction from nearest town or intersection): If at owner's address, or direction from nearest town or intersection in the second of the country of the co	
County: 1/4 1/4 1/4 1/4 T S R  2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, direction from nearest town or intersection): If at owner's address, or direction from nearest town or intersection in the second of the country of the co	ge Number
Business: direction from nearest town or intersection): If at owner's address,	□ E □ W
	distance and
	check here:
Address: Address:	
City: State: ZIP:	
3 LOCATE WELL	
WITH "X" IN SECTION POY.  4 DEPTH OF COMPLETED WELL:	_
SECTION BOA:  2) ft or 4) \[ \begin{array}{cccccccccccccccccccccccccccccccccccc	
WELL'S STATIC WATER LEVEL: ft. Source for Latitude/Longitude:	AD 21
below land surface, measured on (mo-day-yr)	)
NW   NE	(o)
Pump test data: Well water was	
W   E   after hours pumping gpm   □ Online Mapper: Well water was ft.	•••••
SW SE after hours pumping	
Estimated Yield:gpm 6 Elevation:ft. Ground	
S Bore Hole Diameter:	
7 WELL WATER TO BE USED AS: 1. Domestic: 5. □ Public Water Supply: well ID	
☐ Household	
☐ Lawn & Garden 7. ☐ Aquifer Recharge: well ID ☐ Cased ☐ Uncased ☐ Geotechnica	
☐ Livestock 8. ☐ Monitoring: well ID	
2. Irrigation 9. Environmental Remediation: well ID	
3. ☐ Feedlot ☐ Air Sparge ☐ Soil Vapor Extraction ☐ Becovery ☐ Injection ☐ Becovery ☐ Injection ☐ Surface Discharge ☐ Injection ☐ Injecti	
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ No If yes, date sample was submitted:	
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welder	I D Throadad
Casing diameter	i 🔲 Tilleaded
Casing height above land surface	
TYPE OF SCREEN OR PERFORATION MATERIAL:	
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)	
☐ Steel       ☐ PVC       ☐ Other (Specify)         ☐ Brass       ☐ Galvanized Steel       ☐ None used (open hole)	
☐ Steel       ☐ Stainless Steel       ☐ PVC       ☐ Other (Specify)         ☐ Brass       ☐ Galvanized Steel       ☐ None used (open hole)         SCREEN OR PERFORATION OPENINGS ARE:	
☐ Steel       ☐ PVC       ☐ Other (Specify)         ☐ Brass       ☐ Galvanized Steel       ☐ None used (open hole)	
☐ Steel       ☐ Stainless Steel       ☐ PVC       ☐ Other (Specify)	
□ Steel □ Stainless Steel □ PVC □ Other (Specify) □ Steel   □ Brass □ Galvanized Steel □ None used (open hole)   SCREEN OR PERFORATION OPENINGS ARE: □ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify) □ Unit of the Company of the Compan	ft. ft.
□ Steel □ Stainless Steel □ PVC □ Other (Specify) □ Steel □ None used (open hole)   SCREEN OR PERFORATION OPENINGS ARE: □ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify) □ Other (Specify)   □ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)   SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to   GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to   9 GROUT MATERIAL: □ Neat cement □ Cement grout □ Bentonite □ Other	ft. ft.
□ Steel       □ Stainless Steel       □ PVC       □ Other (Specify)       □ SCREIN OR PERFORATION OPENINGS ARE:         □ Continuous Slot       □ Mill Slot       □ Gauze Wrapped       □ Torch Cut       □ Drilled Holes       □ Other (Specify)       □ Other (Specify)       □ Drilled Holes       □ Other (Specify)       □	ft. ft.
Steel Stainless Steel PVC Other (Specify)   Brass Galvanized Steel None used (open hole)   SCREEN OR PERFORATION OPENINGS ARE:   Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)   Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)   SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to   GRAVEL PACK INTERVALS: From ft. to ft., From ft. to   9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other   Grout Intervals: From ft. to ft., From ft. to ft., From   No potential source of contamination within 200 ft.	ft. ft.
□ Steel       □ Stainless Steel       □ PVC       □ Other (Specify)       □ Steel       □ None used (open hole)         SCREEN OR PERFORATION OPENINGS ARE:       □ Continuous Slot       □ Mill Slot       □ Gauze Wrapped       □ Torch Cut       □ Drilled Holes       □ Other (Specify)       □ Othe	ft. ft. 
Steel Stainless Steel PVC Other (Specify)   Brass Galvanized Steel None used (open hole)   SCREEN OR PERFORATION OPENINGS ARE:   Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)   Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)   SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to   GRAVEL PACK INTERVALS: From ft. to ft., From ft. to   9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other   Grout Intervals: From ft. to ft., From ft. to ft., From   No potential source of contamination within 200 ft.	ft. ft. 
□ Steel       □ Stainless Steel       □ PVC       □ Other (Specify)         □ Brass       □ Galvanized Steel       □ None used (open hole)         SCREEN OR PERFORATION OPENINGS ARE:       □ Continuous Slot       □ Mill Slot       □ Gauze Wrapped       □ Torch Cut       □ Drilled Holes       □ Other (Specify)         □ Louvered Shutter       □ Key Punched       □ Wire Wrapped       □ Saw Cut       □ None (Open Hole)         SCREEN-PERFORATED INTERVALS:       From       ft. to       ft., From       ft. to         GRAVEL PACK INTERVALS:       From       ft. to       ft., From       ft. to       ft., From       ft. to         Grout Intervals:       From       ft. to       ft., From       ft. to       ft., From       ft. to       ft.         Nearest source of possible contamination:       No potential source of contamination within 200 ft.       □	ft. ft. 
Steel Stainless Steel PVC Other (Specify)   Brass Galvanized Steel None used (open hole)   SCREEN OR PERFORATION OPENINGS ARE: Torch Cut Drilled Holes Other (Specify)   Continuous Slot Mill Slot Gauze Wrapped Saw Cut None (Open Hole)   Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)   SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to   GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to   Grout Intervals: From ft. to ft., From ft. to ft.   Grout Intervals: From ft. to ft., From ft. to ft.   Nearest source of possible contamination: No potential source of contamination within 200 ft.   Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage   Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water   Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well   Other (Specify) Distance from well? ft.	ft. ft. ft.
□ Steel       □ Stainless Steel       □ PVC       □ Other (Specify)         □ Brass       □ Galvanized Steel       □ None used (open hole)         SCREEN OR PERFORATION OPENINGS ARE:       □ Continuous Slot       □ Mill Slot       □ Gauze Wrapped       □ Torch Cut       □ Drilled Holes       □ Other (Specify)         □ Louvered Shutter       □ Key Punched       □ Wire Wrapped       □ Saw Cut       □ None (Open Hole)         SCREEN-PERFORATED INTERVALS:       From       ft. to       ft., From       ft. to         GRAVEL PACK INTERVALS:       From       ft. to       ft., From       ft. to       ft., From       ft. to         Grout Intervals:       From       ft. to       ft., From       ft. to       ft., From       ft. to       ft.         Nearest source of possible contamination:       No potential source of contamination within 200 ft.       □	ft. ft. ft.
Steel Stainless Steel PVC Other (Specify)   Brass Galvanized Steel None used (open hole)   SCREEN OR PERFORATION OPENINGS ARE: Torch Cut Drilled Holes Other (Specify)   Continuous Slot Mill Slot Gauze Wrapped Saw Cut None (Open Hole)   Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)   SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to   GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to   Grout Intervals: From ft. to ft., From ft. to ft.   Grout Intervals: From ft. to ft., From ft. to ft.   Nearest source of possible contamination: No potential source of contamination within 200 ft.   Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage   Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water   Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well   Other (Specify) Distance from well? ft.	ft. ft. ft.
Steel Stainless Steel PVC Other (Specify)   Brass Galvanized Steel None used (open hole)   SCREEN OR PERFORATION OPENINGS ARE: Torch Cut Drilled Holes Other (Specify)   Continuous Slot Mill Slot Gauze Wrapped Saw Cut None (Open Hole)   Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)   SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to   GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to   Grout Intervals: From ft. to ft., From ft. to ft.   Grout Intervals: From ft. to ft., From ft. to ft.   Nearest source of possible contamination: No potential source of contamination within 200 ft.   Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage   Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water   Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well   Other (Specify) Distance from well? ft.	ft. ft. ft.
Steel Stainless Steel PVC Other (Specify)   Brass Galvanized Steel None used (open hole)   SCREEN OR PERFORATION OPENINGS ARE: Torch Cut Drilled Holes Other (Specify)   Continuous Slot Mill Slot Gauze Wrapped Saw Cut None (Open Hole)   Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)   SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to   GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to   Grout Intervals: From ft. to ft., From ft. to ft.   Grout Intervals: From ft. to ft., From ft. to ft.   Nearest source of possible contamination: No potential source of contamination within 200 ft.   Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage   Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water   Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well   Other (Specify) Distance from well? ft.	ft. ft. ft.
Steel Stainless Steel PVC Other (Specify)   Brass Galvanized Steel None used (open hole)   SCREEN OR PERFORATION OPENINGS ARE: Torch Cut Drilled Holes Other (Specify)   Continuous Slot Mill Slot Gauze Wrapped Saw Cut None (Open Hole)   Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)   SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to   GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to   Grout Intervals: From ft. to ft., From ft. to ft.   Grout Intervals: From ft. to ft., From ft. to ft.   Nearest source of possible contamination: No potential source of contamination within 200 ft.   Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage   Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water   Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well   Other (Specify) Distance from well? ft.	ft. ft. ft.
Steel Stainless Steel PVC Other (Specify)   Brass Galvanized Steel None used (open hole)   SCREEN OR PERFORATION OPENINGS ARE: Torch Cut Drilled Holes Other (Specify)   Continuous Slot Mill Slot Gauze Wrapped Saw Cut None (Open Hole)   Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)   SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to   GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to   Grout Intervals: From ft. to ft., From ft. to ft.   Grout Intervals: From ft. to ft., From ft. to ft.   Nearest source of possible contamination: No potential source of contamination within 200 ft.   Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage   Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water   Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well   Other (Specify) Distance from well? ft.	ft. ft. ft.
Steel Stainless Steel PVC Other (Specify)   Brass Galvanized Steel None used (open hole)   SCREEN OR PERFORATION OPENINGS ARE: Torch Cut Drilled Holes Other (Specify)   Continuous Slot Mill Slot Gauze Wrapped Saw Cut None (Open Hole)   Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)   SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to   GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to   Grout Intervals: From ft. to ft., From ft. to ft.   Grout Intervals: From ft. to ft., From ft. to ft.   Nearest source of possible contamination: No potential source of contamination within 200 ft.   Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage   Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water   Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well   Other (Specify) Distance from well? ft.	ft. ft. ft.
Steel   Stainless Steel   PVC   Other (Specify)   Steel   Brass   Galvanized Steel   None used (open hole)	ft. ft. ft.
Steel	ft ft
Steel	ftftftwell  GINTERVALS  or □ plugged
Steel   Stainless Steel   PVC   Other (Specify)	or plugged ge and belief.
Steel   Stainless Steel   PVC   Other (Specify)	or plugged ge and belief.