

1 LOCATION OF WATER WELL: County: <u>Trego</u>	Fraction <u>1/4 NW 1/4 SE 1/4</u>	Section Number <u>20</u>	Township Number <u>T 12 S</u>	Range Number <u>R 23 E/W</u>
---	--------------------------------------	-----------------------------	----------------------------------	---------------------------------

Distance and direction from nearest town or city street address of well if located within city?
Approximately 1 3/4 mile south and 1/2 mile west of WaKeeney

2 WATER WELL OWNER: RR#, St. Address, Box # : City, State, ZIP Code	<u>WaKeeney, City of</u> <u>City Hall</u> <u>408 Russell Avenue</u> <u>WaKeeney, KS 67672</u>	Board of Agriculture, Division of Water Resources Application Number: <u>15498</u>
---	--	---

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: <u>69.15</u> ft. ELEVATION:
--	--

Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.

WELL'S STATIC WATER LEVEL 26.2 ft. below land surface measured on mo/day/yr 5-19-93

Pump test data: Well water was ft. after hours pumping gpm

Est. Yield gpm: Well water was ft. after hours pumping gpm

Bore Hole Diameter in. to ft., and in. to ft.

WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well

Was a chemical/bacteriological sample submitted to Department? Yes.....No.....; If yes, mo/day/yr sample was sub-
 mitted

Water Well Disinfected? Yes No

5 TYPE OF CASING USED: 1 <u>Steel</u> 2 PVC Blank casing diameter <u>16</u> in. to ft., Dia in. to ft., Dia in. to ft. Casing height above land surface <u>4'</u> below in., weight lbs./ft. Wall thickness or gauge No.	3 RMP (SR) 4 ABS 5 Wrought iron 6 Asbestos-Cement 7 Fiberglass	8 Concrete tile 9 Other (specify below)	CASING JOINTS: Glued Clamped Welded Threaded
--	--	--	--

TYPE OF SCREEN OR PERFORATION MATERIAL:	7 PVC	10 Asbestos-cement
1 Steel	3 Stainless steel	5 Fiberglass
2 Brass	4 Galvanized steel	6 Concrete tile
8 RMP (SR)	11 Other (specify) <u>NA</u>	12 None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped	8 Saw cut
1 Continuous slot	3 Mill slot	6 Wire wrapped
2 Louvered shutter	4 Key punched	7 Torch cut
SCREEN-PERFORATED INTERVALS:	From <u>NA</u> ft. to <u>NA</u> ft., From ft. to ft.	9 Drilled holes
GRAVEL PACK INTERVALS:	From ft. to ft., From ft. to ft.	10 Other (specify) <u>NA</u>
	From ft. to ft., From ft. to ft.	11 None (open hole)
	From ft. to ft., From ft. to ft.	

6 GROUT MATERIAL:	1 Neat cement	2 <u>Cement grout</u>	3 Bentonite	4 Other
-------------------	---------------	-----------------------	-------------	-------------------

Grout intervals: From 30 ft. to 4 ft., From ft. to ft., From ft. to ft.

What is the nearest source of possible contamination:

1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
			13 Insecticide storage	None known

Direction from well? How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
			69.15	30	Chlorinated sand
			30	4	Concrete Grout
			4	0	Topsoil

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 5-19-93 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 185. This Water Well Record was completed on (mo/day/yr) 7-26-93 under the business name of Clarke Well & Equipment, Inc. by (signature) David W. Clarke

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY

T

R

E/W

SEC.

1/4

1/4

1/4