			R WELL RECORD	Form WWC-5			I	Dane		
LOCATION OF WATER WELL: Ounty: Trego		Fraction SE 1/4	SE 1/4	NE 1/4	tion Number 2	Township N	umber S	R 2	e Numb 5 <b>W</b>	er E/W
			ddress of well if locate			1	3			E/VV
	f Voda, Kans	-	duress of well if local	ted within city:						
2 HC50 C	nun Dean Ho	hhs	Red Tiger			Hobb	s 5-2			
WATER WELL OWNER: Dean Hobbs R#, St. Address, Box # Penokee, Ks.			1720 Kg.		Aldø.	•				
R#, St. Address, Bo	X # : Fellokee	5, K5.	Wichita	Ke 67202	J_48•			-	water He 84 <b>-</b> 74	
ty, State, ZIP Code	: 07037		Wichita, OMPLETED WELL.	120		Applicatio	n Number:			
LOCATE WELL'S I	OCATION WITH 4 N BOX:	DEPTH OF Co Depth(s) Ground	OMPLETED WELL water Encountered WATER LEVEL	1. 85	ft. ELEVA	TION:	ft. 3.		/s	 ft.
			WATER LEVEL o test data: Well wa							
NW	E		O gpm; Well wa eter8in. to							
w			O BE USED AS:			8 Air conditionin		njection w		
		1 Domestic	3 Feedlot	6 Oil field wa	ter supply	9 Dewatering	12 (	Other (Spe	cify belo	w)
sw	SE	2 Irrigation	4 Industrial			10 Observation w				
1 !		•	pacteriological sample	-	-					
	s n	mitted			Wa	ter Well Disinfect	ed? Yes	N	0	
TYPE OF BLANK			5 Wrought iron			CASING JO		-		
1 Steel	3 RMP (SR)	)	6 Asbestos-Cemen	t 9 Other	(specify below	w)		ed		
2 PVC	4 ABS	40	7 Fiberglass					ded		
			ft., Dia							
sing height above	land surface	<b>12</b>	.in., weight	2.8	lbs.	ft. Wall thickness	or gauge No	) <b>.</b> \$	ch.4	.Ω
PE OF SCREEN (	OR PERFORATION	MATERIAL:		<u>7 PV</u>	C	10 As	bestos-ceme	nt		
1 Steel	3 Stainless	steel	5 Fiberglass	8 RM	IP (SR)	11 Ot	ner (specify)			
2 Brass	4 Galvanized	d steel	6 Concrete tile	9 AB	S	12 No	ne used (ope	en hole)		
REEN OR PERFC	RATION OPENING	S ARE:	5 Gau	zed wrapped		8 Saw cut		11 None	(open ho	ole)
1 Continuous sl	ot 3 Mill	slot	6 Wire	e wrapped		9 Drilled holes				
2 Louvered shu		v punched		ch cut		10 Other (speci	(v)			
	ED INTERVALS:		80 ft. to		ft. Fro					
SHEERY EN ONA	LD IIVILIVALO.		ft. to		-					
GRAVEL P	ACK INTERVALS:		10 ft. to	120	ft., Fro	m				
		From	ft. to		ft., Fro	m	ft. to			f
GROUT MATERIA		ement	2 Cement grout	3 Bento	nite 4	Other				
rout Intervals: Fro	omft	t. to 10	ft., From	ft.	to	ft., From .	<b>.</b>	. ft. to .		ft
hat is the nearest s	ource of possible of	ontamination:			10 Lives	stock pens	14 At	andoned v	water we	ell
1 Septic tank 4 Lateral lin		l lines	s 7 Pit privy		11 Fuel storage		15 Oil well/Gas well			
2 Sewer lines 5 Cess poor		pool	8 Sewage lagoon		12 Fertil	lizer storage	orage 16 Other (specify be		y below)	)
3 Watertight se	wer lines 6 Seepag	ge pit	9 Feedyard			cticide storage				
rection from well?	South				How ma	ny feet? 60				
ROM TO		LITHOLOGIC	LOG	FROM	ТО		LITHOLOG	IC LOG		
0 78	Clay									
78 105	Sand and C	Gravel wit	h Clay Streak	s					,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
105 120	Shale									
	<b>1</b>									
CONTRACTOR	OR LANDOWNER	S CERTIFICATI	ON: This water well	was (1) constru	cted (2) reco	onstructed or (2)	niugged und	er my juris	diction	and wa
ompleted on (mo/da	y/year) . 1/27/8/		This \4/stag					wieage an	iu pellet. 2/20/d	ransa ≀.
			This Water	well Record wa	-	<b>X</b> * * * * * * * * * * * * * * * * * * *	•		2/.29/.8	≀4
der the business n	ame of Kellys	Water Wel	1 Service	1.000.0		iture)				
C TOURTIONS: Ha	typewriter or half no	oint ben. <i>PLEAS</i>	e PHESS FIRMLY &	ang <i>PHINT</i> clear	y. Piease fill i	n blanks, underlin	e or circle the	correct ar	iswers. S	and to
roo conica ta Vanaa	n Department of Use	olth and Environ-	nent, Division of Envir	onment Environ	mental Gasia	ay Section Tonals	KS SESSO	Sand one t	O WATE	B WE